



PAINTS
ENAMELS
VARNISHES
SUNDRIES

SMITH-ALSOP PAINT & VARNISH CO.

"Paint Makers"

TERRE HAUTE, INDIANA

M-22



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

254
300
7/84

THE SMITH-ALSOP PAINT & VARNISH CO.

M-22 CATALOG AND PRICE LIST

March 15, 1957


Prices are net and subject to change without notice

F. O. B. SHIPPING POINT



The Painters' Line Since 1909

**Paints Enamels Varnishes Brushes Wallpaper
Painters' and Paperhangers' Tools and Supplies**



**ONE OF THE MOST MODERN AND BEST EQUIPPED
PAINT MANUFACTURING PLANTS IN THE MIDDLE WEST.**

The Smith-Alsop Paint & Varnish Co.

"PAINT MAKERS"

FACTORY AND GENERAL OFFICES

THIRD STREET and BIG 4 R. R.

Terre Haute, Indiana

HI-GRADE PAINT & VARNISH PRODUCTS

THE SMITH-ALSOP POLICY

The Smith-Alsop Policy is based on certain fundamentals essential to the success of any business—quality products sold at reasonable prices, well directed selling methods, fair and honest dealings with the trade, and dependable service.

By Service we mean not only the handling and shipping of orders promptly, but offering the Smith-Alsop facilities and organization as a whole, and extending our customers the benefit of our forty-seven years of paint making and merchandising experience.

It has been our aim to manufacture and market highest quality goods. The purest and best raw materials are demanded. All raw materials are given careful laboratory tests against standard samples to assure uniformity. The most modern machinery and equipment aid in production. Those responsible for Smith-Alsop quality have devoted their lives to study and research work, and have acquired the most valuable experience from technical and practical **standpoints**.

The locations of our factory and our distributors enable us to render prompt and efficient service to the trade in our territory. Each of our distributors is located in a trading center for a large area. Our Terre Haute factory and warehouse with trunk railroad and terminal truck service in every direction can give "right now" delivery on every order. Ability to deliver is as important as ability to produce. We are equipped for both.

TERMS

Open account terms are as follows:

General Merchandise—2% 10 days, 30 days net.
Linseed Oil, Putty, Shellac Turpentine, Alcohol—30 days net.

If you do not have an open account with us, write our Credit Department.

All drums and cans which are charged on the invoice are returnable for full credit. Containers that are not charged are not returnable.

Merchandise should not be returned for credit without permission

In case of loss or damage in transit, be sure to get proper notation on the freight bill from the agent, so claim can be filed with the transportation company. Send your complaint to us with the paid freight bill and our traffic department will handle the claim.

Hi-Grade Ready Mixed Paint

Perfectly Balanced

No. 83 Outside White is prepared from pure white lead, zinc oxide, titanium pigment and pure linseed oil, to which the proper amounts of japan drier and thinner have been added. Tints are balanced equally well to assure excellent hiding, covering capacity and durability. Greens, reds, browns and blues are made with synthetic oils to insure excellent color retention and a lasting durable gloss.

One gallon covers approximately 600 square feet, one coat, or 350 to 400 square feet, two coats. Primarily made for exterior painting but may be used on upright interior surfaces.

If thinning is necessary, thin white and light tints (colors not marked * below) with linseed oil, not more than 1 pint per gallon.



Colors marked with * are synthetic type paints that will neither fade nor chalk prematurely. Thin these colors when necessary with Turpoline or turpentine.

See next page for Exterior Primer

*47 Lt. Bronze Green-x	59 Ivory-x	83 Outside White-x	93 Stone Gray-x
*54 Seal Brown-x	*62 Autumn Red	86 Gloss Black	95 Light Buff-x
55 Pure Gray-x	67 Lt. Cream-x	87 Flat Black	96 Cream-x
*57 Medium Blue	*79 Tan	90 Light Gray-x	98 Buff-x
*58 Maroon		91 French Ivory-x	102 Flat White

1 pint cans, each	* Colors only	\$ 1.20	\$.96
1/4 gal. cans, each		2.10	1.70
1 gal. cans, each		6.95	5.95
5 gal. cans, per gal.		6.85	5.85

*44 Durable Green-x	*56 Holland Blue	*200 Gloss White
*50 Verde Green	*94 Light Green	*526 Canary Yellow

1 pint cans, each	\$1.30	\$.99
1/4 gal. cans, each	2.35	1.78
1 gal. cans, each	7.65	6.25

*49 Vermilion

*71 Orange

1 pint cans, each	\$1.40	\$1.05
1/4 gal. cans, each	2.50	1.90
1 gal. cans, each	8.25	6.70

80 Fume Proof White-x (Lead-Free)

1/4 gal. cans, each	\$2.05	\$1.57
1 gal. cans, each	6.60	5.39
5 gal. cans, per gal.	6.50	5.29

X—Denotes colors stocked in 5 gal. cans.

FIVE GALLON CANS 10c PER GALLON LESS

2 HI-GRADE PAINT & VARNISH PRODUCTS



Hi-Grade No. 99 Primer

Exterior

Hi-Grade "99" Primer is especially designed for priming and sealing new wood and wood surfaces that have become badly weathered and unusually porous through years of neglect. Its penetration is controlled so that it seals the surface, leaving it free of suction for the finishing coat of paint. Ideal for all exterior repaint jobs.

No. "99" Primer is a white lead and linseed oil base, properly balanced primer, containing titanium pigment and special sealing liquids. It dries without a gloss and leaves a nice working surface over which a finish coat can be applied easily without crawling.

"99" Primer is superior as an undercoat not only for Hi-Grade Ready Mixed Paint, but also for White Lead, Starlite etc. Because of its superior sealing qualities, it is recommended for use in priming and sealing brick, stucco and cement surfaces. In addition to its sealing properties and easy spreading qualities, "99" has great hiding power which helps to get better two-coat jobs.

Hi-Grade primers may be tinted to any shade desired by using Hi-Grade Colors in Oil. One gallon covers 300 to 600 square feet, depending upon surface condition. It is ready for use; however if necessary to aid brushing on some surfaces, use only Turpoline or turpentine for thinning.

99—White-x 100—Cream-x 101—Gray-x

1/4 gal. cans, each	-----	\$2.10	\$1.70
1 gal. cans, each	-----	6.95	5.95
5 gal. cans, per gal.	-----	6.85	5.85

Smith-Alsop Flat House Paint



An alkyd base exterior paint for wood and masonry surfaces.

Drying with a dull finish rather than gloss, this product is a "breathing-type" material and consequently offers extra resistance to peeling and blistering.

The alkyd resin vehicle assures color retention and minimizes staining and water spotting.

Smith-Alsop Flat House Paint has excellent hiding properties and can be used over any good primer or weathered exterior paint. It is also self-priming where two-coat work is to be done. Colors intermix readily with each other and with white.

Spreads about 400 to 500 square feet per gallon, one coat, or about 250 square feet, two coats. Dries in from 8 to 12 hours, depending on weather conditions. Thin only when necessary with Turpoline or turpentine.

Maize	Marsh Rose	Robin Egg Blue
Chartreuse	Scotch Green	Brittany Blue
Charcoal	Silver Green	Van Dyke Brown
Primrose Yellow		White-x

1/4 gal. cans, each	-----	\$1.75	\$1.43
1 gal. cans, each	-----	5.69	4.87

X—Denotes colors stocked in 5 gal. cans.

FIVE GALLON CANS 10c PER GALLON LESS

Hi-Land Ready Mixed Paint

Exterior

A most durable blend of white lead, titanium and zinc pigments ground very fine in linseed oil to which is added necessary japan drier and thinner. A heavy bodied house paint that excels in covering and spreading and can be depended upon for satisfactory results. Hi-Land Ready Mixed Paint has exceptional hiding power, unusual covering qualities and works free and easy under the brush. One gallon covers approximately 500 to 550 square feet, one coat, or 300 to 325 square feet, two coats.

When necessary to thin white and light tints, use linseed oil for finish coat and half linseed oil and half Turpoline or turpentine for prime coat.

Trim colors (indicated by *) are self-priming and should be thinned when necessary with Turpoline or turpentine only.



*451 Lt. Brown	467 Light Cream	477 Ivory	495 Light Buff
*457 Sky Blue	*469 Snuff Brown	490 Lt. Gray	496 Cream
466 Yellow Cream	474 Slate	491 French Ivory	

460 Hi-Hiding White Finish-x

475 Hi-Hiding White Primer-x

1/4 gal. cans, each	\$1.75	\$1.43
1 gal. cans, each	5.69	4.87
5 gal. cans, per gal.	5.59	4.77

*444 Bright Green	*473 Lt. Citron	*478 Cherry Red
-------------------	-----------------	-----------------

1/4 gal. cans, each	\$2.10	\$1.69
1 gal. cans, each	6.89	5.91

Smith-Alsop One Coat House Paint

For one coat painting when proper repainting conditions exist, Smith-Alsop One Coat House Paint is ideal because of its superior covering properties. Properly applied, it will produce an extremely white gloss finish which will resist the elements for several years.

The surface to be repainted should be dry and in reasonably good condition. All dirt, powdering or flaking paint and other foreign materials must be removed. This is best accomplished by sanding or by wire brushing and scraping.

Apply liberally and brush carefully. Apply as it comes in the can, but if thinning is necessary use Odorless Paint Thinner, Turpoline or turpentine.

On the average surface in satisfactory condition for repainting, Smith-Alsop One Coat House Paint will cover about 600 square feet per gallon.



No. 500 Gloss White

1/4 gal. cans, each	\$2.35	\$1.77
1 gal. cans, each	7.25	6.20
5 gal. cans, per gal.	7.15	6.10

X—Denotes colors stocked in 5 gal. cans.

FIVE GALLON CANS 10c PER GALLON LESS

S-A HEAVY DUTY LINE

A line of heavy duty materials for professional use on large surfaces. Economical in both labor and material costs.

Heavy Duty Outside White House Paint

An exceptionally easy-to-apply exterior paint for spray or brush application on exterior wood or primed metal and masonry surfaces. Unusually good hiding power. Covers about 500 square feet per gallon, one coat. Dries with a good gloss.

Especially adapted to painters' use. Heavy in body so it may be thinned to suit the job. A pint to a quart of linseed oil may be added to each gallon.

1 gal. cans, each	\$5.28	\$4.53
5 gal. cans, per gal.	5.18	4.43

Heavy Duty White Exterior Primer

A smooth spreading primer-sealer for exterior wood or masonry surfaces. Its excellent sealing qualities and hiding power enable it to prime and seal easily and effectively in one brush or spray application. Coverage varies with surface—usually 300 to 500 square feet per gallon, one coat.

For best results use as it comes in the can however if thinning is necessary use turpentine in cool weather or Turpoline when the weather is hot.

1 gal. cans, each	\$5.28	\$4.53
5 gal. cans, per gal.	5.18	4.43

Heavy Duty Latex Paint

A latex base no-lustre finish for interior walls and ceilings. Has exceptionally good hiding power. One coat will cover almost any surface which is free of loose dirt. May be intermixed with any other Smith-Alsop latex rubber base paints. Thin if necessary with water.

White	Bayleaf	Blue Haze	Chalk White	Gardenia	Mint Ice	Pearl Gray
Moon Mist Gray	Sunbeam	Heavenly Blue			Sea Island Green	
Windsor Rose	Sandalwood	Honeytone	Colonial Blue			

1/4 gal. cans, each	\$1.50	\$1.14
1 gal. cans, each	4.55	3.70
5 gal. cans, per gal.	4.45	3.60

Heavy Duty White Interior Wall Primer

A primer-sealer for interior walls and ceilings of all types, also woodwork. Easy to apply by brush or spray. One gallon covers about 500 square feet on bare, smooth plaster and from 300 to 500 square feet on other surfaces, one coat.

Use as it comes in the can. Thin only if necessary, with Odorless Paint Thinner or turpentine. In a warm or unusually large room, Turpoline may be used for thinning to retard drying, and assure freedom from laps.

1 gal. cans, each	\$4.85	\$3.95
5 gal. cans, per gal.	4.75	3.85

S-A HEAVY DUTY LINE

A line of heavy duty materials for professional use on large surfaces. Economical in both labor and material costs.

Heavy Duty Interior One Coat Flat

An interior flat wall finish which spreads easily and yet has sufficient hiding power to cover in one coat over almost any surface which is reasonably free from loose soil and where color change is not too radical. For brush or spray application. Coverage about 400 to 500 square feet per gallon, one coat, over a previously painted or primed surface.

Use as it comes in the can but if thinning is necessary, use Odorless Paint Thinner or turpentine under normal conditions but if the room is unusually warm, use Turpoline to retard drying and assure freedom from laps. Hi-Grade Flatting Oil is an excellent extender to give extra spreading rate and yet retain the heavy body.

1 gal. cans, each	-----\$4.05	\$3.31
5 gal. cans, per gal.	-----3.95	3.21

Heavy Duty Interior White Semi-Gloss

A washable satin finish for all interior walls, ceilings and woodwork. Especially desirable for schools, hospitals, factories, offices, stores and other public places where frequent washing is necessary. Easy to apply—brush or spray. Covers about 500 square feet per gallon, one coat, over a sealed surface.

Use as it comes in the can but if necessary thin with Odorless Paint Thinner or turpentine. In hot temperatures use Turpoline for thinning.

1 gal. cans, each	-----\$5.40	\$4.59
5 gal. cans, per gal.	-----5.30	4.49

Heavy Duty White Interior Enamel

A tough, durable non-yellowing white enamel for walls, woodwork, shelving etc. Applies almost as easily as an oil paint. Spray or brush. Covers about 500 square feet per gallon, one coat, over a sealed surface.

Use as it comes in the can but if necessary, thin with Odorless Paint Thinner or Turpoline.

1 gal. cans, each	-----\$7.05	\$5.76
5 gal. cans, per gal.	-----6.95	5.66

6 HI-GRADE PAINT & VARNISH PRODUCTS

Vigo House Paint

Ready mixed paint of dependable quality and unusual merits at a moderate price. It is made from a correct combination of pigments and liquids to insure a suitable paint that will meet the demand for a low priced material in a satisfactory way.

White

1/4 gal. cans, each	\$1.45	\$1.22
1 gal. cans, each	4.70	4.01
5 gal. cans, per gal.	4.60	3.91

Smith-Alsop Pure White Lead Paint

Smith-Alsop Primer for White Lead Paint is made especially to seal and prepare the surface for succeeding finish coats. It dries to a flat finish that makes the application of the finish coat much easier. If thinning is necessary, use Turpoline in warm weather and turpentine in cold weather. Covers 400 to 500 square feet per gallon one coat.

Smith-Alsop Pure White Lead Paint is a finish coat paint made from Pure White Lead Carbonate Pigment combined with the proper amount of Linseed Oil, Thinner, and Drier to reduce it to ready-mixed consistency. It is ready to use as it comes from the can, but if thinning is necessary, add small amount of turpentine in cold weather or Turpoline in hot weather. Over a properly primed surface, covers 500 to 600 square feet per gallon, one coat.

Pure White Lead Paint

White Primer

1/4 gal. cans, each	\$2.50	\$1.91
1 gal. cans, each	7.90	6.75
5 gal. cans, per gal.	7.80	6.65

White House Lead

A combination of white lead and wearing pigments ground to extreme fineness in pure linseed oil to a heavy paste consistency. Reduce with linseed oil and necessary amount of Turpoline or turpentine and japan drier to suit requirements of interior or exterior painting.

White House Lead is a perfectly balanced material that presents extreme whiteness, durability and splendid covering. Properly reduced, serves economically for numerous painting purposes.

Mixes readily with linseed oil. May be shaded to any tint by using ordinary tinting colors in oil.



1/4 pint cans, 1 lb. net-per can	\$.47	\$.35
1/4 gal. cans, 6 lbs. net-per can	2.50	1.90
1 gal. cans, 25 lbs. net-per can	7.45	6.74
2 gal. cans, 50 lbs. net-per can	14.75	13.49
5 gal. cans, 120lbs. net-per can	36.50	31.26

Starlite Paste White

A super quality white paste paint incorporating a perfectly balanced combination of white lead, titanium pigment, and zinc oxide in pure refined linseed oil and japan drier. One gallon of Starlite Paste with proper thinners makes two gallons of full bodied paint of extreme whiteness with exceptional covering and outstanding durability. See thinning directions below.

1/4 gal. cans, each.....	\$ 2.85	\$ 2.18
1 gal. cans, each	9.20	7.88
5 gal. cans, per gal.	9.10	7.78

DIRECTIONS FOR THINNING STARLITE PASTE:**FIRST COAT**

*On new wood or
weathered surface:*

- 1 gal. Starlite
- 5 pts. linseed oil
- 3 pts. Turpoline or turpentine

*On painted surfaces
in good condition:*

- 1 gal. Starlite
- 4 pts. linseed oil
- 4 pts. Turpoline or turpentine

FINISH COAT 1 gal. Starlite, 6 pts. Linseed Oil, 2 pts. Turpoline or turpentine.

On exceptionally bad surfaces such as badly weathered wood, porous concrete, brick, and stucco, the use of a special primer such as Hi-Grade No. 99 Primer is recommended for the first coat.

Hi-Grade Spar Sash Black No. 85

A solid covering, jet black enamel type paint made expressly for sash, window sills, and trimming purposes. Better than the ordinary black paints for obtaining a lustrous, durable finish. Stands repeated washing of windows and weather better than oil paint. If necessary to thin, use small amount of Turpoline or turpentine.

One gallon covers approximately 500 square feet one coat or 300 square feet two coats.

1/2 pint cans, each	\$.75	\$.55
1 pint cans, each	1.15	.87
1/4 gal. cans, each	2.00	1.53
1 gal. cans, each	6.45	5.25

Hi-Grade Screen Enamel**Black**

Preserves the frames as well as screen wire. Does not clog the finest mesh. Dries with hard, high gloss that is weather-proof. Thin, if necessary, with Odorless Paint Thinner or turpentine.

1/2 pint cans, each	\$.47	\$.35
1 pint cans, each69	.53
1/4 gal. cans, each	1.06	.87
1 gal. cans, each	3.07	2.50

X—Denotes colors stocked in 5 gal. cans.



Plastic Latex Sementkoat

Plastic Latex Sementkoat is a plastic flat coating for exterior and interior masonry surfaces such as concrete, stucco, cement, cinder blocks, asbestos cement shingle and siding, transite, brick and any other porous masonry surfaces which are usually difficult to paint.

Due to the porosity of most masonry, two coats are generally recommended, however, Plastic Latex Sementkoat has outstanding sealing, covering and spreading qualities which make it easy to obtain a nice job in many instances with only a single application.

Plastic Latex Sementkoat dries in about one hour to a film that is outstanding in its resistance to rain and all other weather elements. One gallon covers about 300 to 400 square feet, one coat, depending upon type of surface.

The surface to be painted should be clean, free from loose dirt, grease, and a heavy accumulation of previous coats of paint.

Apply paint as it comes in can, but if thinning is necessary, use water. To clean brushes or rollers, wash with soap and water.

Do not apply in freezing weather or at a temperature below 50° F.
Keep from freezing.

Dark Green	Powder Blue-x	Red Stone-x	Black	White-x
Light Gray-x	Pastel Yellow-x	Bedford Stone-x	Bayleaf-x	Rose-x
				Buff-x

1/4 gal. cans, each	2.30	1.73
1 gal. cans, each	7.05	6.05
5 gal. cans, per gal.	6.95	5.95

Ever-Dri Clear Waterproofing

Ever-Dri is a clear liquid water repellent made from silicone resins, for application to exterior masonry surfaces above grade level. It is effective on brick, mortar, limestone, sandstone, cinder-block, concrete, concrete-block, asbestos shingles, etc. It may be applied to either painted or unpainted surfaces. Ever-Dri will not cause any discoloration of the surface to which it is applied. Surface dusting, efflorescence and staining are reduced to a minimum. Helps keep a clean surface clean.

The surface to be treated must be dry. Ever-Dri should be applied freely with brush or spray without thinning. Dries within a few minutes. Covers about 200 square feet per gallon, one coat, varying with type of surface. Two coats are recommended for extremely porous surfaces.



Ever-Dri is excellent for waterproofing canvas. Two coats should be applied to minimize danger of "holidays" or skips.

1/4 gal. cans, each	\$1.35	\$1.05
1 gal. cans, each	4.27	3.33
5 gal. cans, per gal.	4.17	3.23

Sementkoat Cement Paint

Sementkoat is a specially prepared flat paint for use on cement, brick, stucco and concrete upright surfaces inside or outside. It permanently seals the pores and prevents entrance of moisture in any form. Made from alkali-proof, damp-proof pigments and oils that resist action of weather, moisture, gases etc. On rough surfaces, the covering capacity is not certain but the average is from 300 to 350 square feet to the gallon per coat.

If thinning is necessary, use Turpoline or turpentine.

Buff-x	Silver Gray-x	Red Stone-x
Cream-x	Bedford Stone-x	White-x

1/4 gal. cans, each	-----	\$1.98	\$1.51
1 gal. cans, each	-----	6.35	5.19
5 gal. cans, per gal.	-----	6.25	5.09

(See Plastic Latex Sementkoat on page 8)

No. 831

Transparent Redwood Stain

Stains, finishes, and preserves Redwood in one operation without hiding the grain. Color is permanent and is similar to that of original untreated Redwood. The finish is a soft, satin gloss.

Two coats are recommended to give a very attractive finish. Additional coats may be applied to darken or intensify the color.

Use stain as it comes in the can without thinning.

For best results a gallon should be spread over about 200 to 300 square feet, first coat and about 450 square feet per additional coat.

1/4 gal. cans, each	-----	\$1.89	\$1.44
1 gal. cans, each	-----	5.75	4.90

Hi-Grade Floor Enamel

A special enamel of the highest type and quality, made to produce a high gloss finish that is durable and washable for all interior surfaces such as floors, furniture, woodwork, wainscoatings and linoleums. The free working properties make it easy to apply. The attractive solid covering colors dry overnight.

Hi-Grade Floor Enamel is water-proof, it paints and varnishes in one operation and may be waxed when thoroughly cured in about two weeks. One gallon covers approximately 500 square feet, one coat, or 300 square feet in two coats.

Thin if necessary with Odorless Paint Thinner or turpentine.



Lt. Gray	Spruce	Mahogany	Walnut
Light Oak	Dark Oak	Quaker Green	

1 pint cans, each	-----	\$1.05	\$.81
1/4 gal. cans, each	-----	1.83	1.39
1 gal. cans, each	-----	5.80	4.73

10 HI-GRADE PAINT & VARNISH PRODUCTS



Hi-Grade Porch & Deck Enamel

Purposely made for surfaces requiring an extra tough paint that resists severe weather conditions and rough, hard use. Intended for painting porch floors, steps, decks, doors etc. Dries harder than ordinary paint. One gallon covers approximately 600 square feet, one coat, or 350 to 400, two coats.

Thin if necessary with Turpoline or turpentine

Medium Drab	Light Gray	Stone Gray	White
Sage Green	Steel Gray	Lead Color	

1/4 gal. cans, each ..	-----	\$2.00	\$1.53
1 gal. cans, each ..	-----	6.45	5.25

Plastic Floorkon



Plastic Floorkon is made especially for painting concrete floors. It gives a high gloss finish that is water, acid and alkali resistant. It provides a very tough coating which is not marred nor scuffed easily. It is an ideal enamel for use on any surface where a long wearing durable finish is desired. Plastic Floorkon may be used on interior or exterior surfaces. Concrete floors subject to hydrostatic pressure or moisture from the ground should not be painted.

All concrete floors must be clean and dry before painting. If concrete has a smooth troweled finish, it must be etched with a solution made from one quart of muratic acid to a gallon of water, rinsed, then left to dry thoroughly.

Plastic Floorkon is self-priming. The first coat should be thinned, one pint of thinner to the gallon and this should be carefully brushed in since it acts as both stain and sealer. Thin only with Odorless Paint Thinner or turpentine. The second coat can be applied as soon as the first is dry. Plastic Floorkon covers 400 to 600 square feet, one coat per gallon and dries in four to six hours.

Moss Green	Royal Red	Clear Gloss	Clear Satin
Cement Gray	Terra Cotta	Light Gray	White Blue

1/4 gal. cans, each ..	-----	\$2.40	\$1.82
1 gal. cans, each ..	-----	7.50	6.40

Hi-Grade Shingle Stain

For dipping or brushing

Hi-Grade Shingle Stains are made from strong, true colors, pure linseed oil, refined creosote and wood preservative, producing a flat finish which brings out the beauty of the grain. The high creosote content causes the stain to penetrate deeply, thus protecting the wood from decay.

Covering capacity, based on standard 4 x 16 shingles is 150 square feet, one brush coat, or 100 square feet, two brush coats per gallon. When dipping, shingles should be immersed for two-thirds of their length and two and a half to three and a half gallons will be required per 1000 shingles.

711 Moss Green-x

1 gal. cans, each	\$4.19	\$3.59
5 gal. cans, per gal.	4.09	3.49

713 Red 717 Dark Brown—X 718 Medium Brown—X 720-Light Brown

1 gal. cans, each	\$3.65	\$3.13
5 gal. cans, per gal.	3.55	3.03

724 Gray—X

1 gal. cans, each	\$4.15	\$3.53
5 gal. cans, per gal.	4.05	3.43

DRUMS 15c PER GALLON LESS THAN ONE GALLON CANS

Hi-Grade Brushing Shingle Stain

A pure linseed oil, wood preservative and creosote stain made especially for recoating shingles that have been stained previously. Hi-Grade Brushing Shingle Stain has a higher pigment content than most competitive materials, thus giving it greater hiding power, more solid color and greater durability. Liquids penetrate, preserve and dry flat. May be brushed or dipped. Covering capacity same as Hi-Grade Dipping Shingle Stain.

809 Bright Green-x

811 Moss Green-x

825 Light Green-x

827 Sage Green-x

829 Lime Green-x

1 gal. cans, each	\$5.20	\$4.45
5 gal. cans, per gal.	5.10	4.35

817 Dark Brown—X

818 Medium Brown—X

830 Sequoia-x

1 gal. cans, each	\$4.20	\$3.59
5 gal. cans, per gal.	4.10	3.49

813 Flat Redwood-x

824 New Gray-x

828 Fawn-x

165 White-x

826 Dark Gray-x

832 Bright Red-x

1 gal. cans, each	\$4.95	\$4.21
5 gal. cans, per gal.	4.85	4.11

DRUMS 15c PER GALLON LESS THAN ONE GALLON CANS

X—Denotes colors stocked in 5 gal. cans.

12 HI-GRADE PAINT & VARNISH PRODUCTS



Hi-Grade Barn & Roof Paints

The chief requisites of a good barn and roof paint are economy and durability. Hi-Grade Barn & Roof Paint meets these requirements in every respect, providing a permanent and economical coating for barns, sheds, silos, granaries, fences, gates, store-houses, factory buildings, foundations, roofs, metal surfaces etc. Dries with a good gloss. Average covering 600 square feet, one coat, or 300 to 350 square feet, two coats per gallon.

If thinning is necessary, use linseed oil with regular colors and Turpoline or turpentine with synthetic colors and primers.

Bright Red

1/4 gal. cans, each	1.45	1.10
1 gal. cans, each	4.35	3.53
5 gal. cans, per gal.	4.25	3.43

Light Gray

1/4 gal. cans, each	1.75	1.31
1 gal. cans, each	5.40	4.39
5 gal. cans, per gal.	5.30	4.29

Big Four Yellow

1/4 gal. cans, each	1.95	1.50
1 gal. cans, each	6.00	5.13
5 gal. cans, per gal.	5.90	5.03

White

Non-toxic. Lead-free

1/4 gal. cans, each	1.90	1.44
1 gal. cans, each	5.50	4.90
5 gal. cans, per gal.	5.40	4.80

Hi-Grade Barn Paint Primer

Hi-Grade Barn Paint Primer is a primer containing special liquids which uniformly seal porous surfaces of new and old woods alike. It controls penetration, stops suction, and leaves a perfect surface for applying the finish coat. Covers 500 square feet per gallon, one coat. If thinning is necessary, add Turpoline or turpentine.

Red Primer

1/4 gal. cans, each	1.45	1.10
1 gal. cans, each	4.35	3.53
5 gal. cans, per gal.	4.25	3.43

White Primer

1/4 gal. cans, each	1.90	1.44
1 gal. cans, each	5.50	4.90
5 gal. cans, per gal.	5.40	4.80

Hi-Grade Synthetic Barn Paint

Permanent Red

1/4 gal. cans, each.....	\$ 1.85	\$ 1.42
1 gal. cans, each.....	5.60	4.79
5 gal. cans, per gal.	5.50	4.69

Permanent Green

1/4 gal. cans, each.....	1.85	1.42
1 gal. cans, each.....	5.60	4.79
5 gal. cans, per gal.....	5.50	4.69

Hi-Land Barn and Roof Paints

Give a satisfactory coating for all farm and factory buildings, fences, roofs and metal surfaces. The covering qualities are good, the colors hold, its wear and weather-resisting qualities are exceptional for a moderately priced barn paint. Average coverage 500 to 550 square feet one coat or 275 to 300 square feet two coats to the gallon. Thin if necessary, with linseed oil.

Red

1/4 gal. cans, each.....	\$ 1.25	\$.94
.....	3.40	2.90
5 gal. cans, per gal.....	3.30	2.80

Bright Red

1/4 gal. cans, each.....	\$ 1.30	\$.99
1 gal. cans, each.....	3.65	3.13
5 gal. cans, per gal.	3.55	3.03

Hi-Grade White Creosote Paint

Hi-Grade White Creosote Paint is made with a combination liquid of linseed oil and refined creosote oil. It dries to an eggshell finish. Due to the creosote content, it acts as a germicide when used in stock yards and barns, poultry houses, etc. Covers well on rough lumber in farm outbuildings, stables, fairground buildings, etc. Also may be used on rough concrete and stone. Covers from 200 to 400 square feet per gallon one coat, depending on the surface. If thinning is necessary, use Turpoline or turpentine.

1 gal. cans, each.....	\$ 5.15	\$ 4.39
5 gal. cans, per gal.	5.05	4.29

14 HI-GRADE PAINT & VARNISH PRODUCTS



Plastic Roof Cement

Black water-proof, plastic cement of asphalt base, with long fibre asbestos. Expands and contracts with the weather. Principally used for patching old roofs, but is a convenient material for repairing flashings, cornices and copings, filling expansion joints, repairing leaky gutters and down-spouts, water-proofing masonry walls, for setting or pointing metal flashings. Applied with trowel or similar tool.

Meets U. S. Government Specifications SSC-153

1 lb. cans, each	\$.25	\$.18
5 lb. cans, each80	.69
10 lb. cans, each	1.35	1.15
50 lb. kits, each	5.00	4.29

Black Jack Cartridge Black Roof Cement

Black plastic roof cement in plastic nozzle type metal cartridges which will fit any Smith-Alsop caulking gun. This is a clean and easy way to apply roof cement. Each tube weighs about one pound. Packed 10 tubes to a carton.

Per carton.....		\$3.25
Per tube	\$.45	.37

Hi-Grade Asphalt Roof Paint

Asphalt base, combined with oils particularly adapted for metal and roof preservation. Colors are pigmented and finely ground. Recommended for all kinds of exterior or interior metal surfaces

Very durable, possesses excellent color retention and is very economical.

Covers on metal about 400 or 450 square feet to the gallon. On composition roofing, concrete, and other porous surfaces, about 150 to 300 square feet. Thin, if necessary, with Benzol or Hi-Grade Roof Paint Thinner.

Red

1 gal. cans, each.....	\$3.80	\$ 3.25
5 gal. cans, per gal.....	3.70	3.15

Green

1 gal. cans, each.....	\$4.60	\$ 3.95
5 gal. cans, per gal.....	4.50	3.85

Hi-Grade Roof Paint Thinner

Hi-Grade Roof Paint Thinner will thin any kind of black roof paint or coating.

1 gal. cans, each	\$2.05	\$ 1.77
5 gal. cans, per gal.	1.95	1.67

Protectite Roof Paint

A moderate priced black paint for preserving old pitch, felt, paper or metal roofs. May also be used on wood surfaces, structural iron, boilers, stacks, etc. It is of painting consistency, flows readily under the brush, penetrates into and resaturates porous roofing, prolonging the life and giving a new appearance. If roof is in good condition, one gallon covers approximately 100 square feet one coat. Thin, if necessary with Hi-Grade Roof Paint Thinner, Turpentine or turpentine.



Meets U. S. Government specifications No. SSA-701

1 gal. cans, each	\$1.35	\$1.09
5 gal. cans, per gal.95	.86
Drums (55 gal.), per gal.85	.76

Hi-Grade Aluminum Asbestos Fibre Roof Coating

A balanced combination of aluminum flakes, water repellent resins, asphaltic oils and long-fibered Canadian Asbestos. The aluminum flakes "leaf" on the drying asphalt, forming a firm Metallic Shield which not only seals, but reflects the sun's rays, thus reducing the heat in interior areas as much as 10° to 25° F. Recommended for all types of roofs (except shingles) such as: factories, schools, garages, farm buildings, etc., where outside heat is a factor or where attractive aluminum color is desired for roof surfaces. Material should be applied as it comes in can. Use brush or spray. Approximately 1½ to 2 gallons cover 100 square feet.

1 gal. cans, each	\$4.75	\$4.02
5 gal. cans, per gal.	4.65	3.92

(Asphalt Aluminum Paint is on page 39)

Hi-Land Liquid Roof Coating

A black coating made of asbestos fibre and asphalt base for roofs of all kinds. In semi-liquid of such consistency that it can be applied with a brush. Forms a thick coating that bridges the small holes, cracks, etc. When dry, produces a water-proof, heavy, tough coating that contracts and expands with the underlying surface.

If roof surface is smooth and in fair condition one gallon covers approximately 75 square feet. If roofing is old and dry, approximately 50 square feet. Over metal or tin roofs, one gallon generally covers 125 square feet.



Meets U. S. Government specifications No. SSR-451.

1 gal. cans, each	\$1.35	\$1.09
5 gal. cans, per gal.95	.86
Drums (55 gal.), per gal.85	.76

16 HI-GRADE PAINT & VARNISH PRODUCTS

Hi-Grade Fluid Colors in Oil



Hi-Grade Fluid Colors in Oil are strong, true colors, ground very fine. It is only necessary to shake the can a few times and then pour.

These colors will be found more practical, easier to use, and savers of time and labor. They are made from a careful, systematic selection of the purest and best of raw materials.

Hi-Grade colors in Oil will be found better value considering purity, strength, brilliance and clear tinting results.

	Raw Umber	Burnt Umber	
1/2 pint cans, each	\$.74	\$.56
1/4 gal. cans, each	2.10	1.59
1 gal. cans, each	6.75	5.50

	Raw Sienna	Burnt Sienna	
1/2 pint cans, each	\$.89	\$.67
1/4 gal. cans, each	2.70	2.05
1 gal. cans, each	8.95	7.35

	Van Dyke Brown	
1/2 pint cans, each	\$.74 \$.56
1/4 gal. cans, each	2.10 1.59
1 gal. cans, each	6.75 5.50

	Lamp Black	
1/2 pint cans, each	\$.75 \$.57
1/4 gal. cans, each	2.15 1.63
1 gal. cans, each	6.95 5.65

	Drop Black	
1/2 pint cans, each	\$.75 \$.57
1/4 gal. cans, each	2.15 1.63
1 gal. cans, each	6.95 5.65

	Prussian Blue	
1/2 pint cans, each	\$1.05 \$.80
1/4 gal. cans, each	3.40 2.56
1 gal. cans, each	11.50 9.40

	Ultramarine Blue	
1/2 pint cans, each	\$.98 \$.74
1/4 gal. cans, each	3.10 2.34
1 gal. cans, each	10.45 8.55

Saco All-Purpose Tinting Color*Interior — Exterior*

The modern tinting color for use in latex paints and casein paints as well as in oil or alkyd base paints and enamels. Use in any Smith-Alsop interior paint or enamel and those exterior paints formulated to be tinted (except lacquer) regardless of the solvent, whether oil, turpentine, Turpoline, Odorless Paint Thinner or water.

Exterior white paints of the chalking or self-cleaning type should not be tinted as these may fade prematurely. In most non-chalking paints, such as primers, Brushing Shingle Stains, house paint tints and Signature Custom Color bases, these colors offer clean and permanent tints achieved with minimum time and effort.

In liquid consistency to be added directly to paint without the time consuming chore and difficulty of breaking up thoroughly in solvent. Simply shake the can a few times and color is ready to use. Colors are very strong, do not settle out, harden, nor skin over if can is left open for a few days or even weeks.

Saco Colors with white or neutral tint-base paints or enamels produce beautiful pastels or deep shades which will dry uniformly. No more than one pint should be used to the gallon of paint as this might retard drying. Do not paint with straight colors as these are non-drying by themselves.

All Saco All-Purpose Tinting Colors have been tested and found wonderful for tinting Smith-Alsop products. They'll work equally well in most materials made by other manufacturers but some of such materials may vary in strength, drying time and ability to take tints.

Remove Saco Colors from hands with soap and water. To rinse rollers, brushes and pots use solvent or water as in material tinted.

The following colors are obtained by tinting one gallon of Neutral Base with the amounts of color shown:—

Rose Lake

8 oz. Verm. Red
1 oz. Perm. Blue

Violet

4 oz. Verm. Red
4 oz. Perm. Blue

Scarlet

4 oz. Orange
4 oz. Verm. Red

Purple

8 oz. Verm. Red
4 oz. Perm. Blue

Dark Blue

4 oz. Perm. Blue
4 oz. Black

Chartreuse

8 oz. Lt. Green
8 oz. Lt. Chr. Yell.

Brown

4 oz. Turkey Red
4 oz. Med. Chr. Yell.
4 oz. Black

Olive Green

8 oz. Med. Chr. Yell.
4 oz. Perm. Blue
4 oz. Black

16B HI-GRADE PAINT & VARNISH PRODUCTS

Saco All-Purpose Tinting Color

Interior — Exterior

Raw Umber	Raw Sienna	Black
Burnt Umber	Burnt Sienna	

Raw Umber gives the same tint as Van Dyke Brown.

Raw Sienna gives the same tint as French Tinting Ochre.

Umbers and Siennas also excellent to soften or gray regular tints.

1 oz. jars, each	-----	\$.18	\$.13
1/4 pt. cans, ea.	-----	.56	.42
1/2 pt. cans, ea.	-----	.83	.63
1/4 gal. cans, each	-----	2.46	1.87

Permanent Blue	Ultramarine Blue	Permanent Turkey Red
----------------	------------------	----------------------

Permanent Blue gives the same tint as Prussian Blue.

Ultramarine Blue gives the same tint as Cobalt Blue.

Permanent Turkey Red—bright and fine for exterior shades.

1 oz. jars, each	-----	\$.24	\$.18
1/4 pt. cans, ea.	-----	.83	.63
1/2 pt. cans, ea.	-----	1.37	1.04
1/4 gal. cans, each	-----	4.65	3.54

Light Chrome Yellow	Orange	Light Green
Medium Chrome Yellow	Permanent Green	Medium Green

Permanent Green especially good for permanent exterior pastel shades.

Orange is very strong—fine for permanent exterior Apricot tints.

1 oz. jars, each	-----	\$.28	\$.21
1/4 pt. cans, ea.	-----	.98	.74
1/2 pt. cans, ea.	-----	1.65	1.26
1/4 gal. cans, each	-----	5.75	4.39

Vermilion Red (for Interior use only)

1 oz. jars, each	-----	\$.33	\$.25
1/4 pt. cans, ea.	-----	1.20	.90
1/2 pt. cans, ea.	-----	2.10	1.60
1/4 gal. cans, each	-----	7.50	5.72

Hi-Grade Fluid Colors in Oil

Cobalt Blue

1/2 pint cans, each (14 ozs.)	-----	\$1.25	\$.96
1/4 gal. cans, each (3 1/2 lbs.)	-----	4.20	3.19

Chrome Green—Light, Medium, Dark

1/2 pint cans, each (13 ozs.)	-----	\$1.10	\$.83
1/4 gal. cans, each (3 1/4 lbs.)	-----	3.50	2.67
1 gal. cans, each (13 lbs.)	-----	12.05	9.83

Chrome Yellow—Light, Medium, Orange

1/2 pint cans, each (22 ozs.)	-----	\$1.80	\$1.36
1/4 gal. cans, each (5 1/2 lbs.)	-----	6.30	4.79
1 gal. cans, each (22 lbs.)	-----	22.40	18.29

French Tinting Yellow Ochre

1/2 pint cans, each (1 lb.)	-----	\$.85	\$.63
1/4 gal. cans, each (4 lbs.)	-----	2.45	1.87
1 gal. cans, each (16 lbs.)	-----	8.15	6.63

Venetian Red

1/2 pint cans, each (19 ozs.)	-----	\$.80	\$.59
1/4 gal. cans, each (4 3/4 lbs.)	-----	2.30	1.75
1 gal. cans, each (19 lbs.)	-----	7.50	6.12
5 gal. cans, per gal. (95 lbs.)	-----	7.40	6.02

Tuscan Red

1/2 pint cans, each (20 ozs.)	-----	\$1.90	\$1.44
1/4 gal. cans, each (5 lbs.)	-----	6.55	4.97

American Vermilion—Medium

1/2 pint cans, each (15 ozs.)	-----	\$1.40	\$1.04
1/4 gal. cans, each (3 3/4 lbs.)	-----	4.60	3.49

Rose Lake

1/2 pint cans, each (1 lb.)	-----	\$1.45	\$1.10
1/4 gal. cans, each (4 lbs.)	-----	4.90	3.71

Signwriters' Permanent Red-Light, Dark

1/2 pint cans, each (15 ozs.)	-----	\$1.45	\$1.10
1/4 gal. cans, each (3 3/4 lbs.)	-----	4.90	3.74

American Zinc

1/2 pint cans, each (1 1/2 lbs.)	-----	\$1.35	\$1.00
1/4 gal. cans, each (6 lbs.)	-----	4.45	3.38
1 gal. cans, each (24 lbs.)	-----	15.55	12.69

18 HI-GRADE PAINT & VARNISH PRODUCTS

Hi-Grade Tinting Fluid Colors

Packed in all colors in regular Color-in-Oil line, except American Zinc.

1 oz. glass jars, each.....	\$.25	\$.22
-----------------------------	--------	--------

Hi-Grade Colors in Oil in Tubes

Quality colors ground very fine in pure linseed oil, put up in collapsible tubes. Tubes are 1x5 inches and contain approximately one-fourth pound of tinting color.

American Vermilion	Chrome Yellow—Orange	Rose Lake
Burnt Sienna	Cobalt Blue	Signwriters' Red
Burnt Umber	Drop Black	Tuscan Red
Chrome Green, Light	Indian Red	Ultramarine Blue
Chrome Green—Medium	Lamp Black	Van Dyke Brown
Chrome Green, Dark	Prussian Blue	Venetian Red
Chrome Yellow, Light	Raw Sienna	Yellow Ochre
Chrome Yellow, Medium	Raw Umber	

Per dozen (6 tubes to box)		\$2.61
Each	\$.30	.22

Hi-Grade Colors in Japan

Finest selected, pure pigments ground in a fine quality of Japan to the correct degree of fineness and uniformity. For coach and sign work.

Drop Black—A 1/2 pint cans, each	\$.80	\$.61
Drop Black—A 1/4 gal. cans, each	2.35	1.77
Lamp Black 1/2 pint cans, each65	.49
Lamp Black 1/4 gal. cans, each	1.75	1.31
Raw Umber 1/2 pint cans, each70	.53
Burnt Umber 1/2 pint cans, each70	.53
Raw Sienna 1/2 pint cans, each	1.05	.79
Burnt Sienna 1/2 pint cans, each	1.05	.79
Van Dyke Brown 1/2 pint cans, each70	.54
Chrome Green, Medium 1/2 pint cans, each	1.20	.89
Chrome Yellow, Medium 1/2 pint cans, each	1.45	1.09
Chrome Yellow, Orange 1/2 pint cans, each	1.45	1.09
Cobalt Blue 1/2 pint cans, each65	.49
Red Fast, Medium 1/2 pint cans, each80	.58
Rose Lake 1/2 pint cans, each70	.53
Flake White 1/2 pint cans, each	1.00	.74

Hi-Grade Turpentine Japan Drier

A high grade economical drier for painters' general use. Will not curdle, thoroughly reliable. Suitable for paints, varnishes and oils. Hi-Grade Turpentine Japan Drier dries thoroughly from the inside out. It is free from sediment and will not burn the paint or cause surface drying. It is strong, economical and uniform, drying perfectly even under unfavorable conditions.

1/2 pint cans, each	\$.57	\$.43
1 pint cans, each84	.64
1/4 gal. cans, each	1.41	1.07
1 gal. cans, each	4.00	3.42

Hi-Grade White Japan Drier

Chiefly for white and the lighter shades of paints. Being of light color eliminates discoloration of most delicate shades of paints, enamels, etc. Mixes perfectly with linseed oil. Will not burn the paint. Dries evenly.

1/2 pint cans, each	\$.65	\$.49
1 pint cans, each	1.00	.77
1/4 gal. cans, each	1.75	1.31
1 gal. cans, each	5.40	4.39

Quick Dry Spot Sealer

A quick drying white pigmented spot sealer that will seal off most stains—preparatory to refinishing interior wood or plaster surfaces—such as, acid stains, aniline dyes, asphalt, old dry creosote, resin streaks, etc. Dries in 30 minutes; if necessary, second coat may be applied within 4 or 5 hours.

Quick Dry Spot Sealer both seals and primes; may be sanded and followed with the appropriate finish coat. Thin with No. 1 Denatured Alcohol.

1 pint cans, each	\$1.45	\$1.10
1/4 gal. cans, each	2.60	1.99
1 gal. cans, each	8.30	7.09

Saco White Wall Primer
For Interior Walls & Woodwork

A dense covering white primer for sealing and priming bare plaster, brick, stone, concrete, wood and composition board in one application. Stops suction and lime burning, seals fire cracks and conditions the surface perfectly for finish coats such as flat wall finish, semi-lustre finish, enamel, mill white and linseed oil paint.

To shade similar to finish color tint with Hi-Grade Colors in Oil. Dries in eight hours. One gallon covers 500 to 600 square feet on smooth plaster, depending on surface conditions. Thin if necessary with Odorless Paint Thinner or turpentine.

1/4 gal. cans, each	\$1.75	\$1.33
1 gal. cans, each	5.45	4.44
5 gal. cans, per gal.	5.35	4.34

Saco Seal Pigment Wall Size

A transparent liquid size of heavy consistency purposely made for sizing and completely sealing extremely porous surfaces of plaster, wallboard, brick and concrete.

Saco Seal Pigment Wall Size contains sufficient transparent pigment to fill the pores and stop suction while the liquid seals and prevents lime-burn. It creates a perfect surface in one coat on which to apply oil paint, enamel, flat wall, gloss or semi-gloss finishes. On plaster, brick, stone or concrete surfaces, reduce 25% with Odorless Paint Thinner or turpentine; on extremely porous wall board use in original consistency—no reduction. Color of the finishing coat may be used in Saco Seal Pigment Wall Size if desired. One gallon spreads over 450 to 500 square feet on an ordinary surface. Dries over night.

1/4 gal. cans, each	\$1.60	\$ 1.21
1 gal. cans, each	4.90	3.99
5 gal. cans, per gal.	4.80	3.89

Richtone Wall Size

Richtone Wall Size is extremely alkali resistant. Comes in liquid form to be used in connection with flat or semi-gloss paints for a prime or size coat on plaster, stone or concrete which has not previously been painted. It seals the pores, neutralizes any chemical action which might tend to spot or burn and prevents the striking-in of succeeding coats of paint.

For first coat on an unpainted surface use half Richtone Size and half paint. Thin if necessary with Odorless Paint Thinner or turpentine.

1/4 gal. cans, each	\$1.35	\$1.04
1 gal. cans, each	4.05	3.30
5 gal. cans, per gal.	3.95	3.20

Richtone Flat Wall Finish

The standard of finishes for interior decoration, on plaster, canvas, burlap, wall board and window shades.

Richtone works free and easy under the brush, covers solidly and levels itself out, producing a sanitary, washable, non-porous finish which imparts a soft angular sheen uncommon among numerous flat wall paints. Sets slow enough to allow picking up wet edges without showing laps or brush marks.

Richtone is self-sizing and therefore will give excellent results when used as both prime and finish coats. It can be mixed with Saco Seal Pigment Wall Size or Richtone Size for priming. Works splendidly over Saco White Wall Primer.

One gallon covers 500 to 600 square feet, one coat, or 300 square feet, two coats, on a smooth surface. If thinning is necessary, use Odorless Paint Thinner or turpentine.



17 White-x	22 Tinting White-x	30 Pink	35 Light Buff-x
18 Ivory-x	24 Light Tan	31 Peach	37 Sky Blue
19 Light Gray-x	26 Yellow Tint-x	33 Sea Green-x	
20 Cream-x	28 French Ivory-x	34 Pale Green-x	
1 pint cans, each	Tinting White Only	\$.95	.71
1/4 gal. cans, each		1.60	1.21
1 gal. cans, each		4.90	3.99
5 gal. cans, per gal.		4.80	3.89

Richtone Deep Wall Colors

40 Rich Green	43 Bright Blue	45 Dark Green	47 Brown
42 Rich Red	44 Burgundy	46 Yellow	70 Chartreuse

1 pint cans, each	\$1.25	\$.93
1/4 gal. cans, each	2.15	1.63
1 gal. cans, each	7.45	5.65

Stipple Paint**White x**

A washable stippling paint with a soft eggshell finish. Works easily with good stippling effects. Made in white, but may be tinted with Hi-Grade Colors in Oil. Covers 300 to 500 square feet per gallon, one coat, depending upon texture desired. Thin with Odorless Paint Thinner or turpentine.

1 gal. cans, each	\$5.20	\$4.22
5 gal. cans, per gal.	5.10	4.12

X—Denotes colors stocked in 5 gal. cans.

22 HI-GRADE PAINT & VARNISH PRODUCTS



Odorless One Coat Flat Wall Enamel

An odorless alkyd type flat wall paint which seals, primes and finishes in a one coat operation. It produces a flat washable finish on interior upright surfaces such as unpainted or painted plaster, wall board, concrete, brick or wall paper. For roller, brush or spray application. When brushed, this new type paint should be applied freely and the brush kept well filled with material throughout its application.

Thin with not more than one pint of Odorless Paint Thinner to the gallon. Dries in 8 hours. Coverage depends upon the porosity of the surface—from 300 to 500 square feet to the gallon.

	White-x	French Ivory	Wedgwood Blue	Yellow Tint
	Light Buff	Sky Blue	Restful Green	Sea Green
	Dove Gray	Southern Peach	Windsor Rose	Aqua
1/4 gal. cans, each	-----	-----	-----	-----
			\$1.75	\$1.34
1 gal. cans, each	-----	-----	5.50	4.50
5 gal. cans, per gal.	-----	-----	5.40	4.40

Saco-Sheen Texture Paint

Saco-Sheen Texture Paint is a semi-paste latex base material for producing attractive, practical and washable textured finishes on interior walls and ceilings. Artistic and pleasing designs can be obtained by various methods of application. The use of texturing tools such as sponge, crumpled newspaper, brush, cardboard, or stippling roller offers a wide selection of designs and patterns.

The easiest method of application is with a stipple roller which gives a pleasant wall texture and a very uniform appearance in one application. It dries quickly on old and new surfaces.

Saco-Sheen Texture Paint can be applied to any clean, hard, firm interior surface of plaster, wall board, brick or cement. It needs no primer and a gallon will texture about 100 square feet, hiding surface imperfections and blemishes perfectly.

The brush, stippler, and other tools can be cleaned by washing in soap and water. Keep from freezing.

	Sea Island Green	Sunbeam	White	Mint Ice	Blue Haze
	Gardenia	Chalk White	Rose	Moon Mist Gray	
1/4 gal. cans, each	-----	-----	-----	-----	-----
				\$1.55	\$1.15
1 gal. cans, each	-----	-----	-----	4.60	3.76

X—Denotes colors stocked in 5 gal. cans.

Saco-Sheen Rubberized Latex Wall Paint

Saco-Sheen is a rubber base satin finish paint for interior walls. It is ready to use as it comes in the can. It may be applied with brush or roller coater and dries within a few minutes.

Saco-Sheen requires no prime coat. It may be applied on any clean, hard, firm wall surface of plaster, wallboard, brick or cement; also may be applied over firm wallpaper. Unpainted wood and metal should be primed with a good oil base primer to prevent grain raising or rusting. Saco-Sheen becomes completely washable after thirty days.

For best results, wash brushes and rollers in warm, soapy water immediately after using.



White-x	Sea Island Green-x	Gardenia-x	Colonial Blue	Sandalwood
Bay Leaf-x	Moon Mist Gray-x	Sunbeam-x	Blue Haze	Windsor Rose
Mint Ice-x	Chalk White-x	Honeytone	Mellow Ivory	Pearl Gray
Heavenly Blue	Shell Pink			

1 pint cans, each-----	\$1.05	\$.79
1/4 gal. cans, each -----	1.79	1 36
1 gal. cans, each -----	5.59	4.57

Fiesta Pink	Chartreuse	Forest Dale	Reflection Blue	
1 pint cans, each-----			\$1.10	\$.83
1/4 gal. cans, each -----			1.95	1.46
1 gal. cans, each-----			6.10	4.97

Cherry Red

1 pint cans, each-----	\$1.30	\$.98
1/4 gal. cans, each -----	2.30	1.75
1 gal. cans, each-----	7.50	6.11

Flat Ceiling White x

1 pint cans, each -----	\$.95	\$.73
1/4 gal. cans, each -----	1.65	1.25
1 gal. cans, each -----	5.05	4.11

No. 711 Saco-Sheen Primer & Sealer x

Saco-Sheen Primer & Sealer is a plastic latex base white wall primer with exceptional sizing and sealing properties. It can be used to prime all kinds of surfaces except new wood and unprimed metal. Saco-Sheen Primer & Sealer is an excellent sealer for the various wall boards used in dry wall construction.

Saco-Sheen Primer & Sealer is recommended as a primer under all types of oil paints where a quick-drying, perfect sealing primer is needed. It dries very fast and can be coated with oil paint in two to three hours.

Saco-Sheen Primer & Sealer can be used also as a primer for Saco-Sheen Wall Paint.

Saco-Sheen Primer & Sealer is heavy bodied and should be used as it comes in the can; but if thinning is desired, only water should be added. When cleaning brushes, wash out in warm soapy water.

1 pint cans, each-----	\$ 1.00	\$.77
1/4 gal. cans, each -----	1.75	1.31
1 gal. cans, each -----	5.39	4.39

X—Denotes colors stocked in 5 gal. cans. **FIVE GALLON CANS 10c PER GALLON LESS**



Kozy-Tone

A one-coat casein paste paint to be reduced with water. Add one part water to two parts Kozy-Tone for brushing. No size coat is required. One coat covers wallpaper, plaster, concrete, brick, wall board and previously painted surfaces. Kozy-Tone will cover 750 square feet per gallon, one coat, on non-porous surfaces which are free from dirt. Dries in 40 minutes. Use Kozy-Tone Fresco Colors for tinting.

Buff	Black	Cream	Sea Green	Sage Green	Powder Blue
Peach	Rose	White	Turquoise	Quartz Pink	Twilight Gray
		Ivory	Sunlight Yellow		

1/4 gal. cans, each	\$1.25	\$.97
1 gal. cans, each	3.70	3.15
5 gal. cans, per gal.	3.65	3.10

Kozy-Tone Fresco Colors

Full strength, lime-proof colors for tinting Kozy-Tone and other casein paints. May be used alone for deep color effects. Recommended for all decorative work, such as window displays, show card writing, etc.

100 White	105 Burnt Umber	110 Raw Sienna	117 Indian Red
104 Black	109 Raw Umber	112 Burnt Sienna	
1/2 pt. cans, ea.	\$.60	\$.50
1/4 gal. cans, each	1.65	1.43
1 gal. cans, each	5.60	4.80

101 Cobalt Blue	102 Bright Red	108 Yellow Green		
114 Orange	115 Turquoise			
1/2 pt. cans, ea. -----			\$.65	\$.57
1/4 gal. cans, each-----			2.05	1.83
1 gal. cans, each-----			7.15	6.20

	103 Primrose Yellow	106 Bright Green	
	118 Golden Yellow	120 Deep Red	
1/2 pint cans, each	-----	\$.85	\$.73
1/4 gal. cans, each	-----	2.70	2.35
1 gal. cans, each	-----	9.80	8.45

119 Deep Blue

1/2 pt. cans, ea.	\$.90	.78
1/4 gal. cans, each	2.95	2.55
1 gal. cans, each	11.00	9.45

S-A Custom Colors

Custom Colors are made to create numerous unusual shades not ordinarily found in standard color cards. The various colors can be intermixed with each other and with Tinting White—Richtone, Dull Lustre or Superior DeLuxe Enamels. The Color Swatch Book shows many shades and the simple-mix formula for obtaining each.

Custom Colors may be used for tinting ordinary white paints, but a true match to the Color Swatch is obtained by using Tinting White in preference to regular white.

The covering capacity of Custom Colors is about 500 to 600 square feet per gallon one coat or 300 square feet two coats. If thinning is necessary use Odorless Paint Thinner or turpentine.

1010 Castillian Red	1050 Pine Tree Green	1090 Black Toner
1020 Paprika	1060 Empire Green	1002 Dark Toner
1030 Pomegranate	1070 Citrus Green	1004 Light Toner
1040 Imperial Blue	1080 Golden Rod	

1/2 pint cans, each	-----	\$.80	\$.59
1 pint cans, each	-----	1.30	.99
1/4 gal. cans, each	-----	2.30	1.76
1 gal. cans, each	-----	7.60	6.17

Custom Color Deal

Four each quarts, pints, and half pints of eight colors and ³ toners, packed in 8 cases.

1—Large Counter Easel Book 9 x 13

1—Small Loan Color Book 4 x 5

Per deal	Retail Value	\$193.60	\$146.96
----------	--------------	----------	----------

Satin Oil

A transparent liquid to be added to Custom Colors, Pastel Colors and other interior flat finishes to increase the sheen. Satin Oil is not a thinner; it does not reduce the consistency of paint but does impart more lustre and in so doing, it improves the washability of the finish. One quart of Satin Oil added to a gallon of flat paint will create a satin or semi-gloss finish, whereas, one pint per gallon produces a high angular sheen.

1/2 pt. cans, ea.	-----	\$.80	\$.61
1 pint cans, each	-----	1.35	1.00
1/4 gal. cans, each	-----	2.35	1.78

26 HI-GRADE PAINT & VARNISH PRODUCTS

Dull Lustre Finish

An enamel-like product of superlative quality and unusual durability for general interior painting. Produces a satin or semi-gloss finish on ceilings and walls of all kinds and is the ideal coating for woodwork, furniture and miscellaneous household objects that should be decorated with a wear-resisting and artistic material.

Dull Lustre Finish is very easily applied; does not pull nor sag, show brush marks or laps; but produces a restful, attractive finish that washes as satisfactorily as a high gloss enamel.

On bare plaster, wall-board or other porous surfaces, Dull Lustre itself serves as a prime coat over which a finish coat may be applied.

The usual method of priming may also be done satisfactorily with Saco White Wall Primer or equal parts of Dull Lustre and Saco Seal Pigment Wall Size. Thin if necessary, with Odorless Paint Thinner or turpentine. Dull Lustre covers 600 to 700 square feet per gallon, one coat, or 350 to 400 square feet, two coats, on a smooth surface.



White-x	Peach	Pale Green -x	Tinting White-x
Ivory-x	Black	Jade Green	French Ivory-x
Brown	Light Buff-x	Bone White -x	Light Gray-x
Fawn	Light Blue	Yellow Tint -x	
Sea Green	Regal Blue	Windsor Rose	

1 pint cans, each	-----Tinting White Only-----	\$1.15	\$.87
1/4 gal. cans, each	-----	2.00	1.53
1 gal. cans, each	-----	6.45	5.25
5 gal. cans, per gal.	-----	6.35	5.15



Interior Gloss Finish

An extremely durable, waterproof, enamel-like paint for interior ceilings, walls, and all upright woodwork. Especially adapted for kitchens, bathrooms, and other interiors demanding a good-wearing gloss finish.

Being water-resistant, it washes readily. All traces of finger smudges, medicine stains, grease fumes, etc., are easily removed by washing them from the surface, without injury to the finish. Smith-Alsop Interior Gloss Finish brushes nicely, covers exceptionally well, and produces a serviceable gloss.

One gallon covers 500 to 550 square feet, one coat, and approximately 300 square feet, two coats, on an ordinary surface. Thin if necessary, with Odorless Paint Thinner or turpentine.

White-x	French Gray	Light Buff	Ivory
Peach	Lettuce Green	Apple Green	

1/4 gal. cans, each	-----	\$2.05	\$1.57
1 gal. cans, each	-----	6.65	5.45
5 gal. cans, per gal.	-----	6.55	5.35

X—Denotes colors stocked in 5 gal. cans.

Fastime Enamel

Interior

A synthetic type finish superior to all ordinary enamels. It is with Fastime Enamel that we have accomplished speed of drying without sacrificing the durability, washability, and ease of application.

Fastime Enamel covers solidly and dries dust free in about two hours, and hard and firm in about four to eight hours.

Fastime Enamel serves as a general purpose finish and on account of its exceptional durability, can be used on almost any inside work. Highly recommended for inside floors, linoleums, furniture, wood-work, and walls. It is the ideal material for stairways, counters, show cases, and shelving. Works equally well on primed or previously painted wood, metal, plaster or concrete.

Fastime Enamel may be used as a primer for itself. The first or prime coat should be sanded lightly before the finish is applied. Where a flat primer is preferred, apply Fastime Flat Undercoat and sandpaper smooth. A gallon covers about 500 square feet, one coat, or 250 to 300 square feet, two coats. Thin if necessary, with Odorless Paint Thinner or turpentine.



Bone White	Yellow Tint	Aqua	French Ivory
Apple Green	Chinese Red	Ivory	Non-Yellowing White
Light Buff	Jade Green	Black	Pink-orchid-rose
Rich Brown	Light Gray	Light Blue	
Sea Green	Bright Blue	Southern Peach	

1/4 pint cans, each	White-Black-Chinese Red-Rich Brown	\$.45	\$.35
1/2 pint cans, each		.85	.65
1 pint cans, each		1.40	1.07
1/4 gal. cans, each		2.40	1.94
1 gal. cans, each		8.45	6.90

G-E Mix-or-Match Colors

Made primarily for use on kitchen walls, woodwork, cabinets, etc. to match General Electric colored appliances. Approved both as to quality and colors by the General Electric Co.

These G-E colors have the same qualities as regular Fastime Enamel but dry with a high satin luster rather than a high gloss. Being non-toxic, they are recommended for enamelling infants' and childrens' furniture, toys, etc. Satin White, in addition to imparting a soft glow to kitchen walls, trim and furniture is especially satisfactory for refinishing the interiors of household refrigerators.

Turquoise Green	Petal Pink	Canary Yellow
Woodtone Brown	Cadet Blue	Satin White

1/2 pint cans, each	\$.85	\$.65
1 pint cans, each	1.40	1.07
1/4 gal. cans, each	2.40	1.94

Fastime Undercoat

A quick drying flat undercoat or primer especially made to use under Fastime and other enamels. New wood or rough surfaces should be coated in and built up to a smooth level before applying enamel. Sanding the undercoat will help produce the most satisfactory finish.

Covers 500 to 600 square feet per gallon, one coat. Thin if necessary, with Odorless Paint Thinner or turpentine.

White	Black
-------	-------

1/2 pint cans, each	\$.70	\$.51
1 pint cans, each	1.10	.81
1/4 gal. cans, each	1.85	1.39
1 gal. cans, each	5.80	4.73

FIVE GALLON CANS 10c PER GALLON LESS

28 HI-GRADE PAINT & VARNISH PRODUCTS



De Luxe Superior Enamel

Synthetic - Interior

De Luxe Superior Enamel was developed to meet the demand for an easy working, solid covering enamel that will stay white. It has exceptional hiding power, brushes easily, does not sag, and levels out perfectly. It produces a tough, durable finish that withstands repeated washing. Ideal for use on walls and woodwork in bathrooms, kitchens, hotels, hospitals, etc.

The Tinting Whites are recommended for the creation of any desired shade by the addition of Custom Colors, Pastel Colors or Colors in Oil.

To obtain best results on new wood, we recommend a prime coat of Saco White Wall Primer to be followed by one coat of Superior Enamel Undercoat. When dry, sand smooth and apply De Luxe Superior Enamel. Old surfaces should be well cleaned and sanded, after which Superior Enamel Undercoat and De Luxe Superior Enamel will produce a beautiful finish. The hiding power of De Luxe Superior Enamel is such that in many cases, one coat gives excellent results over a sanded surface.

Since De Luxe Superior Enamel is odorless, it should be thinned only with Odorless Paint Thinner to retain this feature. Dries hard over night. Covers 500 to 600 square feet per gallon, one coat, on a smooth surface.

Non-Yellowing Gloss White Tinting White Gloss

Non-Yellowing Satin Finish White Tinting White Satin

1 pint cans, each -----	Tinting White Only -----	\$1.40	\$1.07
1/4 gal. cans, each -----		2.40	1.94
1 gal. cans, each -----		8.45	6.90

Superior Enamel Undercoat

An undercoating made especially for use with De Luxe Superior Enamel, English Crown and other fine enamels. Its flowing properties and density produce an easy working, splendid covering material. Made in white only, but tints very satisfactorily. Dries hard in eight hours and sands readily to a smooth velvety finish.

Superior Enamel Undercoat is intended for building up the surface so that succeeding enamel coats will stand out uniformly. It works free and easy under the brush, leaves no brush marks, and covers 500 to 600 square feet to the gallon, one coat, on an ordinary surface. Thin if necessary, with Odorless Paint Thinner or turpentine.

1/4 gal. cans, each -----	1.85	1.39
1 gal. cans, each -----	5.80	4.73

FIVE GALLON CANS 10c PER GALLON LESS

English Crown Enamel

Synthetic - Long Oil

An enamel of superb quality for the very finest of interior and exterior work. It is a non-yellowing white enamel which brushes easily and levels out to a uniform film without sags or runs. Dries dust free in four to eight hours and hard overnight. Made in white only, but may be tinted with Colors in Oil.

For priming new wood, use Saco White Wall Primer followed by Superior Enamel Undercoat. On previously painted surfaces, an application of Superior Enamel Undercoat is recommended before the finish coat of English Crown Enamel is applied.

One gallon covers about 500 square feet, one coat, on an average surface. Thin if necessary, with Odorless Paint Thinner or turpentine.



Gloss White

White Satin Finish

1/4 gal. cans, each -----	\$3.05	\$2.33
1 gal. cans, each -----	10.35	8.45

Hi-Grade Stove Enamel

A suitable finish for stoves, stove-pipes, furnaces, floor registers, heaters, railings and other metal surfaces. Prevents rusting and gives a lustrous and durable black finish.

Will withstand high temperatures without cracking or blistering. Hi-Grade Stove Enamel brushes easily and flows out nicely leaving a smooth enamel finish. Thin if necessary, with Odorless Paint Thinner or turpentine.

1/2 pt. cans, ea. -----	\$.50	\$.38
1 pint cans, each -----	.72	.55
1/4 gal. cans, each -----	1.15	.87

Hi-Grade Black Board Slating

To imitate slate black boards. Gives a good, flat writing, lusterless surface to black boards. Equally good for surfacing new boards or resurfacing old ones. New boards should receive three to four coats, old boards two. One gallon covers from 500 to 600 square feet, one coat. Thin if necessary, with small amount of Odorless Paint Thinner or turpentine.

1/2 pt. cans, ea. -----	\$.55	\$.42
1 pint cans, each -----	.85	.64
1/4 gal. cans, each -----	1.40	1.07
1 gal. cans, each -----	4.20	3.45

Hi-Grade Green Chalkboard Slating (No. 47168)

A flat, lusterless paint for coating slate, Masonite Presdwood and other surfaces to be used as chalkboards. Has excellent "tooth" making chalk show up properly. Chalk will erase readily, leaving board clean.

Color is dark green (slightly lighter than No. 45 Richtone.)

One gallon covers about 500 to 600 square feet, one coat or 250 to 300 square feet, two coats on a non-porous surface. Thin, if necessary, with Odorless Paint Thinner or turpentine.

1/2 pint cans, each -----	\$.65	\$.49
1 pint cans, each -----	1.00	.77
1/4 gal. cans, each -----	1.75	1.33
1 gal. cans, each -----	5.45	4.45

30 HI-GRADE PAINT & VARNISH PRODUCTS

Speedlac Plastic Brushing Lacquer



Speedlac is the easy brushing lacquer enamel that speeds up the finishing of furniture, woodwork, machinery, linoleums, objects of art and household decorations. May be applied on wood, metal or concrete. It wears well, is water proof, cleans easily and polishes readily.

In hotels, restaurants, barber shops, and stores, the time for painting is limited. It is here that Speedlac produces a most desirable finish permitting the use of the rooms, furniture and so forth within an hour.

Speedlac dries in thirty minutes and sets up hard within an hour. It covers about 600 square feet per gallon, one coat. Thin if necessary, with Speedlac Thinner.

Red	Black	White	Green	Pale Linoleum
Tan	Clear	Ivory	Yellow	Brown
Jade Green	Light Gray	Light Blue	Dark Blue	Orange

For Clear Wallpaper Lacquer use Hi-Grade Clear Lacquer Sealer

1/2 pt. cans, ea. -----	\$.75	\$.55
1 pint cans, each -----	1.20	.89
1/4 gal. cans, each -----	2.05	1.57
1 gal. cans, each -----	6.65	5.45

Speedlac Thinner

A clear thinning liquid especially made for reducing Speedlac Brushing Lacquer. Speedlac Thinner is best for cleaning brushes used in Speedlac.

1/2 pt. cans, ea. -----	\$.50	\$.38
1 pint cans, each -----	.70	.54
1/4 gal. cans, each -----	1.15	.87
1 gal. cans, each -----	3.05	2.65

Hi-Grade Clear Lacquer Sealer

Provides the right first coat for wood to be stained. Seals the pores, controlling penetration of the stain, assuring uniformity of color and eliminating "cloudy" effects.

Being extra pale, Clear Lacquer Sealer is recommended for coating wallpaper without any discoloration. Use a good, clean brush, coating one strip at a time. Thin, if necessary, with Speedlac Thinner.

CAUTION:—A few wallpaper patterns carry a surplus of color on the surface and this may render these unsatisfactory for lacquering. Try the lacquer on a swatch before coating a papered surface.

1 pint cans, each -----	\$1.15	\$.88
1/4 gal. cans, each -----	2.05	1.55
1 gal. cans, each -----	6.55	5.35

Smith-Alsop Process Colors

An easy working opaque color for use in all types of silk screen process work. Long working, does not clog the screen, cuts perfect edge and dries fast. Adapted to both poster paper and show card work. Brilliant, clear toned colors.

When thinned with Odorless Paint Thinner or Turpoline, it is ideal for decorative walls where brilliant colors are desired. Brush, roller or spray application.

Transparent Base—Extender

1 pint cans, each.....	\$ 1.00	\$.77
1/4 gal. cans, each	1.75	1.31
1 gal. cans, each	5.40	4.40

Black

1 pint cans, each.....	1.15	.85
1/4 gal. cans, each	1.95	1.47
1 gal. cans, each	6.60	5.03

Red

Vermilion

Chrome Green Medium

1 pint cans, each.....	\$ 1.20	\$1.03
1/4 gal. cans, each	2.40	1.83
1 gal. cans, each	7.95	6.46

Turquoise

Brilliant Blue

White

Dark Blue

1 pint cans, each	\$ 1.55	\$1.15
1/4 gal. cans, each	2.75	2.09
1 gal. cans, each	9.20	7.49

Lemon

Medium Yellow

Primrose Yellow

1 pint cans, each	\$ 1.80	\$1.35
1/4 gal. cans, each	3.30	2.49
1 gal. cans, each	11.15	9.09

Bright Blue

1 pint cans, each.....	\$ 1.50	\$1.12
1/4 gal. cans, each	2.65	2.01
1 gal. cans, each	8.85	7.20

Brilliant Green

Magenta

Maroon

1 pint cans, each	\$ 1.75	\$1.31
1/4 gal. cans, each	3.20	2.41
1 gal. cans, each	10.80	8.80

Cerise

1 pint cans, each	\$ 2.15	\$1.61
1/4 gal. cans, each	3.95	3.02
1 gal. cans, each	13.75	11.20

Signwriters' Aerolite

Made especially for the signwriter trade for all types of exterior lettering such as bulletins, autos, trucks, store fronts, etc. Has the easy working qualities of an oil color and the color and gloss retention qualities of synthetic enamel. One coat coverage, quick, positive drying which eliminates rain and frost hazards. Cuts a clean sharp edge.

For thinning use Turpoline in warm weather and turpentine in cold. For a primer on unpainted or rusted metal we recommend Chek-Rust.

	Black	Gloss Thinner	Clear
1/2 pt. cans, ea.		\$.85	\$.65
1 pint cans, each		1.45	1.09
1/4 gal. cans, each		2.55	1.94
1 gal. cans, each		8.50	6.92

White

1/2 pt. cans, ea.	\$.90	\$.67
1 pint cans, each	1.50	1.13
1/4 gal. cans, each	2.70	2.05
1 gal. cans, each	8.95	7.31

Lemon Yellow Medium Yellow Light Green Dark Green

1/2 pt. cans, ea.	\$1.00	\$.74
1 pint cans, each	1.70	1.28
1/4 gal. cans, each	3.10	2.34
1 gal. cans, each	10.45	8.52

Dark Blue Red Medium Blue Bright Orange

1/2 pt. cans, ea.	\$1.10	\$.83
1 pint cans, each	1.95	1.46
1/4 gal. cans, each	3.55	2.70
1 gal. cans, each	12.20	9.95

Aerolite Exterior Enamel

Synthetic or Plastic Type

For exterior and interior use, this outstanding, chemically compounded enamel provides bright solid covering colors for the finishing of automobiles, trucks and buses. These colors are highly desirable also for painting store fronts, lawn and porch furniture, and bright trims on and in residences and other buildings. In Aerolite Enamel will be found gloss and color retention obtainable only through the use of synthetic liquids.

Aerolite brushes easily and dries hard in about four hours to a most durable and weather resistant finish. It is also a very satisfactory spray material.

Aerolite covers about 500 square feet per gallon, one coat. In brush application use the material as it is, but if thinning is necessary, use Odorless Paint Thinner, Turpoline, or turpentine. For spraying, thin Aerolite not more than one pint per gallon.



	Clear Gloss	Clear Satin	Black	
1/2 pint cans, each	-----	-----	\$.85	\$.64
1 pint cans, each	-----	-----	1.40	1.05
1/4 gal. cans, each	-----	-----	2.50	1.90
1 gal. cans, each	-----	-----	7.85	6.75

	Light Green	Olive Green	Light Blue	White
	Bright Green	Silver Gray	Medium Blue	Nut Brown
	Steel Gray	Dark Blue	Town Car Cream	
1/2 pint cans, each	-----	-----	-----	\$.90
1 pint cans, each	-----	-----	-----	1.50
1/4 gal. cans, each	-----	-----	-----	2.75
1 gal. cans, each	-----	-----	-----	8.75
				7.50

	Bright Yellow	Wine Orange	Fire Red	Deep Red	Brilliant Blue
1/2 pint cans, each	-----	-----	-----	-----	\$1.00
1 pint cans, each	-----	-----	-----	-----	1.70
1/4 gal. cans, each	-----	-----	-----	-----	3.10
1 gal. cans, each	-----	-----	-----	-----	9.95
					8.50

Aerolite Exterior Enamel Primer

A fast drying primer that forms a tough, durable coating on wood or metal, where the refinishing or building up first requires a flat primer coat. Has wonderful adhesive qualities, dries in about eight hours and sands easily.

May be brushed or sprayed. Covers about 500 square feet per gallon, one coat. Thin if necessary, with Turpoline or turpentine.

	White	Black	Light Gray	Red
1/2 pint cans, each	-----	-----	-----	\$.70
1 pint cans, each	-----	-----	-----	1.15
1/4 gal. cans, each	-----	-----	-----	2.00
1 gal. cans, each	-----	-----	-----	6.05
				5.20

34 HI-GRADE PAINT & VARNISH PRODUCTS

Hi-Grade Truck and Tractor Enamel

Synthetic - Fast Color



Provides an economical, high-gloss coating and lasting protection for trucks, wagons, buggies, tractors, and all agricultural implements. Made of strong, bright, solid covering colors ground in a superior grade of synthetic varnish.

Hi-Grade Truck and Tractor Enamel paints and varnishes in one operation. It is extremely weather-resistant, therefore the ideal finish for exposed surfaces where a brilliant gloss is wanted. Dries in about four hours. A gallon covers about 500 square feet, one coat. Thin if necessary, with a small amount of Turpoline or turpentine.

Red	Yellow	Blue	Orange	Green
1/2 pint cans, each			\$.75	\$.56
1 pint cans, each			1.20	.90
1/4 gal. cans, each			2.10	1.59
1 gal. cans, each			6.70	5.47

Black

1/2 pint cans, each	\$.70	\$.54
1 pint cans, each	1.15	.85
1/4 gal. cans, each	1.95	1.49
1 gal. cans, each	6.25	5.07

S-A Auto Spray Lacquer

Hi-Lustre Black

A moderate priced, dense black that dries with a bright, natural gloss. Covers well and sprays easily. Dries instantly. Stands 100 per cent reduction with lacquer thinner.

1/4 gal. cans, each	\$2.20	\$1.67
1 gal. cans, each	7.15	5.82

S-A Combination Lacquer Primer and Surfacers

Serves either as a primer on clean, bare metal, or as a surfacer or sealer over old enamel finishes. Has unusual adhesive qualities and produces a dull light gray coating that holds out succeeding coats of lacquer. Stands 100 per cent reduction with lacquer thinner. Dries dust free in fifteen minutes and ready to coat in about two hours.

1/4 gal. cans, each	\$2.35	\$1.78
1 gal. cans, each	7.70	6.28

Hi-Grade Boat Paint

Hi-Grade Boat Paint produces a high gloss finish which is water, acid, and alkali resistant. It provides a tough, durable coating suitable for either wood or primed metal surfaces. Hi-Grade Boat Paint may be used above and below the water line—on deck, cabin or hull.

Before painting, let boat stand in sun several days until it is completely dried out. Unpainted surfaces should have at least two coats. For the prime coat, use Hi-Grade Boat Paint thinned slightly with turpentine. Allow each coat to dry thoroughly. Sand carefully between coats with dry sandpaper. If thinning is necessary, use turpentine. Dries hard over night.

**Bright Green****Wabash Gray****Fire Red****Indiana Blue****White****Black****Marine Spar Varnish**

1 pint cans, each	\$1.60	\$1.21
1/4 gal. cans, each	2.95	2.22
1 gal. cans, each	9.80	7.99

Copper

1 pint cans, each	\$2.05	\$1.57
1/4 gal. cans, each	3.85	2.91

See index for Kuhls marine glues and cements.

Speedy Aerolite Thinner

For thinning synthetic and other enamels to be sprayed or dipped. Fast drying.

1/4 gal. cans, each	\$.95	\$.78
1 gal. cans, each	2.65	2.26

Hi-Grade Spray Lacquer Thinner

An improved thinner for reducing various spraying lacquers to the correct spray consistency. Flows the lacquer to a smooth film before setting, and increases the lustre. Ideal for final coat over lacquer to flow out scratches and level out the finish.

1 gal. cans, each	\$3.00	\$2.57
5 gal. cans, per gal.	2.90	2.47
Drums (50 gal.) per gal.	2.85	2.42

Industrial Spray Lacquer Thinner

An economical spray lacquer thinner for industrial lacquer finishing.

1 gal. cans, each	\$2.30	\$1.98
5 gal. cans, per gal.	2.20	1.88
Drums, (50 gal.) per gal.	2.15	1.83

36 HI-GRADE PAINT & VARNISH PRODUCTS

Hi-Grade Traffic Lacquer

A lacquer that dries in twenty to thirty minutes. Non-fading colors. Used for marking traffic lines on cement, asphalt, wood or metal. One coat covers solidly. Dries flat. Is durable and weather-resistant. Thin with Hi-Grade Spray Lacquer Thinner. Do not use over fresh asphalt.

White		
1 gal. cans, each	\$5.65	\$4.60
5 gal. cans, per gal. Made on order.....	5.55	4.50

Yellow	Orange	
1 gal. cans, each	\$6.20	\$5.05
5 gal. cans, per gal. Made on order.....	6.10	4.95

Hi-Grade Traffic Paint

A quick drying, durable paint for marking traffic lines on concrete, cement, asphalt, wood or metal. Can be applied with brush or machine. Covers solid, withstands wear and weather. Dries in thirty minutes. Thin with benzine. Do not use over fresh asphalt.

White		
1 gal. cans, each	\$5.15	\$4.22
5 gal. cans, per gal.	5.05	4.12

Yellow	Orange	
1 gal. cans, each	\$5.30	\$4.33
5 gal. cans, per gal.	5.20	4.23

Hi-Grade Wood Preservative Clear Sealer

Wood Preservative Clear Sealer is a non-staining liquid to be used as a first or sealing coat on any untreated new wood. For interior or exterior use. It protects wood from rot and decay; also repels termites and other wood boring insects. This sealer may be followed with a coat of stain, white shellac, varnish or enamel undercoat and finished as desired. On exterior surfaces, follow regular painting procedure.

Wood Preservative Clear Sealer is especially recommended for all wood in new construction, window frames, doors, steps, sills, or wherever a clear wood finish preservative is desired. Recommended for preserving canvas and rope; will prevent decay and increase the life of both.

An ideal sealer for plywood to be stained. Makes surface uniform, eliminating clouds and dark streaks, thus bringing out the wood grain to its utmost beauty.

Apply liberally. May be brushed, sprayed or dipped. Important not to miss any spots. Use as it comes in the can. Do not thin. Dries in eight hours. Averages 400 square feet to the gallon, one coat.

1/4 gal. cans, each	\$1.45	\$1.10
1 gal. cans, each.....	4.35	3.55
5 gal. cans, per gal.	4.25	3.45

Chek-Rust

A scientific combination of rust-inhibitive pigments and oils formulated especially for rust-proofing new or old metal surfaces and furnishing superior protection against atmospheric gases, water, acid and alkali.

Serves as an ideal primer on rusted metal which could not otherwise be painted satisfactorily without complete removal of all rust. Chek-Rust penetrates the rust, absorbing it and making it a part of the paint film, thus forming a perfect prime coat that may be recoated with Chek-Rust or any other good finishing material with positive assurance of a dependable lasting job. Chek-Rust is primarily a rust-inhibitive paint for metal, but may be used on wood, concrete, or brick, inside or out.

Under ordinary conditions Chek-Rust dries over night with a medium gloss. One gallon covers 500 to 600 square feet, one coat, or 300 to 350 square feet, two coats, on an ordinary surface. Thin if necessary, with Turpoline or turpentine.

NOTE:—New galvanized iron should be primed with Hi-Grade Zinc Dust Primer, otherwise it should be etched before painting. To etch, wash with a 25% solution of muriatic acid. Wear rubber gloves when using acid. When etched, rinse with clear water, then let dry before painting.



Red

Black

1/2 pt. cans, ea. -----	\$.65	\$.47
1/4 gal. cans, each -----	1.65	1.25
1 gal. cans, each -----	5.05	4.10
5 gal. cans, per gal. -----	4.95	4.00

Gray

Green

Light Gray

1/2 pt. cans, ea. -----	.75	.55
1/4 gal. cans, each -----	2.05	1.55
1 gal. cans, each -----	6.55	5.35
5 gal. cans, per gal. -----	6.45	5.25

Aluminum

1/2 pt. cans, ea. -----	.70	.53
1/4 gal. cans, each -----	1.90	1.43
1 gal. cans, each -----	6.10	4.95
5 gal. cans, per gal. -----	6.00	4.85

Hi-Grade Zinc Dust Primer

Zinc Dust Primer is an oil base primer made especially for the first or prime coat on galvanized metal surfaces, either old or new. It is not necessary to treat new galvanized metal before applying Zinc Dust Primer. Can be used successfully on other metal surfaces, except aluminum sheeting and similar types of aluminum alloys. Zinc Dust Primer is medium gray in color. May be used either as a finish coat or as a primer for aluminum paint or other types of finish coats. Dries in 8 to 12 hours. Covers 500 square feet per gallon, one coat. If thinning is necessary, use turpentine only.

NOTE:—It is not advisable to stock Zinc Dust Primer as at times it has a tendency to gas. If you have a can which is bulged, cover it with a large heavy cloth, then remove the lid, allowing the gas to escape.

1/4 gal. cans, each -----	\$2.70	\$2.30
1 gal. cans, each -----	9.20	8.39
5 gal. cans, per gal. -----	9.10	8.29



Hi-Grade Exterior Aluminum Paint

Ready Mixed

Made especially for exterior painting of storage tanks, water towers, tank cars, buildings, and other metal surfaces. Brushes easily, leafs perfectly and gives excellent coverage. Made from Albron Chemically Pure Aluminum Bronze, and Hi-Grade Exterior Bronzing Liquid, which meets the specifications of the Aluminum Company of America for this type of material.

Dries in 8 to 12 hours. One gallon covers 600 to 900 square feet, one coat, depending on the surface. Thin if necessary, with Exterior Bronzing Liquid or Odorless Paint Thinner.

1 pint cans, each	\$1.05	\$.81
1/4 gal. cans, each	1.85	1.42
1 gal. cans, each	5.90	4.79
5 gal. cans, per gal.	5.80	4.69

Hi-Grade Interior Aluminum Paint

Ready Mixed

A quicker drying aluminum paint ready for use on radiators, pipes, metal parts, machinery; also wood, plaster, or concrete walls. Made of Albron Chemically Pure Aluminum and a fast drying liquid which permits the leafing of the aluminum down to a nice gloss finish.

Dries in about six hours. One gallon covers approximately 600 to 800 square feet, one coat, on the ordinary surface. Thin if necessary, with Fresco Bronzing Liquid or Odorless Paint Thinner.

1/4 gal. cans, each	1.60	1.22
1 gal. cans, each	4.95	4.05
5 gal. cans, per gal.	4.85	3.95

Hi-Grade Chrome Finish Aluminum

Ready Mixed

Hi-Grade Chrome Finish Aluminum produces a beautiful, metallic finish on either primed metal or wood surfaces which have previously been prepared to make them non-porous and smooth. For interior or exterior use on autos, trucks, lawn furniture, playground equipment, toys, pipes, etc.

Dries in six to eight hours. Covers 600 to 800 square feet per gallon, one coat. May be brushed or sprayed. Thin if necessary, with Odorless Paint Thinner.

1/2 pint cans, each	\$.65	\$.49
1 pint cans, each	1.00	.77
1/4 gal. cans, each	1.75	1.33
1 gal. cans, each	5.45	4.45

Hi-Grade Heat-Resisting Aluminum

Ready Mixed

Heat-Resisting Aluminum Paint is made especially for interior use on stoves, radiators, pipes, interior storage tanks, and other metal surfaces requiring a heat-resisting aluminum finish; however, it is not recommended for hot stacks. Produces a smooth, silvery finish.

Dries in three to six hours. May be brushed or sprayed. Will withstand heat up to 500° Fahrenheit. Covers from 600 to 800 square feet per gallon, one coat. Thin if necessary, with Odorless Paint Thinner or Turpoline.

1/2 pint cans, each-----	\$.70	\$.51
1 pint cans, each-----	1.10	.81
1/4 gal. cans, each-----	1.85	1.42
1 gal. cans, each-----	5.90	4.79

Hi-Grade Asphalt Aluminum

A ready mixed pure asphalt base aluminum paint made primarily for coating composition or metal roofs. It preserves the surface and reflects heat, resulting in a lower temperature within the building, sometimes as much as 15%. Recommended for use on industrial plants where acid and moisture conditions exist. May be used also on storage tanks, bridges, structural steel, etc.

Do not use Hi-Grade Asphalt Aluminum as a prime coat for other paints, as the asphalt will bleed through.

Hi-Grade Asphalt Aluminum can be brushed or sprayed. If thinning is necessary use benzine or painters' naphtha. Dries in eight hours to a bright aluminum finish. Covers about 500 square feet per gallon, one coat.

1/4 gal. cans, each-----	\$1.55	\$1.15
1 gal. cans, each -----	4.60	3.76
5 gal. cans, per gal.-----	4.50	3.66

Hi-Grade Tinner's Paint

A red oxide of iron paint for painting tin, sheet metal, iron and steel. Prevents rust and acts as a preservative. One gallon covers approximately 600 square feet, one coat, or 350 square feet, two coats. Thin if necessary, with linseed oil, or small amount of turpentine.

1/4 gal. cans, each-----	\$1.25	φ .96
1 gal. cans, each -----	3.65	2.96
5 gal. cans, per gal.-----	3.55	2.86

40 HI-GRADE PAINT & VARNISH PRODUCTS

THIS CATALOG

lists a complete line of decorative and maintenance paints, varnishes, enamels, lacquers and stains. Also a wide assortment of painters', paperhangers' and signwriters' tools and supplies. Note that in the case of almost every article offered under a brand name, the name is recognized as being a leader in its field. No attempt is made to carry every brand but we do handle those which we know are best suited and most acceptable to the trade.

CONTACT US

for information on our auxiliary lines such as

ART SUPPLIES—Our Art Department prides itself on the completeness of its line as well as the identities of the suppliers with whom we are associated—Grumbacher, Devoe, Craftint, Eberhard Faber, Prang, Speedball, Paasche and many others equally well known for top quality.

DECORATIVE HOBBY CRAFT—This line includes numbered picture painting sets, picture frames, ready-to-decorate metal goods such as trays, wastebaskets, etc., copper trinkets and such other items as might be classed as art and decorative hobbies.

FLOOR SANDING EQUIPMENT—We deal with several manufacturers and test rigidly many machines to keep ourselves posted on all developments in this field. Since our stores offer Sander Rentals, we must know which machines will prove to be most satisfactory as to results, durability and economy.

SPECIFICATION MATERIALS—Some Federal and State Specification paints, varnishes and enamels carried in stock regularly at Terre Haute. Others can be made in batches of 25 gallons or more.

SPRAY EQUIPMENT—We represent DeVilbiss and have on our staff several experts trained at the DeVilbiss plant. Our stock at Terre Haute includes some complete outfits and many of the parts and accessories most in demand.

WALLPAPER—Next to paint products, this item represents our largest volume of business so naturally we must carry a wide range of patterns properly priced and styled to please our customers. We represent several of the larger and better known wallpaper mills. Tho we operate in only the Middle West, we are recognized as one of the larger wallpaper distributors in the country.

DECORATING SERVICE—Advice on color styling, interior or exterior, for homes, commercial buildings and institutions is available without charge. Write our Color Styling Department at Terre Haute or get in touch with our nearest dealer.

Hi-Grade Mill White

Interior

A wonderful, permanent white, enamel-like finishing coat for walls and ceilings in offices, factories, public buildings, creameries, bakeries, laundries, etc. Made of whitest pigments ground in specially treated water-white oils that prevent yellowing. Being a durable water-proof paint, it may be washed repeatedly without damage to the finish.

One gallon covers 400 to 500 square feet, one brush coat, 250 to 300 square feet, two coats. For brushing or spraying. Thin if necessary, with Odorless Paint Thinner.



	Gloss White	Eggshell White	
1/4 gal. cans, each	-----	\$2.10	\$1.59
1 gal. cans, each	-----	6.70	5.47

Hi-Grade Factory White

An economical, flat white for interior walls and ceilings of factories, warehouses, etc.

Factory White offers a durable and washable oil base flat finish which will give maximum light reflection. Covers about 500 to 600 square feet per gallon, one coat. Thin, if necessary, with Odorless Paint Thinner, Turpoline or turpentine.

1/4 gal. cans, each	-----	1.40	1.07
1 gal. cans, each	-----	4.20	3.42

Hi-Grade Dairy and Bakery White

A sparkling white enamel finish made especially to stand repeated washings. Is extremely resistant to the dampness and low temperatures in dairies as well as to bakery heat, flour dust, and grease.

Coverage about 600 square feet per gallon, one coat. Thin, if necessary, with Odorless Paint Thinner.

	Gloss White	Eggshell White	
1/4 gal. cans, each	-----	2.10	1.61
1 gal. cans, each	-----	6.85	5.59

Flat White

1/4 gal. cans, each	-----	1.70	1.27
1 gal. cans, each	-----	5.15	4.22

General Utility Enamel

A durable high quality heat and weather-resistant gloss enamel for general use. Made particularly for machinery, engines, factory equipment, etc., inside or out. Very satisfactory also for finish coat on wood, plaster, concrete, brick and stone.

General Utility Enamel has excellent hiding power and covers about 500 square feet per gallon, one coat. May be brushed or sprayed. Thin if necessary, with Odorless Paint Thinner or turpentine.

	Light Gray	Medium Gray	Dark Blue Gray	
1 gal. cans, each	-----	-----	\$5.95	\$4.88

FIVE GALLON CANS 10c PER GALLON LESS

42 HI-GRADE PAINT & VARNISH PRODUCTS

Hi-Grade Quick Drying Red Lead

Hi-Grade Quick Drying Red Lead is primarily used as a primer for such metal surfaces as gutters, downspouts, fire escapes, fences etc. Dries to a hard film in eight hours, thus making an ideal primer for production work where speed is required. Covers 600 square feet per gallon, one coat. May be brushed or sprayed. Thin if necessary, with Turpoline or turpentine.

1/4 gal. cans, each	\$2.80	\$2.13
1 gal. cans, each	9.40	7.65

Hi-Grade Ready Mixed Red Lead (No. 89)

Combination red lead and linseed oil thoroughly incorporated to a ready-to-use consistency. A most effective primer for all metal surfaces. Should be coated over with any good exterior paint. Thin if necessary, with linseed oil. One gallon covers approximately 600 square feet, one coat.

1/4 gal. cans, each	\$2.10	\$1.60
1 gal. cans, each	6.80	5.53

Hi-Grade Ready Mixed Graphite (No. 88)

A very fine grade of air-floated graphite in pure linseed oil and Japan drier. Withstands a very high temperature and is exceptionally resistant to weather elements. The best for painting tanks, stacks, boiler fronts, iron fences, all classes of structural iron and steel. Ready for use, but if thinning is necessary, use linseed oil. One gallon covers approximately 500 to 600 square feet, one coat, and 300 square feet, two coats, on an ordinary surface.

1/4 gal. cans, each	\$1.50	\$1.13
1 gal. cans, each	4.50	3.65
5 gal. cans, per gal.	4.40	3.55

Hi-Grade Black Elastic Paint

A highly protective material of uniform quality for wood and all metals. A practical paint for stacks, pipes, structural steel, iron fences, etc. Creates a glossy black film that dries in about eight hours. Durable, elastic, waterproof and a non-conductor of electricity. Alkali and acid resistant.

Two coats of Hi-Grade Black Elastic Paint applied on the exterior of a foundation below grade level will water-proof it completely, guarding against future wall seepage in the basement.

On wood, one gallon covers about 200 square feet, one coat: on metal, about 300 square feet for the first coat, or 500 square feet as a second coat. Thin if necessary, with Hi-Grade Roof Paint Thinner or Benzol.



1 gal. cans, each -----	\$2.80	\$2.30
5 gal. cans, per gal.-----	2.70	2.20
Drums (55 gal.) per gal. -----		2.05

Hi-Grade Industrial Black

An economical asphalt base, black paint, recommended especially for exterior surfaces of metal, wood, cement and concrete. Ideal for painting structural iron and steel bridges, fences, fire escapes, stacks, metal sash, sheds, water tanks, towers, mine equipment etc. Elastic, waterproof and very durable. Alkali and acid resistant. Non-conductor of electricity.

One gallon covers on metal from 400 to 450 square feet per coat and other surfaces in proportion to porosity. Thin if necessary, with Odorless Paint Thinner or Turpoline.

Conforms to U. S. Government specification TT-V-51.

1 gal. cans, each -----	\$3.25	\$2.75
5 gal. cans, per gal.-----	3.15	2.65
Drums (50 gal.) per gal. -----	3.00	2.50

Hi-Grade Asphaltum

Hi-Grade Asphaltum consists of Gilsonite and asphalt in mineral spirits. Especially adapted for a tough, elastic coating on interior wood, iron, steel and concrete. Hi-Grade Asphaltum covers solidly and adheres firmly to the surface, producing a brilliant jet black lustrous finish. Under favorable conditions, Hi-Grade Asphaltum dries in two to four hours. Thin if necessary, with Odorless Pain. Thinner or Turpoline.

1/2 pint cans, each -----	\$.45	\$.34
1 pint cans, each -----	.60	.47
1/4 gal. cans, each -----	.95	.71
1 gal. cans, each-----	2.35	1.99
5 gal. cans, per gal.-----	2.10	1.74
Drums (55 gal.) per gal. -----		1.49

44 HI-GRADE PAINT & VARNISH PRODUCTS



Handi-Calk Caulking Compound

A top quality gun grade caulking and glazing compound that is a tough elastic non-staining blend of water repellent oils, pigment and asbestos fibre. May be painted in about two days.

This compound is packed in metal cartridges with self-forming plastic nozzle attached. Each cartridge weighs about one and one-fourth pounds. Ten cartridges make one gallon which will cover from 125 to 250 lineal feet, depending on size of opening and bead.

Handi-Calk Metal Cartridges may be used in any caulking gun which take standard cartridges.

White		
Per Case, 10 cartridges		\$4.25
Per Cartridge	\$.60	.48
Natural		
Per Case, 10 cartridges		3.80
Per Cartridge55	.42
Slate Gray		
Per Case, 10 cartridges		4.40
Per Cartridge60	.49
Aluminum		
Per Case, 10 cartridges		
Per Cartridge		

Handi-Calk Collapsible Tube

Caulking compound in a collapsible tube with built-in applicator spout. Always ready to use. Roll up tube as needed. Each tube contains 1 pint. Ten tubes to counter display case.

Brilliant White		
Per Carton (10 tubes)		\$6.67
Per Tube	\$.89	.74



Strip-Seal

A special caulking and glazing compound in a continuous rope form, approximately 1/4" in diameter. It unrolls like ribbon, is laid against the crevice and then pressed into place. Adheres to any clean, dry surface, such as wood, metal, glass, concrete, brick, etc. It will not dry out, crack nor shrink and may be painted.


It is also recommended for weatherstripping doors and windows, which will be closed for the season. Also, for stripping around bath fixtures, kitchen sinks and drains.

The Economy Spool contains enough for a large window.

The Jumbo Spool weighs 2 1/2 lbs. and contains about 6 times as much tape all in one continuous strand.

Economy Spools (24 to Case) per case		\$4.45
Economy Spools each	\$.25	.21
Jumbo Spools (6 to Case) per case		\$5.55
Jumbo Spools each	1.25	1.03

Model D Caulking Gun




This gun is made especially for S-A Cartridge Caulking Compound or may be used for bulk compound by just changing the plunger head which is easily removed. Cylinder measures 2" x 9", equipped with standard 3/8" round nozzle.

Model D ea.	\$ 4.95	\$ 4.20
Model A-1-49, Quart bulk, ea.	20.25	16.50

Extra nozzles may be furnished as follows:

No. 1 - 1-16 in. Flat.....	\$.65	No. 5 - 1-2 in. Oval55
No. 2 - 1-8 in. Round.....	.65	No. 6 - 1-2 in. Triange65
No. 3 - 1-4 in. Oval.....	.55	No. 11A - 3-16 in. Triangle..1.05
No. 4 - 1-4 in. Triangle65	No. 12 - 3-8 in. Oval.....55
		No. 16 - 9-16 in. Oval.....55

Handi-Calk "Stop Flo" Caulking Gun



Made especially for Handi-Calk Cartridges,
although may be used with any spout cartridge.
A "drop in" cradle type gun.

Each	\$1.79	\$1.45
------------	--------	--------

Special Handi-Calk Introductory Kit

Consists of a Handi-Calk "Stop Flo" cradle caulking gun, plus 2 Handi-Calk cartridges - natural color

Handi-Calk Kit, each	\$2.89	\$2.05
----------------------------	--------	--------

46 HI-GRADE PAINT & VARNISH PRODUCTS

Hi-Grade Caulking Compound

An elastic caulking putty to be used for setting steel window and door frames in brick, concrete, stone or cement and as a filler of cracks in wood and between wood and masonry.

Works easily, very adhesive and bonds perfectly. Skins over in about two days after which paint may be applied if desired.

Applied in thickness of about $\frac{1}{2}$ ", one gallon or $12\frac{1}{2}$ pounds will go about 150 lineal feet.

Gun Grade Gray		
$\frac{1}{4}$ gal. cans, each.....	\$1.20	\$ 1.00
1 gal. cans, per gal.....	3.80	3.17
5 gal. cans, per gal.....	3.70	3.07

Gun Grade White		
$\frac{1}{4}$ gal. cans, each	1.35	1.13
1 gal. cans, each	4.40	3.67
5 gal. cans, per gal.	4.30	3.57

Knife Grade Gray		
1 lb. cans, [$\frac{1}{2}$ pints] per lb.each.....	\$.29	\$.25
4 lb. cans, [quarts] per lb.each.....	.98	.87
16 lb. cans, [gallons] per lb.each.....	3.50	3.11
80 lb. kits, [5 gallons] per lb.each.....	15.50	13.78

Hi-Grade Greenhouse Putty

Manufactured especially for setting or bedding greenhouse glass, skylights, etc. Elastic and easy to use. Does not become hard and dry, but remains soft—yet firm enough to hold the glass. Made in two forms. One is light enough to use in putty gun or putty bulb, and the other heavy and stiff enough to be applied with knife. Applied in thickness of about $\frac{1}{2}$ " square, one gallon or $12\frac{1}{2}$ pounds will go about 75 lineal feet.

Gun Grade Natural		
1 gal. cans, each	\$3.13	\$2.61
5 gal. cans, per gal.	3.03	2.56
Drums (50 gals.), per gal.....		2.51

Knife Grade Natural		
$12\frac{1}{2}$ lb. cans, (gallons) per lb.each.....	\$ 2.50	2.09
65 lb. steel kits, (5 gallons) per lb.each.....	11.50	9.57

Hi-Grade Metal Sash Putty

Made especially for use in bedding and glazing metal sash. Remarkably adhesive and bonds strongly to the metal surfaces. Dries hard and firm. Made of litharge and whiting in pure linseed oil.

$\frac{1}{4}$ gal. cans. ($4\frac{1}{4}$ bs.,) per lb.each.....	\$.80	\$.67
1 gal. cans, (17 lbs.,) per lb.each.....	3.00	2.50
5 gal. cans, 85 lbs.,) per lb.each.....	14.75	12.28

Aero-Lift Paint and Varnish Remover

Aero-Lift is compounded for a "perfect take-off" of paints, varnishes, and enamels. In semi-paste form to give complete satisfaction on upright surfaces as well as horizontal. Use inside or out. Remains wet several hours, giving ample time for working.

In warm weather, thicken remover by chilling. If too thick, stand can in a pail of warm water for a few minutes. After removing old finish, clean surface thoroughly with Odorless Paint Thinner or turpentine.



1/2 pint cans, each	\$.55	\$.42
1 pint cans, each80	.62
1/4 gal. cans, each	1.35	1.03
1 gal. cans, each	4.00	3.25

Hi-Grade Paint and Varnish Remover

A liquid compounded for removing paint, varnish, lacquer, shellac and similar coatings from all surfaces. Does not raise grain of wood, will not injure the hands. One gallon removes 100 to 200 square feet of finish, depending on its condition.

1/2 pint cans, each	\$.50	\$.37
1 pint cans, each70	.51
1/4 gal. cans, each	1.05	.80
1 gal. cans, each	2.90	2.34

Strypeeze

A semi-paste remover for paint, enamel, varnish, shellac, lacquer, and synthetic finishes. Does not run or drip after applied, and "stays put" on upright or overhead surfaces. One or two coats will soften the finish so that it can be removed easily with a scraper. No rinse necessary. For either interior or exterior work.

Strypeeze is inflammable and should be kept away from an open flame, and be used in a well ventilated room. Strypeeze is non-injurious to the skin and clothing.

One gallon will remove finish from approximately 200 square feet of paint surface.



1/2 pt., 24 to case, each	\$.55	\$.48
Pints, 12 to case each95	.77
1/4 gal., 12 to case, each	1.55	1.25
1 gal., 6 to case, each	4.15	3.33

50 HI-GRADE PAINT & VARNISH PRODUCTS

Wilsolve



Wilsolve is a liquid cleaner which removes varnishes, shellac, plastic finishes, and wax from most any type of surface. Wilsolve is primarily intended for use on wood floors, however the manufacturer states it will thoroughly clean old finishes from inlaid linoleum without softening the linoleum or affecting the color. Wilsolve may also be used on vertical surfaces such as woodwork and furniture.

Wilsolve does not require a neutralizing rinse. Be sure to read in full, the directions on the container.

1 pint cans, each (24 to case)	\$.90	\$.72
1/4 gal. cans, each (12 to case)	1.40	1.14
1 gal. cans, each (6 to case)	4.10	3.34
1/2 gal. cans, each (6 to case)	2.50	2.00

Safe-ez Paint & Varnish Remover Wax Free

A new type, easy-to-use and safe remover for most kinds of coatings such as oil paints, varnishes, enamels, lacquers and etc. Safe-ez is non-inflammable and being free of wax, it does not require rinsing with alcohol or other solvents.

Apply Safe-ez liberally with a brush, in one direction only; allow to set for 10 to 15 minutes, then remove with suitable scraper. Some finishes may require additional applications. Where scraper cannot be used satisfactorily, use a cloth or steel wool pad saturated with Safe-ez.

CAUTION: Volatile Solvent. Use with adequate ventilation. Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin.

Meets U. S. Government Specification T T-R-251A Type 2

1/2 pint cans, each	\$.65	\$.48
1 pint cans, each95	.73
1/4 gal. cans, each	1.65	1.26
1 gal. cans, each	5.10	4.20

Kwikkeeze Brush Cleaner

A liquid brush cleaner which is ready to use. It will soften old hard paint brushes in a few minutes without injury to bristles, hair, or Nylon. No rinsing or washing is required. Slow evaporating. Will not harm the hands. A Savogran product.

1 pint cans, each	\$.75	\$.69
1/4 gal. cans, each	1.25	1.01
1 gal. cans, each	3.35	2.69

See also brush cleaners - powder type.

Keep Kleen Brush Cleaner & Keeper

A new type liquid solvent which is the ideal medium for cleaning and keeping bristle and Nylon brushes in perfect condition.

As a Cleaner, suspend the brush in Keep Kleen until bristles are soft, then hardened paint can be worked out easily by hand. As a Keeper, suspend the brush in Keep Kleen. Shake or wipe out liquid and brush can be used immediately in paint or enamel. Keep Kleen should be used full strength as it comes in the can. Evaporates very slowly.

Keep Kleen is an excellent wax solvent and is recommended for removing wax before refinishing.



1/4 gal. cans, each -----	\$.95	\$.74
1 gal. cans, each -----	2.60	2.13
5 gal. cans, per gal. -----	2.50	2.03

Super Keep Kleen

An "instant-action" cleaner for removing fresh paint, enamel, varnish or latex paint from brushes, rollers or spray equipment. Tools are cleaned speedily for immediate re-use or for satisfactory storage.

To clean brush or roller wipe or scrape off excess paint. Dip brush or roller into Super Keep Kleen, working the liquid into the tool. Allow to stand for one minute, then wash out with water. Wipe dry.

If paint has set in the brush or roller until it's stiff but not hard, soak the tool in Super Keep Kleen overnight and then wash out with water.

To clean spray equipment, half fill emptied container with Super Keep Kleen. Cap and shake thoroughly. Spray a little cleaner through the gun. Then remove the cleaner which should be strained and kept for future use. Repeat this cleaning process, using water, after which dry the container and shoot air through the gun to dry it.

1 pint cans, each -----	\$.80	\$.62
1/4 gal. cans, each -----	1.35	1.03
1 gal. cans, each -----	4.00	3.25

Pa'So Liquid Paint Softener

Pa'So is a new type of paint, varnish, and lacquer softener and remover which does not require rinsing with a neutralizing solution. There are two outstanding ways in which Pa'So may be used:

(1) For scaling or blistered paints on walls, ceilings, and exterior surfaces, apply Pa'So full strength with a brush. Then lightly sandpaper the broken and chipped edges. Pa'So softens the old paint films so they can be worked and blended to obtain a uniform surface.

(2) Pa'So can be used as a part thinner in undercoats, flat wall paints, enamels, etc., to obtain better adhesion over hard, glossy, or tacky surfaces. Pa'So's wonderful chemical action gives a better bond and prevents chipping. This means that it will not be necessary to sandpaper hard, glossy surfaces before repainting. In this respect, it is a great time and labor saver.

For other uses of Pa'So, see directions on the container. Pa'So is non-injurious to the skin.

8 oz. Bottles, ea. -----	\$.50	\$.36
16 oz. Bottles, ea. -----	.80	.58
1/4 gal. cans, each -----	1.35	.97
1 gal. cans, each -----	4.25	3.06

52 HI-GRADE PAINT & VARNISH PRODUCTS



Hi-Land Varnish Stain

Stains and varnishes in one operation. For floors, woodwork, furniture, etc. Apply directly over old finish if in fair condition; otherwise, coat surface first with ground color. Waterproof and durable. May be recoated with itself or with any good clear varnish.

One gallon covers approximately 500 square feet, one coat, or 300 square feet, two coats. Thin if necessary, with Odorless Paint Thinner or turpentine.

	Light Oak	Walnut	Mahogany	Cherry	Maple
	Dark Oak	Blond	White Ground	(use under Maple and Blond)	
1/2 pint cans, each	-----	-----	-----	-----	\$.70 \$.54
1 pint cans, each	-----	-----	-----	-----	1.10 .85
1/4 gal. cans, each	-----	-----	-----	-----	1.95 1.50
1 gal. cans, each	-----	-----	-----	-----	6.20 5.10

Hi-Grade Ground Color

A ready mixed flat buff ground color, to be used as an undercoat for Hi-Land Varnish Stain and Graining Colors. Where the surface is in bad condition, or in changing it from a dark to a light shade, it is necessary to first apply a coat of Ground Color, then follow with one or two coats of varnish stain.

Ground Color is also a suitable undercoat for graining and stippling floors and woodwork. One gallon covers 500 square feet, one coat. Thin if necessary, with Odorless Paint Thinner or turpentine.

Buff only. For Maple and Blond finishes use White. (See above)

1/2 pint cans, each	-----	\$.65	\$.47
1 pint cans, each	-----	.95	.73
1/4 gal. cans, each	-----	1.65	1.25
1 gal. cans, each	-----	5.05	4.10



Master Painters' Oil Stains

To be used on new, unfinished or natural wood. Best applied with flat brush and after having set 15 to 20 minutes wipe off with soft, clean cloth and allow to dry 10 to 12 hours, then apply a thin coat of shellac after which follow with desired varnish.

Bright, clear tones are produced with Hi-Grade Master Painters' Oil Stains. On some woods a clear sealer may be used before staining. Hi-Grade Wood Preservative Clear Sealer is perfect for this purpose.

While some woods absorb more stain than others, the average coverage is about 600 to 700 square feet, one coat, per gallon.

Light Mahogany	Maple	Light Oak	Medium Golden Oak	Pecan
Dark Mahogany	Walnut	Dark Oak	Cherry	Silver Gray
White Blending Base	Neutral Blending Base	(Green made on Special Order)		
1/2 pint cans, each	-----	-----	-----	\$.55 \$.42
1 pint cans, each	-----	-----	-----	.85 .64
1/4 gal. cans, each	-----	-----	-----	1.40 1.05
1 gal. cans, each	-----	-----	-----	4.10 3.35

Hi-Grade Pure Shellac

Hi-Grade Pure Shellac is made from the best grade of Gum Shellac cut in No. 1 Denatured Alcohol. Both Hi-Grade Orange and White Shellacs are heavy-bodied and if thinning is necessary, use only No. 1 Denatured Alcohol. One gallon Hi-Grade Pure Shellac will cover approximately 500 square feet, one coat.

Orange Shellac produces best results where a golden finish is desired. White Shellac is best to seal woods with minimum discoloration.



THREE POUND CUT (Ready to use) Orange

2 oz. Bottles, ea.	-----\$.25	\$.18
4 oz. Bottles, ea.	-----.45	.34
½ pt. cans, ea.	-----.60	.47
1 pint cans, each	-----.95	.73
¼ gal. cans, each	-----1.65	1.25
1 gal. cans, each	-----4.50	4.00

THREE POUND CUT (Ready to use) White

2 oz. Bottles, ea.	-----.25	.18
4 oz. Bottles, ea.	-----.45	.34
½ pt. cans, ea.	-----.65	.48
1 pint cans, each	-----1.00	.74
¼ gal. cans, each	-----1.70	1.27
1 gal. cans, each	-----4.60	4.10

FOUR POUND CUT Orange

1 gal. cans, each	-----\$4.80	\$4.28
-------------------	-------------	--------

FOUR POUND CUT White

1 gal. cans, each	-----\$4.90	\$4.38
-------------------	-------------	--------

**Kant-Scar Floor Varnish***Quick Drying*

An improved quality of transparent interior floor varnish of the very finest type, that combines beautiful finishing with extreme durability. Kant-Scar Quick Drying Floor Varnish is positively water-proof; hot or cold water will not affect it in any way. Dries dust free in about two to four hours and becomes hard and firm overnight.

Very pale in color, flows freely and evenly, resists wear and tread, has the quality and all the properties that are necessary for best work and service. The dull and gloss blend together perfectly, permitting any degree of sheen required. One gallon covers 500 to 600 square feet, one coat, and 300 to 350 square feet, two coats.

	Gloss	Satin	Dull		
1/2 pint cans, each	-----	-----	-----	\$.75	\$.57
1 pint cans, each	-----	-----	-----	1.25	.93
1/4 gal. cans, each	-----	-----	-----	2.15	1.63
1 gal. cans, each	-----	-----	-----	7.00	5.70

XX Floor Varnish


Provides a good floor varnish at a reasonable price. Much better quality than the ordinary low priced materials afford. Light in color, good body, flows easily, tough and elastic. Dries with a high gloss, dust-free in 6 to 8 hours and hard in 24 hours. Covers approximately 500 square feet one coat, and 300 square feet, two coats.

1/2 pint cans, each	-----	\$.60	\$.43
1 pint cans, each	-----	.90	.66
1/4 gal. cans, each	-----	1.45	1.10
1 gal. cans, each	-----	4.35	3.55

**Lin-O-Var Linoleum Varnish***Plastic - Extra Pale*

Made especially for varnishing all types of linoleums. Assures a satisfactory, smooth, durable gloss finish that resists wear and repeated washing. Dries in about four hours. Its unusual clearness and transparency reduce discoloration of white and light patterns to a minimum. One gallon covers 600 to 700 square feet, one coat, or 350 to 400 square feet, two coats.

1/2 pint cans, each	-----	\$.70	\$.53
1 pint cans, each	-----	1.10	.82
1/4 gal. cans, each	-----	1.90	1.45
1 gal. cans, each	-----	6.00	4.90



Hi-Grade Penetrating Floor Sealer

A penetrating clear floor preparation made especially for use on hardwood floors in auditoriums, hospitals, display rooms, schools, and dormitories. Can be used also in surfacing cement and terrazzo floors to minimize dusting and dirt collection. Dries with a medium gloss, but is not slippery. Penetrates the wood fibres, reinforcing the wearing surface, making it impervious to dirt, water, oil and traffic stains.


On ordinary hardwood surfaces one gallon covers about 800 square feet, one coat, or 500 square feet, two coats. Dries in 8 to 10 hours.

1 pint cans, each.....	\$1.00	\$.75
1/4 gal. cans, each	1.70	1.28
1 gal. cans, each.....	5.25	4.27
5 gal. cans, per gal.	5.15	4.17

Hi-Grade Gym Floor Finish

A transparent, penetrating finish especially made for use on gymnasium floors. Floors finished with this material will positively not become discolored by rubber burns from gym shoes. Black marks from rubber soled shoes wash off readily and do not burn into the finish. Extra pale color.

Dries with a medium gloss, but is not slippery. One gallon covers 800 square feet, one coat, or 500 square feet, two coats. Dries in 8 to 10 hours.



1/4 gal. cans, each.....	\$2.05	\$1.55
1 gal. cans, each	6.55	5.36
5 gal. cans, per gal.	6.45	5.26

Hi-Grade General Purpose Varnish

As indicated by name, this varnish is made for general use. Suitable for floors, furniture, woodwork, cabinets or any object requiring a clear high-gloss varnish coating. It is water proof and will not mar nor scratch white.

Dries dust-free in six to eight hours and firm over night with a brilliant gloss. One gallon covers 500 to 600 square feet, one coat, or 300 to 350 square feet, two coats.

1/2 pt. cans, ea.	\$.65	\$.49
1 pint cans, each	1.05	.78
1/4 gal. cans, each	1.75	1.34
1 gal. cans, each	5.50	4.50

56 HI-GRADE PAINT & VARNISH PRODUCTS



Topspar Gloss Varnish

Made especially for bar-tops, table-tops, and counter-tops. Resists hot or cold water, alcoholic beverages, fruit juices—even sizzling grease. Very satisfactory also for upright surfaces. Can be washed repeatedly without affecting the high lustre. One gallon covers about 500 square feet, one coat, or 300 square feet, two coats. Dries in 6 to 8 hours.


1/2 pint cans, each	-----	\$.80	\$.59
1 pint cans, each	-----	1.30	.97
1/4 gal. cans, each	-----	2.30	1.73
1 gal. cans, each	-----	7.40	6.05

Hi-Grade Exterior Spar Varnish

Especially made for exterior varnishing. The ideal varnish for porch ceilings, window sills, doors, casings, vestibules, and is highly satisfactory for boats, yachts, and various surfaces exposed to weather elements.

Although it produces a heavy film, Hi-Grade Exterior Spar works free and easy, producing a bright, high gloss finish. Impervious to water and will not turn white.

Dries dust-free in four to six hours and hard overnight. One gallon covers approximately 500 square feet, one coat, or 300 square feet, two coats.



1/2 pint cans, each	-----	\$.80	\$.61
1 pint cans, each	-----	1.30	.99
1/4 gal. cans, each	-----	2.35	1.77
1 gal. cans, each	-----	7.60	6.25

Stanz-all Spar Varnish

A synthetic type exterior spar varnish of superior quality for use where the most important considerations are durability and resistance to extraordinary conditions. Stanz-all withstands not only the elements, but is also impervious to sulphurous and other gases, steam, alkalis, etc.

Brushes easily, drying in about four hours with a high gloss.

One gallon covers about 600 to 800 square feet, one coat, or 400 to 450 square feet, two coats.

1/2 pint cans, each	-----	\$.85	\$.65
1 pint cans, each	-----	1.45	1.10
1/4 gal. cans, each	-----	2.60	1.99
1 gal. cans, each	-----	8.70	7.08

Fastime Clear Plastic Coating

An unusually quick drying and durable high gloss varnish coating for floors, furniture and woodwork.

Fastime Clear Plastic Coating is recommended particularly where there is a need for the combination of toughness and speed of drying. Serves as a sealer as well as a finish on filled or unfilled new or other bare wood and is excellent for use over any previously used clean, wax-free finish. It is neither a shellac nor lacquer but an alkyd type varnish free from irritating odor.

Dries dust-free in about 30 minutes and hard enough for recoating or to be walked on or handled in an hour.

Spreading rate depends upon porosity of surface but on an average, a gallon of Fastime Clear Plastic Coating will cover about 500 square feet on bare wood and 600 square feet on a sealed surface.

Does not ordinarily require thinning but may be thinned with Odorless Paint Thinner or turpentine.

1/4 gal. cans, each	\$1.85	\$1.42
1 gal. cans, each	5.90	4.80
5 gal. cans, per gal.	5.80	4.70

Hi-Grade Church Seat Varnish

A superior grade of gum varnish made purposely for finishing church, theater or school seats, desks, table-tops and surfaces requiring a tough, hard, extraordinary wear-resisting varnish. Will not print, tack or become sticky and, when dry, will not soften. Clear in color, full body and free working. Will not turn white. Dries with a brilliant lustre, dust-free in 4 to 6 hours and hard over night. One gallon covers 500 to 600 square feet, one coat or 350 square feet, two coats.



1/2 pint cans, each	\$.75	\$.58
1 pint cans, each	1.25	.96
1/4 gal. cans, each	2.25	1.70
1 gal. cans, each	7.25	5.95

Hi-Grade Quick Rubbing Varnish

A very high grade rubbing varnish of dependable quality. Pale in color, heavy in body, works and flows freely, dries to rub in 24 to 36 hours without sweating back. For best results, allow 48 hours.

1 pint cans, each	\$1.30	\$.99
1/4 gal. cans, each	2.35	1.77
1 gal. cans, each	7.60	6.25

58 HI-GRADE PAINT & VARNISH PRODUCTS



Fresco Bronzing Liquid

A bronzing liquid of very good quality, suitable for general use. It is light in color and floats either gold or aluminum powder uniformly. Effects a beautiful finish on ornaments, furniture, fixtures, picture frames, radiators, pipes, machinery; wood or metal surfaces.

One gallon Fresco Bronzing Liquid requires about two pounds of either dry or paste aluminum or three and three-quarters to four pounds of gold bronze, spreading 700 to 800 square feet, one coat.

1/2 pint cans, each	-----	\$.60	\$.43
1 pint cans, each	-----	.85	.65
1/4 gal. cans, each	-----	1.45	1.09
1 gal. cans, each	-----	4.25	3.47

Heat Resisting Bronzing Liquid

An extra quality bronzing liquid with exceptional heat-resisting properties. Light in color, floats either gold or aluminum powder readily. Recommended for use on engines, motors, boilers, radiators, steam pipes or any surfaces exposed to intense heat up to 500° Fahrenheit. One gallon requires about two pounds of either dry or paste aluminum or three and three-quarters to four pounds of gold bronze and covers about 800 square feet, one coat.

1/2 pint cans, each	-----	\$.65	\$.47
1 pint cans, each	-----	.95	.72
1/4 gal. cans, each	-----	1.60	1.22
1 gal. cans, each	-----	4.95	4.05

Hi-Grade Exterior Bronzing Liquid

The best in bronzing liquid, made especially for exterior aluminum painting on wood, concrete, or metal surfaces. This liquid insures perfect leafing of bronze, which means better covering and longer durability.

Aluminum paint made from Hi-Grade Exterior Bronzing Liquid will have a brighter, smoother gloss than if made from ordinary liquids and may be sprayed or brushed. Mix about two pounds of either dry aluminum or paste aluminum, or three and three-quarters to four pounds of gold bronze to the gallon. Coverage about 800 square feet per gallon, one coat.

1/2 pint cans, each	-----	\$.65	\$.47
1 pint cans, each	-----	.95	.71
1/4 gal. cans, each	-----	1.60	1.21
1 gal. cans, each	-----	4.90	3.99

Hi-Grade Glazing Liquid

To be used for tiffany and blending decorations over all wall paints. Works very easily and sets up slowly enough to permit the blending of a large surface. Allows plenty of time for working colors. Creates a beautiful, velvety sheen. Is impervious to water. A gallon will decorate

about 1000 square feet.

1/2 pt. cans, ea.	\$.65	\$.47
1 pint cans, each95	.72
1 gal. cans, each.....	4.95	4.05
1/4 gal. cans, each	1.60	1.22

Hi-Grade Flatting Oil

Hi-Grade Flatting Oil is a prepared oil ready to be used with white lead or paste paints to produce durable and artistic flat finishes used on interior walls and ceilings. Mixes readily, brushes free and easy and levels without laps or brush marks. Gives a uniform, washable surface.

1 gal. cans, each	\$3.55	\$2.90
5 gal. cans, per gal.....	3.45	2.80

Hi-Grade Rubbing Oil

A special oil particularly practical for use in rubbing down and polishing varnished surfaces. Best of quality for finest work.

1 gal. cans, each.....	\$1.95	\$1.59
------------------------	--------	--------

Hi-Grade Dustless Floor Oil

A dustless oil, very pale in color, for oiling wood floors in stores, factories, warehouses and public halls. Penetrates the wood, stops dust from raising.


Fine sawdust moistened with Hi-Grade Dustless Floor Oil makes an effective sweeping compound. Do not apply any finish over floor oil as it retards the drying of paint, varnish, etc.

1 gal. cans, each	\$2.05	\$1.65
5 gal. cans, per gal.....	1.95	1.55

Heavy Bodied Gloss Oil


Much heavier than the common gloss oils, stands more reducing, hence a great deal more economical. Thin with Odorless Paint Thinner or benzine.

1 gal. cans, each	\$3.35	\$2.73
5 gal. cans, per gal.....	3.25	2.63

DUSTERS**Druid Flat Duster**

Special mixture of black hair and selected fibre center, very good quality black hair outside. Four rows. Natural varnished handle. Block, $4\frac{3}{8}$ x $1\frac{1}{4}$ "; stock, $3\frac{5}{8}$.

$4\frac{1}{4}$ " width, $3\frac{3}{8}$ " length bristle, ea.\$1.35 \$1.05

Hi-Land Flat Duster

Black bristle casing with bristle and horse hair middle. Set in tufts and rubber vulcanized in a fibre plate and attached to a natural polished block and round handle.

$4\frac{1}{4}$ " width, $3\frac{1}{4}$ " length bristle, ea.\$7.70 \$6.15

ND-123 Nylon Flat Duster

DuPont Nylon bristles Foss set by Wooster. This is a handy hip pocket size brush - $7/8$ " thick.

$3\frac{3}{4}$ " width, $3\frac{1}{8}$ " length bristle, each.....\$3.50 \$2.80

Empire Counter Duster

An attractive general utility counter duster. Sterilized dark gray horsehair and fibre blend, extreme flare on sides and ends. Beavertail handle, lacquered in two colors, natural body, and black ends.

8" width, $2\frac{3}{8}$ " lgth. stock, each.....\$ 1.50 \$1.19

FLOOR BRUSHES

The streamline block is used to identify the finest quality floor brushes. It is made of thoroughly seasoned wood, bored to take the special wood lock which prevents handle from slipping. Prices include handles.



Servall

Gray Tampico fibre center; gray horsehair casing. An all-purpose brush for smooth floors.

14" width 3¼" length stock, ea.	\$4.70	\$3.76
16" width 3¼" length stock, ea.	5.30	4.24
18" width 3¼" length stock, ea.	5.90	4.72
24" width 3¼" length stock, ea.	7.50	6.00

EXTRA HANDLES

60" length floor brush handles, ea.....	.55	.44
---	-----	-----

Weighted Floor Brush

For waxing and polishing floors. Brush part made of stiff gray fibre, length of stock one inch, equipped with felt guards or bumpers. Castings finished dull black. Handles varnished, can be lowered to horizontal position, eliminating need of moving furniture.



25 lbs., Block 5"x10" Each(Subject to stock).....	13.50	10.80
Extra brush filler for above	2.50	2.05

No. 5510 Round Handle Glue



Pure black bristle vulcanized in round metal ferrules with wood handles.

No. 1 - 1 " in dia., ea.....	\$2.15	\$1.72
No. 2 - 1⅜" in dia., ea.	2.50	2.00
No. 3 - 1¾" in dia., ea.....	4.50	3.60
No 4 - 1½" in dia., ea.....	5.25	4.20

62 HI-GRADE PAINT & VARNISH PRODUCTS

KALSOMINE BRUSHES



Handy Kalsomine and White Wash


Made of White Tampico Fibre.

Packed 1 dozen to carton.

6" width, Kalsomine, each	\$.55	\$.45
6" width, Whitewash, each49	.40


Gloss

Two rows clean white Tampico fibre, machine staple set. Narrow metal ferrule. Clear finish wood block 1" thick with long handle. A good cheap brush for doing a small job.



7" width 3 3/8" length stock, ea.	\$1.45	\$1.16
--	--------	--------

Sun Scrubber and Kalsomine




A staple set brush, heavily filled with short white tampico fiber. Face size of brush 5" x 4 1/2". For general cleaning and also for applying Bondex type paints where a stiff scrubbing action is needed. Short handle.

5" width, 2" length stock each	\$.85	\$.68
--------------------------------------	--------	--------

KALSOMINE

Zip

A small dutch style Kalsomine brush with round handle attached. The block is $1\frac{3}{4}$ " thick filled with 4 x 11 rows short stiff tampico fibre which makes a compact brush for applying water paints such as Bondex, cement, whitewash, etc.



$5\frac{1}{2}$ " width, 3" length fibre each\$.65 \$.52

Kotall

A medium size dutch style Kalsomine brush with square handle attached. The block is $1\frac{3}{4}$ " thick filled with 4x14 rows tampico fibre which makes a suitable brush for applying whitewash Kalsomine, paste, cold water paints, cement.

$6\frac{1}{2}$ " width 4" length fibre each\$.79 \$.64

Calco Casein

Silver gray fibre vulcanized in rubber. Block $1\frac{1}{4}$ " thick, short round handle attached. For applying all types cold water paints. A good retail item.

6" width $3\frac{7}{8}$ " length bristle, ea.\$2.10 \$1.68


Caltex

Nylon Casing with mixed horsehair and fibre center. For industrial and home owner use. Block is $1\frac{1}{4}$ inches thick.


6" width, $3\frac{5}{8}$ " length stock, each\$3.79 \$3.04

Saco Sheen Koter

DuPont nylon bristles, with black and yellow handles. Packed one dozen to counter display.




4" width $3\frac{1}{4}$ " length bristle, ea.\$2.79 \$2.28
5" width $3\frac{1}{4}$ " length bristle ea 3.59 2.88

KALSOMINE
York Flat


Nylon casing, with horsehair middles.
Bakelite set. Standard flat kalsomine
handle. Nickel ferrules.

6" width $3\frac{5}{8}$ " length bristle, ea.	\$3.70	\$2.94
7" width $3\frac{5}{8}$ " length bristle, ea.	4.00	3.20
8" width $3\frac{5}{8}$ " length bristle, ea.	5.00	4.00


Seymour


Silver gray fibre solid-set in Bakelite.
Metal ferrule. Regular kalsomine handle.

6" width, $3\frac{1}{2}$ " lgth. stock, each.....	\$2.40	\$1.92
7" width, $3\frac{1}{2}$ " lgth. stock, each.....	2.60	2.08
8" width $3\frac{1}{2}$ " length stock, ea.....	2.80	2.24

Wooster Hollywood Nylon Flatting Wall

$4\frac{1}{2}$ " wide, $4\frac{1}{8}$ " length bristle, ea.	\$ 9.25	\$ 7.50
--	---------	---------

KALSOMINE



Half Dutch

Made of all pure gray bristle set in rubber. Metal ferrule. Clear block and handle. Block $1\frac{1}{2}$ " thick.

7" width $4\frac{5}{8}$ " length stock, ea. \$30.75 \$24.85

No. NC 80

Semi-Dutch Nylon

Made of nylon bristles especially processed by Wooster. Foss set in 4 rows. Block $1\frac{1}{2}$ " thick with short round handle attached.



5" width 4" length stock, each	\$10.50	\$ 8.40
6" width 4" length stock, ea.	12.65	10.15
$7\frac{1}{2}$ " width 4" length stock, ea.	15.75	12.60

Peak


Semi-Dutch Nylon

Made of Dupoint nylon bristle similiar to NC-80 except bristle have chisel trim.

$4\frac{1}{2}$ " width $4\frac{3}{8}$ " length stock, each	\$10.50	\$ 8.40
5" width $4\frac{3}{8}$ " length stock, each	11.35	9.10
6" width $4\frac{3}{8}$ " length stock, each	14.70	11.75

66 HI-GRADE PAINT & VARNISH PRODUCTS

PASTE BRUSHES



Fuga

Pure black bristle. Steel
bands. Regular handles.

7" width 4 $\frac{1}{8}$ " length bristle, ea.\$21.10 \$18.97

NP-110 Nylon


Made of Nylon bristles processed by Wooster. Open center construction. Metal bands
on $\frac{7}{8}$ " thick block. Regular short handle.

7" width 4 " length bristle, ea.12.95 10.35

Nestor

Bristle and Horsehair mixture. Galvanized metal band. Regular handles.

7" width, 4" length bristle, ea.10.00 8.40




Climax

Leather bound construction.
Pure black bristle stock. Natural
finished flat panel handle.

Also stamped 6/0.

8" width 4 $\frac{1}{2}$ " length bristle, ea.26.40 22.17

ROOF BRUSHES




Tomahawk

This brush displaces the old style ferrule brush. It is more compact, of better construction, less weight and bulk, more stock, and has a chisel edge working surface. Special quality, selected black fibre, five rows. Chisel edge. Natural varnished blocks.

6" width $3\frac{1}{2}$ " length stock, ea.\$1.30	\$1.04
8" width $3\frac{1}{2}$ " length stock, ea.1.80	1.44

Tip Top


A knotted roof brush made of black Tampico. Steel ferrules, natural wood block. Practical for applying roof paints, roof coatings, hot tar or asphalt. Built to withstand heavy, rough use.



3 knot, 6" width $3\frac{1}{2}$ " length stock, ea.\$1.80	\$1.44
4 knot, 8" width $3\frac{1}{2}$ " length stock, ea.2.30	1.84

Furniture Rubbing Brushes

Selected black China bristles in four rows $5\frac{1}{2}$ " long. Stock is 1" long. Natural wood block and handle.




Each.....	\$1.15	\$.90
-----------	--------	--------



Radiator Bronzing Brush

Soft, dark hair, similar to Fitch. Nickel plated ferrules. Chisel edge, extra long thin handle, natural finish. Especially adapted for bronzing radiators and pipes. Setting guaranteed.

1" width $1\frac{5}{8}$ " length hair, ea.\$.70	\$.53
$1\frac{1}{2}$ " width $1\frac{5}{8}$ " length hair, ea.1.00	.79
2" width $1\frac{3}{4}$ " length hair, ea.1.30	1.04

ANGULAR SASH TOOLS**No. 57Z****Lindbeck Double Angular**

Black chinese hog bristles cut on the angle and moderately chiseled. Natural varnished handles.

1" width $2\frac{1}{8}$ " length bristle, ea.	\$1.40	\$1.10
1½" width $2\frac{3}{8}$ " length bristle, ea.	2.10	1.70
2" width $2\frac{5}{8}$ " length bristle, ea.	3.35	2.69

Diamond Double Angular Sash

Pure natural color hog bristle set in rubber. Clear finish, Standard flat handles, double thick. A fine sash tool for all types of work.

1" width $2\frac{1}{8}$ " length bristle, ea.	\$1.05	\$.84
1½" width $2\frac{1}{4}$ " length bristle, ea.	1.55	1.23
2" width $2\frac{1}{2}$ " length bristle, ea.	2.20	1.76

No. 37Z**Lindbeck Single Angular***Pencil Type Handle*

Black chinese hog bristles cut on the angle and moderately chiseled. Natural varnished handles.



1" width $1\frac{7}{8}$ " length bristle, ea.	\$1.40	\$1.10
1½" width 2" length bristle, ea.	1.90	1.52
2" width $2\frac{1}{8}$ " length bristle, ea.	2.45	1.97

Crystal Single Angular Sash

Pure natural color hog bristles set in rubber. Clear finish round pencil type handle, single thick. A fine sash tool.

1" width $2\frac{1}{8}$ " length bristle, ea.	\$1.25	\$.98
1½" width $2\frac{1}{4}$ " length bristle, ea.	1.65	1.32
2" width $2\frac{1}{2}$ " length bristle, ea.	2.40	1.90

Lindbeck Blade
(Double Angular)

A very fine mixture of French bristle and oxhair. For all trim and finishing work.
Double angular, flat handle

1½" width, 2⅜" length, bristle ea.	\$2.55	\$2.04
2" width, 2⅝" length bristle, ea.	3.60	2.87

Lindbeck Neat
(Nylon Double Angular)

Made of "Exploded Tip" Nylon. Well chiseled angular construction. Double flat handle.


1" width, 2⅛" length bristle, ea.	\$1.25	\$.99
1½" width, 2⅜" length bristle, ea.	1.90	1.51
2" width, 2⅝" length bristle, ea.	2.65	2.12

Vulcan Angular Sash

Pure black Chinese bristles. Cup chiseled on angular ferrule with flat handle.
An English made brush. Double thick.

2" width, 2¾" length bristle, ea.	2.60	2.04
--	------	------

Fox Flat Sash



Nickel plated bands.
Long, plain, flat trim
handles. Extra fine quality
of black Chinese bristles,
imbedded in hard rubber.
Chiseled point. Splendid,
practical trimming brush.

1" width $2\frac{1}{8}$ " length bristle, ea.\$.98	\$.79
1½" width $2\frac{3}{8}$ " length bristle, ea.1.45	1.15
2" width $2\frac{5}{8}$ " length bristle, ea.1.90	1.52
2½" width $2\frac{7}{8}$ " length bristle, ea.2.75	2.22

SA-2009 or S-2009—Flat

Pure black bristles, cup chiseled. Flat sash handles.


1½" width $2\frac{5}{8}$ " length bristle, ea.1.70	1.43
2" width $2\frac{7}{8}$ " length bristle, ea.2.75	2.31
2½" width $3\frac{1}{8}$ " length bristle, ea.4.75	4.00

Keystone Flat

Pure black Chinese bristles. Metal ferrules on standard flat handles.

1" width, $2\frac{1}{8}$ " length bristle, ea.\$.90	\$.74
1½" width, $2\frac{3}{8}$ " length bristle, ea.1.30	1.10
2" width, $2\frac{1}{2}$ " length bristle, ea.1.75	1.45
2½" width, $2\frac{5}{8}$ " length bristle, ea.2.40	1.90


T-910 Oval



Nickel plated bands.
Polished cherry handles.
Fine grade black Chinese
bristles. Chiseled point.
Imbedded in hard rubber.
A very popular line of sash
tools.

No. 2, $1\frac{3}{4}$ " length stock, ea.\$.45	\$.36
No. 4, $1\frac{7}{8}$ " length stock, ea.80	.64
No. 6, $2\frac{1}{8}$ " length stock, ea.1.20	.96
No. 8, $2\frac{3}{8}$ " length stock, ea.1.70	1.36
No. 10, $2\frac{5}{8}$ " length stock, ea.2.25	1.80

SMOOTHING BRUSHES




Dandy

Two rows of extra quality, selected white bleached Tampico that is free from stems. Stock is 2" long. Plain sanded wood blocks.

10" width ea.	\$.60	\$.48
12" width ea.65	.52

Fusilier

Two rows black horse hair and fibre blend that is 2 1-8" long. A light smoother with natural varnish block. A good tool at an attractive price.



12" width each	\$1.10	\$.88
----------------------	--------	--------

Seneca

Black Wynene plastic bristles, staple set in two rows, 2 $\frac{1}{8}$ " long. Natural finish handle.

12" width each	\$.95	\$.76
----------------------	--------	--------

Navajo

White Wynene plastic bristle, staple set in two rows, 2 $\frac{1}{8}$ " long natural finish handles.


12" width each	\$.95	\$.76
----------------------	--------	--------

Hoosier

Black horsehair, stapled, set in two rows 2 inches long.

12" width, each	\$1.60	\$1.28
-----------------------	--------	--------

72 HI-GRADE PAINT & VARNISH PRODUCTS



Modern No. 400

Pure black bristles knotted, two rows
vulcanized in rubber in Aluminum Plate.

12" width $2\frac{1}{2}$ " length bristle, ea.	\$10.95	\$8.77
14" width $2\frac{1}{2}$ " length bristle, ea.	12.65	10.13

Flight Smoother

Black chinese bristles, knotted, 3 rows, Foss set.

12" width $2\frac{1}{2}$ " length bristle, ea.	\$12.00	\$ 9.60
14" width $2\frac{1}{2}$ " length bristle, ea.	14.00	11.20

Fabric Smoother

Short black chinese bristle set solid in a grooved or countersunk head. Made especially for hanging all canvas fabrics.

12" width, $1\frac{1}{4}$ " length bristle, ea.	\$13.00	\$10.40
--	---------	---------

Twin Smoother

Pure black chinese bristle, set solid in twin sections each 6" in width making a continuous row of bristle 12" wide.

12" width, $2\frac{1}{8}$ " length bristle, ea.	\$5.95	\$4.77
--	--------	--------

Supreme Nylon


Made from DuPont black nylon staple set in tufts, two rows.

12" width $2\frac{1}{2}$ " length bristle, ea.	\$5.00	\$4.00
---	--------	--------

Round Stencil Brush

Stiff bristle and horsehair, metal


ferrule, and wood handles.




No. 20 or 22	$\frac{3}{4}$ " dia., 1" length bristle, ea.	\$1.60	\$1.30
No. 40 or 44	1" dia., $1\frac{1}{4}$ " length bristle, ea.	1.70	1.38
No. 60 or 66	$1\frac{1}{8}$ " dia., $1\frac{3}{8}$ " length bristle, ea.	1.80	1.46
No. 80 or 88	$1\frac{1}{4}$ " dia., $1\frac{1}{2}$ " length bristle, ea.	2.05	1.62
No. 100 or 110	$1\frac{3}{8}$ " dia., $1\frac{1}{2}$ " length bristle, ea.	2.25	1.81
No. 200 or 220	$1\frac{1}{2}$ " dia., $1\frac{5}{8}$ " length bristle, ea.	2.95	2.35

Wall Stippler

Extra fine grade gray Russian bristles, set in rubber, in aluminum that is imbedded in natural varnished wood block. Guaranteed not to warp. Is light and easy to grip. The very best tool for stippling walls.



No. 1X block	$2\frac{3}{4}$ "x $7\frac{3}{4}$ ", $3\frac{1}{4}$ " length bristle, ea.	\$17.50	\$14.00
No. 3X block	$3\frac{3}{4}$ "x $8\frac{3}{4}$ ", $3\frac{1}{4}$ " length bristle, ea.	26.70	21.33




Fan Grainer

White metal bands. Flat plain wood handles. Special selection black Chinese bristles. Stiff and elastic.

2" width	$2\frac{5}{8}$ " length hair, ea.	1.60	1.26
$2\frac{1}{2}$ " width	$2\frac{3}{4}$ " length hair, ea.	1.85	1.47
3" width	$2\frac{7}{8}$ " length hair, ea.	2.10	1.68

Number 5818 Brick Liner




Fine quality white bristles, securely set and nailed in wood handle. Made for lining and striping bricks or imitating bricks.

2" width	$\frac{3}{8}$ " length bristle, ea.	.75	.60
3" width	$\frac{3}{8}$ " length bristle, ea.	1.05	.81
4" width	$\frac{3}{8}$ " length bristle, ea.	1.30	1.01

74 HI-GRADE PAINT & VARNISH PRODUCTS


PLASTER SKIMMING BRUSHES



Leader

Three rows black Chinese bristles set in rubber. Leather bound. Long clear lacquered handle.

8" width $4\frac{3}{8}$ " length bristle, ea.\$33.75 \$27.00



Nylon

Made of DuPont nylon set in three rows.
Standard three piece handle 10 inches long.

No. 9500

Metal Bound

8" width $4\frac{1}{4}$ " length bristle, ea.\$15.60 \$12.45

No. NR-150

Leather Bound

$8\frac{3}{4}$ " width $3\frac{3}{4}$ " length bristle, ea.\$16.00 \$12.80


Due to unsettled conditons in the bristle market, all prices are -

SUBJECT TO STOCK ON HAND

SOLID CENTER STUCCOS

Master Painter

The finest black Chinese bristles, extra long, Foss-set. Solid center. Leather bound. Green handles.



No. 300, 3½" width 5 " length bristle, ea.	\$ 21.35	\$ 17.80
No. 350, 4" width 5¼" length bristle, ea.	28.25	23.50

Ebony

Black hog bristles. Foss-set, leather bound with solid center and green varnished handles.

No. 300, 3½" width 4½" length bristle, ea.	15.45	13.88
No. 350. 4" width 4¾" length bristle, ea.	18.95	17.03

Chinese or Golden

Black hog bristles. Foss-set, leather bound. Solid center. Green varnished handles.

No. 300, 3½" width 4½" length bristle, ea.	13.50	10.79
No. 350. 4" width 4¾" length bristle, ea.	16.70	13.36

S-5078

70% black chinese bristles and 30% best grade horsehair with solid center. Exceptionally well balanced brush.

3½" width 4½" length bristle, ea.	14.00	11.20
4" width 4¾" length bristle, ea.	20.70	16.54

76 HI-GRADE PAINT & VARNISH PRODUCTS

OPEN CENTER STUCCOS

Hi-Grade

Pure black chinese bristles.


No. 30, 3½" width 5" length bristle, ea.	\$18.25	\$15.25
No. 35, 4" width 5¼" length bristle, ea.	22.95	19.10

Professional

Pure black chinese bristles. Open center, full stock, leather bound.

No. 35 4" width 5¼" length bristle, ea.	\$24.60	\$20.50
--	---------	---------

NL-52 Nylon Stucco



Made with Dupont Nylon. A full stock brush processed by Wooster. Open Center. Leather bound.

No. 30 3½" width 4½" length bristle, ea.	\$8.55	\$6.85
No. 35 4" width 4½" length bristle, ea.	9.20	7.35

Senator Nylon Stucco

Made with Dupont Nylon specially processed to assure extra smoothworking qualities.

A Wooster built brush. Open Center. Leather bound

No. 30 3½" width 4½" length bristle, ea.	\$8.35	\$6.68
No. 35 4" width 4½" length bristle, ea.	9.25	7.40
No. 40 4½" width 4½" length bristle ea.	10.25	8.20

VARNISH BRUSHES

Wooster Gem Nylon

DuPont Tynex Nylon with "Exploded Tip" processed by Wooster. Chisel trimmed, single thick with white lacquered handles.

1" width 1 $\frac{3}{4}$ " length bristle, ea.	\$.49	\$.38
1 $\frac{1}{2}$ " width 1 $\frac{3}{4}$ " length bristle, ea.59	.46
2" width 2" length bristle, ea.79	.62
2 $\frac{1}{2}$ " width 2" length bristle, ea.89	.70
3" width 2" length bristle, ea.98	.78

Wooster Softip Nylon

DuPont Nylon bristles processed by Wooster and Foss Set, Metal ferrules. White onyx handles.

1" width 2" length bristle, ea.	\$.59	.46
1 $\frac{1}{2}$ " width 2 $\frac{1}{8}$ " length bristle, ea.79	\$.62
2" width 2 $\frac{3}{8}$ " length bristle, ea.	1.25	.99
2 $\frac{1}{2}$ " width 2 $\frac{5}{8}$ " length bristle, ea.	1.75	1.39
3" width 2 $\frac{7}{8}$ " length bristle, ea.	1.98	1.58

Softip Nylon Assortment

Consists of six each 1 $\frac{1}{2}$ " and 2", five each 2 $\frac{1}{2}$ " and 3" No. 802 Nylon varnish brushes packed in an attractive counter display box.

Per assortment..... Retail Value \$30.74

S-A 9008 Nylon


Made of DuPont Nylon soft bristle on a double thick peerless handle. Black handles-gold tipped. Bright metal ferrules.

1 $\frac{1}{2}$ " width 2 $\frac{1}{4}$ " length bristle, ea.	\$.79	\$.63
2" width 2 $\frac{1}{2}$ " length bristle, ea.	1.09	.83
2 $\frac{1}{2}$ " width 2 $\frac{1}{2}$ " length bristle, ea.	1.49	1.19
3" width 2 $\frac{3}{4}$ " length bristle, ea.	1.79	1.44

NV-4A-Nylon

Made of DuPont Nylon - processed by Wooster. Metal ferrule. Clear finish double thick beaver tail handles.

Professional quality.



2" width 2 $\frac{5}{8}$ " length bristle, ea.	2.38	1.91
2 $\frac{1}{2}$ " width 2 $\frac{7}{8}$ " length bristle, ea.	2.98	2.39
3" width 3 $\frac{1}{8}$ " length bristle, ea.	3.58	2.87

RETAIL VARNISH BRUSHES

Touch Up



Pure bristle, flat handle and metal ferrule set in rubber.

$\frac{1}{2}$ " width, ea. \$.15 \$.12

Big V



Pure black bristle. Thin red handle with gold stamping.

1" width, $1\frac{3}{4}$ " length bristle, ea.	\$.20	\$.16
$1\frac{1}{2}$ " width, $1\frac{3}{4}$ " length bristle, ea.25	.20
2" width, $1\frac{3}{4}$ " length bristle, ea.35	.28
$2\frac{1}{2}$ " width, 2" length bristle, ea.60	.48
3" width, 2" length bristle, ea.80	.64

Red Tip

Pure black bristle. Single thick handle with bright metal ferrule. Gold stamping on red background with yellow shoulder.

1" width, $1\frac{7}{8}$ " length bristle, ea.	\$.35	\$.28
$1\frac{1}{2}$ " width, $1\frac{7}{8}$ " length bristle, ea.50	.39
2" width, $1\frac{7}{8}$ " length bristle, ea.65	.51
$2\frac{1}{2}$ " width, $2\frac{1}{4}$ " length bristle, ea.95	.80
3" width, $2\frac{1}{4}$ " length bristle, ea.	1.25	1.00

Blue Tip

Pure black bristle. Double thick onyx handle with bright metal ferrule. Gold stamping on blue background with yellow shoulder.

1" width, 2" length bristle, ea.	\$.40	\$.32
$1\frac{1}{2}$ " width, $2\frac{1}{4}$ " length bristle, ea.65	.50
2" width, $2\frac{1}{4}$ " length bristle, ea.80	.67
$2\frac{1}{2}$ " width, $2\frac{1}{2}$ " length bristle, ea.	1.45	1.16
3" width, $2\frac{1}{2}$ " length bristle, ea.	1.75	1.40

Green Tip


Pure black bristle. Double thick Kaiser handle with bright metal ferrule. Gold stamping on green background with yellow shoulder.

1" width, $2\frac{1}{8}$ " length bristle, ea.	\$.50	\$.40
$1\frac{1}{2}$ " width, $2\frac{1}{4}$ " length bristle, ea.75	.60
2" width, $2\frac{1}{2}$ " length bristle, ea.	1.15	.91
$2\frac{1}{2}$ " width, $2\frac{5}{8}$ " length bristle, ea.	1.75	1.40
3" width, $2\frac{5}{8}$ " length bristle, ea.	2.25	1.80

VARNISH BRUSHES

Chief

Pure black bristle. Double thick
panel type handles. Metal ferrules.
Full stock brush.



1" width $2\frac{1}{4}$ " length bristle, ea.	\$.65	\$.52
$1\frac{1}{2}$ " width $2\frac{1}{4}$ " lgth. bristle ea.	1.00	.80
2" width $2\frac{1}{2}$ " lgth. bristle ea.	1.35	1.05
$2\frac{1}{2}$ " width $2\frac{3}{4}$ " length bristle, ea.	2.10	1.68
3" width $2\frac{7}{8}$ " length bristle ea.	3.15	2.50

Bake-o-plast V-2027 Varnish

Pure black Chinese bristles, chiseled edge set in rubber. Double thick. Bright metal ferrule.

1" width $2\frac{1}{8}$ " length bristle, ea.	\$.75	\$.60
$1\frac{1}{2}$ " width $2\frac{1}{8}$ " length bristle, ea.	1.10	.88
2" width $2\frac{3}{8}$ " length bristle, ea.	1.50	1.20
$2\frac{1}{2}$ " width $2\frac{5}{8}$ " length bristle, ea.	2.25	1.80
3" width $2\frac{7}{8}$ " length bristle, ea.	3.00	2.40

No. 122

Pure black Chinese bristles. Red and gold onyx handles. Standard single thick metal ferrules. A rubberset brush.

1" width $2\frac{1}{8}$ " length bristle, ea.	\$.55	\$.44
$1\frac{1}{2}$ " width $2\frac{1}{8}$ " length bristle, ea.70	.56
2" width $2\frac{1}{8}$ " length bristle, ea.85	.68
$2\frac{1}{2}$ " width $2\frac{3}{8}$ " length bristle, ea.	1.40	1.12
3" width $2\frac{3}{8}$ " length bristle, ea.	1.60	1.28

80 HI-GRADE PAINT & VARNISH PRODUCTS

Palace Varnish



Pure black bristles. Triple thick beavertail handles. Metal ferrules. Made of best material available.


2" width $3\frac{1}{8}$ " length bristle ea.	\$3.70	\$2.96
$2\frac{1}{2}$ " width $3\frac{3}{8}$ " length bristle ea.	5.90	4.72
3" width $3\frac{5}{8}$ " length bristle ea.	9.25	7.39

XXX Chinese Varnish

Pure black bristles. Triple thick panel handle. Metal ferrules. Made of best material available.

$1\frac{1}{2}$ " width $2\frac{1}{8}$ " length bristle ea.	\$1.40	\$1.10
2" width $2\frac{5}{8}$ " length bristle ea.	2.25	1.80
$2\frac{1}{2}$ " width $2\frac{7}{8}$ " length bristle ea.	3.20	2.56
3" width $3\frac{1}{8}$ " length bristle ea.	4.90	3.92

Ex Fashun Enameling Brush



A special blend of pure bristle and oxhair for fine enameling work. Cup chisel with clear varnished round handle. A master painter brush for fine finishing work.

2" width $2\frac{5}{8}$ " length bristle, ea.	\$3.00	\$2.40
$2\frac{1}{2}$ " width $2\frac{3}{4}$ " length bristle, ea.	4.00	3.60
3" width 3" length bristle, ea.	6.50	5.20
$3\frac{1}{2}$ " width $3\frac{1}{4}$ " length bristle, ea.	10.00	8.00

Dover Enamel

Pure natural color hog bristles set in rubber. Cup chiseled. Clear finish round Jap handle. A fine finishing tool.

2" width $2\frac{3}{4}$ " length bristle, ea.	2.65	2.12
$2\frac{1}{2}$ " width $2\frac{7}{8}$ " length bristle, ea.	3.95	3.17
3" width 3" length bristle, ea.	5.60	4.49

VARNISH BRUSHES

Ex Ex Shasta

A Shasta brush with very best pure black bristles, Foss-set, long stock and solid center. Nickel plated solid steel ferrule. Natural varnished handle with red stripe. A perfect painter's tool.



Z Pure Chinese Bristles Z

No. 114, 2 $\frac{5}{8}$ " width 3 $\frac{5}{8}$ " length bristle, ea.	9.50	7.20
No. 115, 3 $\frac{1}{8}$ " width 3 $\frac{5}{8}$ " length bristle, ea.	11.70	9.36

Steel Band

Best Grade Non-Chinese Hog Bristle

Exactly the same type brush as illustrated above, except for the length of the bristle.

No. 33, 2 $\frac{1}{8}$ " width, 2 $\frac{7}{8}$ " length bristle, ea.....	\$2.95	\$ 2.34
No. 44, 2 $\frac{5}{8}$ " width, 3 $\frac{1}{8}$ " length bristle, ea.....	5.00	4.00
No. 55, 3 $\frac{1}{8}$ " width, 3 $\frac{5}{8}$ " length bristle, ea.....	7.50	6.00

Shastette Nylon

A shasta style varnish brush with Wooster Nylon bristles. Well chiseled or varnish and enamel.

No. 2 - 1 $\frac{5}{8}$ " width 2 $\frac{1}{8}$ " length bristle, ea.....	\$1.58	\$1.27
No. 3 - 2 $\frac{1}{8}$ " width 2 $\frac{5}{8}$ " length bristle, ea.....	2.28	1.83
No. 4 - 2 $\frac{5}{8}$ " width 2 $\frac{7}{8}$ " length bristle, ea.....	2.68	2.15
No. 5 - 3 $\frac{1}{8}$ " width 3 $\frac{1}{8}$ " length bristle, ea.....	3.18	2.55

D. C. Fitch Flowing
Brushes

Nickel plated flowing ferrules. Polished cedar handle tips. Fine grade fitch hair. Double thick. Chiseled point. Imbedded in hard rubber.



1" width 1 $\frac{3}{8}$ " length hair, ea.....	\$1.30	\$1.03
1 $\frac{1}{2}$ " width 1 $\frac{1}{2}$ " length hair, ea.....	1.80	1.43
2" width 1 $\frac{5}{8}$ " length hair, ea.....	2.40	1.90
2 $\frac{1}{2}$ " width 1 $\frac{3}{4}$ " length hair, ea.....	3.25	2.62
3" width 1 $\frac{7}{8}$ " length hair, ea.....	4.15	3.33

82 HI-GRADE PAINT & VARNISH PRODUCTS

THIS CATALOG

lists a complete line of decorative and maintenance paints, varnishes, enamels, lacquers and stains. Also a wide assortment of painters', paperhangers' and signwriters' tools and supplies. Note that in the case of almost every article offered under a brand name, the name is recognized as being a leader in its field. No attempt is made to carry every brand but we do handle those which we know are best suited and most acceptable to the trade.

CONTACT US

for information on our auxiliary lines such as

ART SUPPLIES—Our Art Department prides itself on the completeness of its line as well as the identities of the suppliers with whom we are associated—Grumbacher, Devoe, Craftint, Eberhard Faber, Prang, Speedball, Paasche and many others equally well known for top quality.

DECORATIVE HOBBY CRAFT—This line includes numbered picture painting sets, picture frames, ready-to-decorate metal goods such as trays, wastebaskets, etc., copper trinkets and such other items as might be classed as art and decorative hobbies.

FLOOR SANDING EQUIPMENT—We deal with several manufacturers and test rigidly many machines to keep ourselves posted on all developments in this field. Since our stores offer Sander Rentals, we must know which machines will prove to be most satisfactory as to results, durability and economy.

SPECIFICATION MATERIALS—Some Federal and State Specification paints, varnishes and enamels carried in stock regularly at Terre Haute. Others can be made in batches of 25 gallons or more.

SPRAY EQUIPMENT—We represent DeVilbiss and have on our staff several experts trained at the DeVilbiss plant. Our stock at Terre Haute includes some complete outfits and many of the parts and accessories most in demand.


WALLPAPER—Next to paint products, this item represents our largest volume of business so naturally we must carry a wide range of patterns properly priced and styled to please our customers. We represent several of the larger and better known wallpaper mills. Tho we operate in only the Middle West, we are recognized as one of the larger wallpaper distributors in the country.

DECORATING SERVICE—Advice on color styling, interior or exterior, for homes, commercial buildings and institutions is available without charge. Write our Color Styling Department at Terre Haute or get in touch with our nearest dealer.

RETAIL WALL BRUSHES

Wooster Easyflo Nylon

DuPont Nylon bristle processed by Wooster and Foss Set. Metal ferrules. White Enameled beavertail handles. Block $\frac{7}{8}$ " thick.



3" width, $2\frac{7}{8}$ " length bristle, ea.	\$2.25	\$1.78
$3\frac{1}{2}$ " width, $3\frac{1}{8}$ " length bristle, ea.	2.65	2.13
4" width, $3\frac{1}{8}$ " length bristle, ea.	2.98	2.37

Easyflo Nylon Assortment

Consists of four each 3", $3\frac{1}{2}$ ", 4" No. 812 Nylon Wall brushes packed in an attractive counter display box.

Per assortmentRetail Value \$31.52


Wooster Jewel Nylon

Dupont Tynex Nylon with "Exploded Tip" processed by Wooster. Consumer style tapered wall. $\frac{7}{8}$ " thick block with white lacquered beavertail handles.


3" width $2\frac{1}{2}$ " length bristle.....	\$1.59	\$1.27
$3\frac{1}{2}$ " width $2\frac{3}{4}$ " length bristle	1.98	1.59
4" width 3" length bristle	2.29	1.83

S-A 9110 Nylon

Black nylon bristle vulcanized in rubber. Standard wall brush handle $\frac{7}{8}$ " thick. Metal ferrule. Made especially for retail trade.



4" width $3\frac{1}{2}$ " length bristle, ea.	3.50	2.78
--	------	------

WALL BRUSHES**Wooster Nylon***Metal Bound***NW-26-A**

Wooster Nylon Wall Brush is made 100% of DuPont Black Tapered Nylon Bristles, specially processed by the Wooster Brush Company. Foss set with metal ferrules on clear beavertail handle 1" thick.

This brush may be used for spreading Oil, paints, Water paints, Shellacs, Varnishes, Lacquers, etc. Cleans easily with most solvents; such as Naphtha, Turpentine, Alcohol, Lacquer Thinner, Powdered Cleaners, etc. A Nylon brush should always be suspended in liquid when not in use. Do not let the tip of the brush rest on bottom of container.

3" width	4 $\frac{1}{8}$ " length bristle, ea.	\$5.75	\$4.63
3 $\frac{1}{2}$ " width	4 $\frac{1}{8}$ " length bristle, ea.	7.15	5.75
4" width	4 $\frac{1}{8}$ " length bristle, ea.	7.95	6.39
4 $\frac{1}{2}$ " width	4 $\frac{1}{8}$ " length bristle, ea.	9.65	7.72

Jumbo

Made of Dupont Nylon processed by Wooster. A well made, full stock brush on a beavertail handle 1 $\frac{1}{8}$ " thick.

4" width,	4 $\frac{3}{8}$ " length stock, ea	9.50	7.60
4 $\frac{1}{2}$ " width,	4 $\frac{3}{8}$ " length stock, ea	10.50	8.40

Bonanza

Made of black nylon bristles tapered and processed by Wooster. Clear beaver tail handle. Block 1" thick.

3 $\frac{1}{2}$ " width	4 $\frac{1}{4}$ " length bristle, ea.	\$6.85	\$5.48
4" width	4 $\frac{1}{8}$ " length bristle, ea.	7.30	5.83


Nu-Grind

Made of black multiflag nylon processed by Wooster. Clear beavertail handle. Block $\frac{7}{8}$ " thick. An excellent retail trade number.

4 width	3 $\frac{3}{4}$ " length stock, ea.	\$4.49	\$3.60
---------	-------------------------------------	-------	--------	--------

MIXED BRISTLE
METAL BOUND WALL BRUSHES

Special mixture pure black chinese
bristle and black selected horsehair.
Bristle cased. These are exceptional
brushes.



W-4042

Block 11-16" thick.

3" width 2 $\frac{5}{8}$ " length bristle, ea.	\$1.10	\$.88
3 $\frac{1}{2}$ " width 2 $\frac{7}{8}$ " length bristle, ea.	1.70	1.36
4" width 2 $\frac{7}{8}$ " length bristle, ea.	2.00	1.60

W-4055

Block $\frac{7}{8}$ " thick.

5" width 3 $\frac{1}{4}$ " length bristle, ea.	\$3.50	\$2.80
---	--------	--------

W-4056

Block $\frac{7}{8}$ " thick

3" width 3 $\frac{1}{4}$ " length bristle, ea.	\$ 3.30	\$ 2.64
3 $\frac{1}{2}$ " width 3 $\frac{1}{2}$ " length bristle, ea.	4.00	3.20
4" width 3 $\frac{3}{4}$ " length bristle, ea.	4.95	3.94

W-4072

Block 1" thick


3" width 3 $\frac{1}{2}$ " length bristle, ea.	\$ 6.15	\$ 4.94
3 $\frac{1}{2}$ " width 3 $\frac{3}{4}$ " length bristle, ea.	7.50	6.00
4" width 4" length bristle, ea.	9.85	7.87

New Premium Wall

(Nylon Bristle)

A popular mixture of "Exploded Tip" Tynex Nylon and pure bristle. Natural finish
beavertail handle. Brush is built on 1" thick block for painter use.

4 width 4 $\frac{1}{8}$ " length bristle ea.	\$9.98	\$7.98
---	--------	--------

PURE BRISTLE
METAL BOUND WALL BRUSHES


Best grade non-chinese bristle
set in rubber. Polished natural
handle. Nickel plated ferrule.

Hi-Grade A
Block $\frac{7}{8}$ " thick

3" width $3\frac{1}{4}$ " length bristle, ea.	\$4.50	\$ 3.55
$3\frac{1}{2}$ " width $3\frac{1}{2}$ " length bristle, ea.	6.35	5.04
4" width $3\frac{3}{4}$ " length bristle, ea.	8.75	6.99

Hi-Grade B
Block 1" thick


3" width, $3\frac{5}{8}$ " length bristle, ea.	7.85	6.27
$3\frac{1}{2}$ " width, $3\frac{7}{8}$ " length bristle, ea.	11.15	9.07
4" width, $4\frac{1}{8}$ " length bristle, ea.	15.00	12.00

Hi-Grade C
Block 1" thick

4" width $4\frac{1}{2}$ " length bristle, ea.	21.05	16.83
--	-------	-------

All orders accepted subject stock in our warehouse.

WHITE WASH BRUSHES



Pawnee

Special quality clean dressed white Tampico set in two rows with bands Plain yellow block. One slanted handle hole and one straight handle hole.

7" width $3\frac{3}{8}$ " length stock, ea.	\$.89	\$.70
8" width $3\frac{3}{8}$ " length stock, ea.98	.80

Wabash

Clean dressed, white Tampico set in two rows. Red stained block without bands.

7" width $2\frac{7}{8}$ " length stock, ea.65	.52
--	-----	-----

SCRUB BRUSHES

Popular Type (Panther - Tock - Mart)

White Tampico fibre, oblong block, approximately $2\frac{1}{4} \times 7\frac{1}{4}$ inches.

Each	\$.29	\$.24
------------	--------	--------

Plastic Type

(Berlite - Best Ever)

A hardwood block heavily filled with rows of white plastic bristle which are extra durable and do not easily soften in water. Oblong shape $9" \times 2\frac{1}{2}"$ with bristle 1 inch out.

Each59	.48
------------	-----	-----

Janitor Type

(Major or Goose)


Brown Palmetto fibre set in rows 5×14 . Block $8" \times 2\frac{3}{4}"$. A good janitor scrub brush.

Each.....	.75	.60
-----------	-----	-----

Pane

Window Brush

Made of good quality gray hair set in seven rows. Natural polished wood block, $8 \times 2\frac{1}{2}"$. Two taper handle holes. Furnished without handle. Excellent brush for real service.



8" width $2\frac{1}{8}"$ length hair, ea.	\$2.50	2.00
--	--------	------

88 HI-GRADE PAINT & VARNISH PRODUCTS

STEEL WIRE BRUSHES

No. 1651 or

Number 1777 Long Bent Handle

Made of best quality fine carbon steel wire set in three rows. Plain sanded wood block and handle. For removing old paint, varnish, etc.



1 1/8" length wire, each\$.45 \$.36

No. 1768

Made of best quality fine carbon steel set 11x4" rows. Long bent handle.

1 1/4" length wire, each..... .40 .35

No. 1623 or

Number 106 Butcher Block

Strong and durable, made of flat tempered steel wire set in five rows. Plain sanded hardwood block that is 7 3/4x2 5/8".



1 1/4" length wire, each.....\$1.25 \$.98

No. 1611 or

Number 1780 Crow Wire

Manufactured of the best quality fine carbon steel wire in 6x19 rows. Plain sanded hardwood block that measures 7 1/4x2 1/4". For removing old paint, varnish, etc.



1 7/8" length wire, each.....\$.75 \$.60

No. 1641 or

Number 1781 Shoe Handle

A durable brush made of very best fine carbon steel wire set in four rows. Plain sanded hardwood block and handle.



1 1/8" length wire, each \$.55 \$.44

No. 1632 or

Number 1779 Curved Back

A strong solid brush that is made of the best quality fine carbon steel set in 9x12 rows. Plain sanded hardwood block, 7x3".



1 1/8" length wire each\$1.05 \$.82

No. 7998 Wire Brush

With Scraper attached

A four row wire brush with a scraper $2\frac{7}{8}$ in. wide
securely attached to the end. Entire length of tool
is $12 \times 1\frac{1}{4}$ in. wide; length of wire brush is 6 in.



No. 7998 each

-----\$1.10

\$.86



SAVE

HOURS OF TIME

Painting
Those
"Hard to Get
to Places"

WITH

PAINTER'S PAL

Painters' Pal

A sash and trim painter. Consists of a wool pad cemented to an aluminum handle which is bent at a slight angle for ease in painting window sash, door bottoms and tops and other hard-to-paint narrow surfaces. Packed 1 dozen to a counter display.

Per doz.-----

\$2.00


Each.-----

\$.25

.19

Jiffy Screen Painter & Duster

Flat type, all metal holder size - 3x5 - with carpet
fabric securely attached. A convenient practical tool
for painting screen wire.



Per doz. (2 doz. to carton) -----


\$2.32

Each -----

\$.29

.23

90 HI-GRADE PAINT & VARNISH PRODUCTS



Red Devil Roller Stippler

A specially woven coarse fabric tube that slips on a solid wood roller. Metal handles are permanently attached to hardwood rollers by means of free moving bearings. Handgrips are shaped to fit the hand.

A practical tool for stippling on all areas where a uniform texture is desired. This tool stipples the same pattern in flat and gloss ready-made stippling paints, water paints, and starch coatings.

The "Midget" size is ideal for stencil work.

No. RS1 Short Handle		
Length 13" - Roller 6½" complete, ea.	\$5.10	\$4.08
No. RS2 Long Handle		
Length 17" - Roller 6½" complete, ea.	5.70	4.56
No. RS4 Master, Extra Long Handle		
Length 17" - Roller 9¾" complete, ea.	6.20	4.98
No. 26 Cover for RS3, ea.	1.15	.94
No. 28 Cover for RS1 and RS2, ea.	1.65	1.32
No. 48 Cover for RS4, ea.	2.15	1.73


Wooster Stippler Rollers

Consists of the Ejectomatic Frame with heavy twist pile Covers which produce a dense stipple effect.

R-151 - 7" width Complete, each	3.44	2.07
9" width Complete, each	3.98	2.39
R-250 - 7" Covers only, each	1.29	.97
9" Covers only, each	1.69	1.26

Wooster Roll-On-Painters

The Wooster Roll-On-Painter consists of a sturdy metal rod frame which uses durable, free rolling Nylon end bearing caps to hold the various types of Roll-On-Covers.



Complete Roller Applicators (Snap-on Nylon End Cap Models)

Fabric - X - R-131 - 3" width each	1.49	1.19
7" width each	1.98	1.59
9" width each	2.25	1.89

Combination Deals

Fabric - X - R-932 - 9" with Tray boxed each	3.59	2.92
R-937 - 7" with Tray boxed each	2.98	2.39


Covers

Use Fabric-X for applying rubber base paints and oil enamel type paints. Use Snow White Wooston for all general purpose work. Use long nap Dynel for coating all rough surfaces.

Fabric - X - R-230 - 3" width each.....	\$.69	\$.54
7" width each.....	1.25	1.01
9" width each.....	1.49	1.19
Wooston - R-280 - 7" width each98	.78
9" width each	1.39	1.11
Dynel Long Nap R-295 7" width each	1.34	1.07
9" width each	1.69	1.36

Accessories

R-040-Cone Shaped Trim Roller each	1.29	1.02
R-035-Cone Shaped Cover each.....	.69	.58
R-025-44" Extension Handle each98	.78
R-402-11" Width Bright Metal Tray each90	.72
R-407-9" Width Bright Metal Tray, each60	.48
R-081 Nylon End Cap with Snap-on Fingers each10	.10

Wooster 'Y' Frame Professional Roller

Constructed for heavy duty work. Durable Nylon bearings. Two-handed grip, wood handle threaded at the end for use with extension handle.


R-801 Counter Display

Consists of: 6 - 9" R-010 "Y" Frames
 6 - 9" R-280 Wooston Covers
 6 - 9" R-230 Fabric X Covers
 5 - 9" R-292 Long Nap Wooston Covers

R-801 Counter display, ea. \$42.67 \$33.65

Wooster 'Y' Frame System

R-010 9" width frame ea.	\$ 2.50	\$ 2.01
R-230 9" width fabric X cover, ea.	1.49	1.19
R-280 9" width Wooston cover, ea.	1.39	1.11
R-292 9" width long nap wooston cover, ea.	1.98	1.59

Wooster Long Boy Industrial Paint Rollers

Consists of a large diameter lamb's wool roller mounted on a double bearing sturdy steel frame with an extension handle clamp. The roller is made with extra long nap. The Kit includes a 2 gallon flat paint tray 12" x 18" fitted with a wire mesh for handling heavy materials.

This roller is recommended for applying exterior oil paints, aluminum paints, flat wall paints, etc. to concrete block, metal siding, wire chain fence and other large areas.

R-199—9" Long Boy Roller, each.....	\$5.95	\$4.45
R-299—9" Long Boy Cover, each	3.98	2.95
R-999—9" Long Boy Painter Kit, each	7.95	5.90
R-49-Pan with Screen, each	1.95	1.60

Roller Paint Applicators

Professional Quality

A metal roller which uses a removable sheepswool or woven pile cover for the purpose of applying oil paints and water paints. The use of the roller method assures the application of a uniform coat of paint to rough and smooth surfaces alike. Deep tones usually present a much more satisfactory appearance when applied by roller than by brush.

For best results the roller applicator should be used with an inclined tray made especially for the purpose.

The covers may be removed easily for proper cleaning.



No. 15 Tracing Roller, each.....	\$1.19	\$.87
No. 15-C Extra Cover, each.....	.79	.58
No. 34 FM Complete Roller -3" width each.....	.89	.65
No. 3 FM Extra Cover, each.....	.55	.40
No. 70WP Complete Roller—7" Width, each.....	2.69	1.96
No. 7WP Extra Cover, each.....	1.59	1.12
No. 90WP Complete Roller—9" Width, each.....	3.29	2.38
No. 9WP Extra Cover, each.....	1.89	1.37
No. 999-A 48" Aluminum Tubular Extension Handle, each.....	1.69	1.25
No. 490—8 ft. Aluminum Tubular Extension Handle, each.....	4.20	3.05

93B HI-GRADE PAINT & VARNISH PRODUCTS

Essex Roll-A-Painter

*For oil paint
and enamel.*



HOLDS A PINT OF PAINT

Model H-9 Rubber Base

Model O-5 All Purpose

This is a fill type roller applicator which will hold a pint of paint. The cover is a one piece unit which is reversible and cleanable. It slips on easily and locks in place to permit easy filling. The aluminum handle is threaded to fit a standard mop handle should an extra extension be required.

Cover H-91 is made especially on a foam rubber base for use with rubber base and water paints.

Cover O-51 is made for use in oil base paints and enamels.

Model O-5 each.....	\$3.95	\$2.95
Model H-9 each	3.95	2.95
H91 Cover each	1.00	.80
O-51 Cover each.....	1.00	.80

Kozytone Paint Roller Combination

This is a popular type mohair roller applicator with metal tray. The cover may be removed for cleaning or replacement. Applicator is 7" in width (Packed 12 Combinations to Carton).

Kozytone Combination each	SPECIAL PRICE.....	\$1.49
7" Extra Cover each	"....."	.79

Special Lambswool Cover

For general all around application of paint.

R-220-7" width—cover only, each98	.72
9" width—cover only, each.....	1.39	1.02

Wooster 'Selecta-Rolla' Merchandiser

Features new Ejectomatic Roller frame which permits covers to be pushed on and changed with ease. Customer chooses proper cover, frame or pan he needs. Counter display contains the following:



R-805 Deal

- 12 - 7" R-230 Fabric X Covers
- 12 - 7" R-280 Wooston Covers
- 10 - 7" R-015 Ejectomatic Frames
- 6 - 9" R-407 Bright Metal Trays

R-805 Display Assortment, ea.\$38.84 \$30.78

R-809 Deal


- 12 - 7" R-230 Fabric X Covers
- 10 - 7" R-280 Wooston Covers
- 4 - 7" R-250 Texture Covers
- 5 - 7" R-207 Mohair Covers
- 10 - 7" R-015 Ejectomatic Frames
- 6 - 9" R-407 Bright Metal Trays

R-809 Display Assortment ea\$48.56 \$38.88

Ejectomatic Frame System

Use the Ejectomatic Frame with any cover listed. Add price of cover to price of frame to arrive at cost of complete applicator.

R-015 7" width frame, only ea.....	\$1.10	\$.88
9" width " " "	1.10	.88
R-230 7" width fabric X cover, ea.	1.25	1.01
9" width " " "	1.49	1.19
R-280 7" width Wooston cover, ea.98	.78
9" width " " "	1.39	1.11
R-250 7" width Texture cover.....	1.29	.97
9" width " " "	1.69	1.26
R-207 7" width Mohair Type cover64	.52
R-407 9" width tray, ea.60	.48

Type M Striping Tool

A simple lightweight striping tool made of die cast metal, with removable wheel tips, swivel head, adjustable guide, and glass material fountain. Draw straight, curved, circular, and parallel lines. Guide is easily adjustable. Wheel tip may be used to do expert striping on many objects such as furniture, toys, autos, bicycles, etc.


Type M-4 with 1-16" wheel tip, each.....	\$1.25	\$.94
Type M-S with 1-4" wheel tip, each	2.00	1.24

EXTRA WHEEL TIPS FOR M-4

Specify size; 1-64" - 1-32" 3-64" 1-16" - 5-64" - 3-32" 1-8"		
Per tip,.....	\$.90	\$.66

**EXTRA WHEEL TIP FOR M-S
1-4" WHEEL TIP**

Per Tip.....	\$1.20	\$.89
--------------	--------	--------



No. 100

Graining Combs

No. 100, Steel—Made of English blue steel. In sets of 30", assorted 6, 9, 12 teeth per inch, 1", 2", 3", 4" wide.


No. 103, Rubber—Triangular shaped rubber comb contains 3 sizes of teeth, fine, medium and coarse, set in the one handle. Very convenient.



No. 103

No. 100, Steel, per doz. sets.		\$29.30
No. 100, Steel, per set	3.30	2.73
No. 103, Rubber, per doz.		7.50
No. 103, Rubber, each.85	.70

Graining Tools




Number 7 Rubber

Quarter round, 3" wide. Corrugations of rubber mounted on wood and cushioned. Permits graining up to base board.

Per doz.....		\$8.22
Each.....	\$.95	.77

No. 10 Rubber

Combination grainer and comb Quarter sawed with fine corrugations.



Per doz.....		\$8.95
Each	\$1.00	.83

Rubber Graining Rollers

Made of special rubber and corrugations are such to produce beautiful effects.



No. 201



No. 202



No. 203

No. 201—Produces small heart grains, 5" long, 1½" diameter.

No. 202—Produces veins, etc., 5" long, 1½" diameter.

No. 203—Produces large effect, 5" long, 1½" diameter.

No. 200—A set consisting of three rollers, one each of Nos. 201, 202, 203

No. 201, 202, 203, per doz.		\$6.67
No. 201, 202, 203, each	\$.75	.62
No. 200, per doz. sets		17 83
No. 200, per set	2.00	1.66



Painters' and Paperhangers' Overalls

Smith-Alsop Overalls are made of the best quality white drill, full cut. Triple stitched seams. Continuous one piece high back. Handy pockets. Convenient tool loops.

No. 202 Painters' Sanforized Overalls

V-Bib with tool loops

Sizes 34 to 42 waist, ea.	\$3.35
Sizes 44 - 46 waist, ea.	3.80

No. 201 Paperhangers' Sanforized Overalls

Swinging Brush Pocket in Front

Sizes 34 to 42 waist, ea.	3.35
Sizes 44 - 46 waist, ea.	3.80

No. 200 Sanforized Jackets

All sizes, 36 to 46 each	\$3.80
--------------------------------	--------

Shane Deluxe or Best Drop Cloth

Made of special heavy 8 oz. drill, no splices, stitched strongly. Individually packed in cartons and labeled.

9' x 12', each	\$ 8.75
12' x 15', each	14.30
14' x 16', each	17.75

Smith-Alsop Standard Drop Cloth

Made of a medium weight 6.8 oz drill. No splices, strongly sewed. Individually boxed.

9' x 12' ea.....	\$ 7.80
12' x 15' ea.....	12.50
14' x 16' ea.....	15.60

Plasti-Cloth

Household Quality

Made from Visking Transparent Plastic Sheeting. Light in weight but very durable. Resistant to both water and paint solvents.

Size 6' x 9' each.....	\$1.69	\$1.45
Size 9' x 12', each.....	2.98	2.70

S-A Paper Drop Cloth


This drop cloth is made of heavy, durable brown Kraft paper which has been creped and treated to render it resistant to paint and water. It is flexible and drapes easily. Can be used many times. It provides an economical means for protecting floors, rugs and furniture during painting and house cleaning. Individually wrapped in Cellophane. Packed one dozen to bundle.

Size 6' x 9' approx. each	\$.59	\$.46
Size 9' x 12' approx. each.....	.98	.82

98 HI-GRADE PAINT & VARNISH PRODUCTS

Red Devil Glass Cutter

The original "Red Devil" glass cutter is known for its keen cutting qualities. The best cutter made for universal work. Wheel is hand honed and tested. One in a box, twelve in a carton.



"It's all in the wheel"

Also Hyde No. 1

Per doz..... \$4.00

Each \$.50 .38


Red Devil Glazier Points

Zinc coated points size No. 2, packed $\frac{1}{8}$ pound with point driver. 12 packages in counter display.

No. 20 Display Package

Per dozen packages..... \$.75

Per package \$.10 .10



Red Devil Automatic

Point Driver

Easily operated coil spring feed. Patented nose plate keeps points from dropping out of magazine, regardless of position in which used.

For quick results in glazing sash, storm windows, hot beds, etc. Ideal for picture framing.

No. 2, each.....\$13.50 \$9.60

No. 2 Points - per package 4000 each 3.30 2.40

Hyde No. O Putty Knife

(Formerly No. 1)

1 1/4" tempered crosscut blade, round handle with nickel plated bolster. Stiff only.



Per doz.	\$1.52
each.....	\$.19 .15

Hyde No. 3 Putty Knives

(Blue Diamond)

Cobalt blue plastic handles. Mirror finish high carbon steel.



No. 3 - 1 1/4" Stiff, per doz.(Cardosell).....	\$5.20
each.....	\$.65 .48
No. 3 - 1 1/4" Elastic, per doz.(Cardosell).....	5.60
each70 .53



P-1 Putty Knives

Red Devil

1 1/4" oil tempered crosscut blade, with full tang. Riveted and bolstered walnut handle.

Stiff, per doz.	\$8.00
each.....	\$1.00 .74
Elastic, per doz.	8.40
each.....	1.05 .78

Warner No. 400 Heavy Duty Putty Knife

Metal handles, spot welded to blade. 1-5/8" wide.




Per doz.No. 400 Stiff.....	\$2.85
each.....	\$.35 .27
Per doz.No. 402 Elastic.....	\$3.25
each.....	.40 .31

THE SMITH-ALSOP PAINT & VARNISH CO. 101

Hyde Black Handle Putty Knives and Scrapers

A special alloy steel blade securely riveted to a black plastic handle without bolster
A light weight, well balanced mechanics' tool.

Items marked "Cardosell" are mounted, one knife per display card.




No. 2--1 $\frac{1}{4}$ " Stiff, per dozen		\$6.80
each	\$.85	.63
No. 2--1 $\frac{1}{4}$ " Elastic per dozen		7.60
each95	.70
No. 2—1 $\frac{1}{2}$ " Stiff, per dozen(Cardosell).....		7.60
each95	.70
No. 2—1 $\frac{1}{2}$ " Elastic, per dozen(Cardosell).....		8.00
each	1.00	.74
No. 2—2" Stiff, per dozen		8.00
each	1.00	.74
No. 2—2" Elastic, per dozen(Cardosell).....		8.40
each	1.05	.78
No. 2 ACH - 1 5/16" - Chisel per dozen		8.40
each.....	1.05	.78
No. 2 A B--1 $\frac{1}{4}$ " Bent Glaziers per dozen		12.00
each	1.50	1.11
No. 2—3" Stiff, per dozen(Cardosell).....		10.40
each	1.30	.97
No. 2—3" Elastic, per dozen(Cardosell).....		11.20
each	1.40	1.03
No. 2—3 $\frac{1}{2}$ " Elastic, per dozen		12.40
each	1.55	1.16
No. 2—4" Elastic, per dozen(Cardosell).....		13.60
each	1.70	1.26
No. 2—5" Elastic, per dozen(Cardosell).....		16.80
each	2.10	1.56

102 HI-GRADE PAINT & VARNISH PRODUCTS

Hyde Putty Knives and Scrapers

(Hammer-Head)




The BH Line was designed with the brass end construction to serve as a handy tool for driving in nails and other obstructions. Brass end is securely riveted to a full length blade which is individually ground from high carbon steel. Black plastic handle.

No. 2 BHE—5" Elastic, per doz.-----	19.20
each -----	2.40 1 78
No. 2 BHE—6" Elastic, per doz. -----	22.40
each -----	2.80 2.08


Burn Off Knives

Long-Handle Scrapers

Hardened and tempered taper ground tool steel blade with clip point. 7½" long beech handle with three large brass saw rivets. Prevents burning of hands when using with blow torch.



2½" Stiff, per doz. -----	\$12.80
each -----	\$1.60 1.19
3" Stiff, per doz. -----	13.20
each -----	1.65 1 22



Warner No. 401 Heavy Duty Scraper

Metal handles, spot welded to blade. Semi-stiff.

Per doz. -----	No. 401 Stiff -----	\$4.45
Each -----	\$.55	.41
Per doz. -----	No. 403 Elastic -----	4.45
Each -----	55	.41

No. 101 Scraper


Cold rolled blade with round handle, nickel plated and trimmed bolster. Stiff only. Clip point.



Per doz.		\$2.33
each	\$.29	.23

Hyde No. 3 Scrapers

(Blue Diamond)




Cobalt blue plastic handles.
Mirror finish high carbon steel.

No. 3 - 3" Stiff, doz.(Cardosell).....		\$7.60
each	\$.95	.70
No. 3 - 3" Elastic, doz.(Cardosell).....		7.80
each	1.00	.73
No. 3 - 4" Elastic, doz.(Cardosell).....		9.60
each	1.20	.89
No. 3 - 5" Elastic, doz.(Cardosell).....		10.80
each	1.35	1.00


P-1 Scrapers

Red Devil

Made with oil tempered and crosscut blades, full tang, walnut handles with steel bolsters. Clip point.



3" Stiff, per doz.....		\$12.00
each	1.50	1.11
3" Elastic per doz.		12.40
each	1.55	1.16
3½" Stiff per doz.		12.80
each	1.60	1.19
3½" Elastic per doz.....		13.20
each	1.65	1.22



Red Devil No. 103 Scraper

Hardened and tempered tool steel blade. Wire bound handle is securely welded to blade without rivets. Half elastic only. Clip point.

Per doz.		\$4.00
each50	.38

104 HI-GRADE PAINT & VARNISH PRODUCTS

No. 15 Bent Scraper




Stiff bent blade. Walnut handle. Three large head brass rivets. No bolster. A real combination tool, ideal for burning off, for wall work, floor work, or wherever a strong scraper is needed.

Per doz., packed in display carton		\$14.30
Each	\$1.80	1.32

Fletcher-Terry Wood Scrapers

A handy wood scraper with double edged blade which extends beyond the handle for extra close work. Blades can be changed easily and quickly.



No. 100—1" width, each	\$.40	\$.29
No. 175—1¾" width, each60	.43
No. 250—2½" width, each	1.00	.72
Blade No. 100B—1", each10	.07
Blade No. 175B—1¾", each13	.11
Blade No. 250B—2½", each15	.12
Blade No. 250 BX - 3", each18	.14

No. 300 Wood Scraper

An all metal wood scraper made of cast aluminum, moulded to fit the hand and designed for ease of operation. Equipped with instantaneous blade release. Holds either standard or serrated blades.

Weight, individually packed 13 oz., includes one each standard, serrated, and extra long blade.

No. 300—2½" width, each	\$1.40	\$1.08
No. 250-B Blades, each18	.14



Warner No. 800 Wood Scraper

Double edge, curved blade. Easily adjustable for ready use. Blades may be replaced.

1 " width, ea.	\$.50	\$.36
1¾" width, ea.65	.47
2½" width, ea.	1.00	.72

Extra Blades

1 " width, ea.	\$.20	\$.14
1¾" width, each30	.22
2½" width, ea.40	.29

Hyde Speedster Wood Scrapers


A very practical wood scraper with double edge blade which is easily adjusted by means of the counter-sunk wing nut. Heavy hardware handle is shaped to permit steady pressure upon surface to be cleaned.



No. 78 - 1" width, each	\$.70	\$.51
Extra blades 1" width, each25	.18
No. 79 - 1½" width each85	.61
Extra Blades 1½" each35	.25
No. 80 - 2½" width each	1.10	.79
Extra blades 2½" each40	.29
No. 84 blade sharpener file, each65	.47


Hyde King Size Scraper

A large heavy duty scraper designed for scraping house paint from weatherboarding. Has a double edge tool steel blade, 5 inches in width. Long hardwood handle with Hammerhead knob. Weighs 1 pound per tool.



No. 82 5" width scraper, each	\$2.95	\$2.12
Extra Blades 5" width, each70	.49
No. 83 2½" width scraper, each	1.75	1.26
No. 85 1½" width scraper, each	1.45	1.05


No's. 83 & 85 take same blades as 79 & 80.



Red Devil Wood Scrapers

Scrapers of unusual efficiency, strength, and convenience for removing paint, varnish, etc., from all surfaces. Removable blades which can be sharpened easily with a file or carborundum stone. Scraper blades, being tempered under file hardness, will stand repeated sharpenings.

No. 10	"	"	Width 1" ea.35	.25
No. 40	"	"	Width 1½" ea.65	.47
No. 50	"	"	Width 2½" ea.	1.00	.72
No. 8	"	"	Pistol Grip ea.	1.70	1.23
No. 12	"	"	" ea.	2.45	1.96
No. 3-Comb. scraper & putty knife	ea.	50	.36
Blades for No. 10, each15	.11
Blades for No. 4 and No. 40, pair30	.22
Blades for Nos. 50, 5, and 8, pair45	.33
Blade for No. 12, 3 in. each35	.26



Red Devil Carboly Scraper

All metal handle with replaceable genuine carboly steel blade which has four working edges. Quickly removes paint, rust, or finish from wood, metal or masonry. Gets into places once inaccessible. Blade is 2 inches wide.

No. CS-1 Carboly Scraper, ea.	\$4.50	\$ 3.25
No. CSB-1 Blade, ea.	2.80	2.05

No. 190 Razor Knife



A razor blade cutter mounted on a standard casing knife with long handle. The blade may be reversed in holder when not in use. Ideal for trimming wallpaper along mouldings, baseboards, and casings.

No. 190 Razor Blade Knife, per doz.		\$4.00
each	\$.50	.38

THE SMITH-ALSOP PAINT & VARNISH CO. 107


Warner No. 107

Razor Blade Scraper

The blade may be exposed or concealed by a light push with the thumb. Always handy, safe, and ready for use as either a scraper or knife. Uses any common single edge razor blade.

Packed dozen to box.

The WARNER "SAFETY" RAZOR-BLADE SCRAPER



Per dozen	\$2.33
each	\$.29 .22

No. 395 Razor Blade Scraper



A combination scraper and cutter which may be adjusted to three positions. Uses standard Gillette type blades. All metal construction.

Per doz.	\$2.55
each	\$.30 .24



Red Devil No. 13 Jak-Nife Razor Blade Scraper

A razor blade holder with adjustable head to permit use as scraper or cutter.

Packed dozen to box.

No. 13 - per doz.	\$1.85
each	\$.23 .18

UK-55—Utility Knife

Comes with five blades, which can be set securely in six positions for many uses, such as slitting cartons, pattern cutting, wood carving, cutting matboard, linoleum knife, etc. Polished dye cast aluminum handle holds five spare blades.




Individually boxed, with 6 to display card.

UK-55 per doz.	\$8.00
UK-55 each	\$1.00 .74
Extra Blades, 5 per pack55 .40

108 HI-GRADE PAINT & VARNISH PRODUCTS

No. 25 Hyde Razor Blade Scraper



Four Brilliant Colors;

Red - Yellow - Blue - Green

Plastic case. Single edge blade. Push


button control. Blade locks in place.

Packed 24 assorted colors to merchandiser.

No. 25 Per assortment	\$4.64
No. 25 each24

Linoleum Knife

The finest quality professional linoleum knife. Fine cutlery tool steel blade, expertly ground and well secured in maple handle.



2½" blade, per dozen	\$8.00
each74

No. 97 Handy Knife

Special hooked blade for easier and faster cutting. Lightweight colored plastic handle. One dozen on counter display card.

No. 97 Per Card	\$7.20
Each67

KS-10 Wall and Joint Spreader

A practical tool for spreading joint cement or patching plaster over large areas. Stainless steel blade 3¼" in depth. Easy grip, black lacquered hardwood handle.

KS-10" Width per dozen	\$23.85
each	2.39

Hammerhead Taping Knife

See No. 2 BHE-6" under Hammerhead Putty Knives and Scrapers

No. 116 Patcher

With its combined square and trowel pointed blades, offset from the handle, the Patcher fills a long felt need for an all around handy tool for running joints and other kinds of patching, cleaning and scraping jobs.



Per doz.....		\$2.85
each.....	\$.35	.27

No. 75 Plaster Crack Cutter



Made for cutting out cracks in plaster when preparing walls for patching. Blade is of hardened tool steel. Set screw in ferrule permits easy replacement of blade.

Per doz.		\$10.85
each	\$1.35	1.01
Extra blades per doz,		4.85
each.....	.60	.46

No. 1 Crack Repair Tool

A triangular shaped steel hook for cleaning and scraping cracks before filling with plaster or caulking compound.




No. 1 tool, per doz.		\$7.55
each	\$.85	.70

No. 56 Small Patching Trowel

Measures 5½ inches long by 2-5/8 inches wide. A small handy trowel for odd patching jobs.



No. 56 trowels, per doz.		\$2.00
each	\$.25	.19



No. 406 Broad Knife

A broad flexible blade with steel handle. This tool is ideal for use with joint cement or spackling compounds.

6" flexible, per doz.	\$8.00
each\$1.00	.74

No. 28 Spackle Knife

A broad flat piece of flexible tool steel shaped to fit in palm of hand for the smoothing and working of spackling compounds over large areas. This tool is very useful for applying many types of plastic compounds.



No. 28 knife, per doz.	\$4.70
each.....\$.55	.43

Trim-Guard Handy Painting Guide




A lightweight metal strip 10 inches in length to aid in painting windows, screens, two-tone paneling, etc. Protects wallpaper when painting or washing molding or woodwork. Has also many household uses such as a scraper for table crumbs, sink cleaner, etc.

Individually carded, 24 to display.

Per doz.....	\$2.25
each\$.25	.21

Spin-A-Brush Model E.O.

A sturdy compact tool designed for cleaning paint brushes. Special clamp holds brush securely while it is being cleaned by rapid whirling motion. The universal motor may be used with either AC or DC current.




Model E. O. Electric, each.....\$14.45 \$11.65

Extra Attachments
For Models - E. O. and 110

No. 4-7 Drill Chuck, each	2.40	2.10
PM-2 Mixer Paddle, each	1.00	.85
PM-3 Churn Type Paddle, each	1.00	.85

Spin-A-Brush—Model 110
Hand operated

The hand operated Spin-a-Brush has been designed for use where electrical outlets are not available. Special housing and gears are molded from nylon, non-breakable and requiring no oiling, producing a strong light-weight machine weighing about 1½ pounds. The extra attachments used with Model EO will also fit Model 110.



Model 110 each


	\$7.95	\$6.25
--	--------	--------

No. 380 Snapon Brush Holders

May be attached to any type of can so that brushes are suspended separately. Use Snapon as a handy clamp for many other purposes. Three dozen to a display box.

Per doz.....		\$2.67
Each	\$.10	.10

112 HI-GRADE PAINT & VARNISH PRODUCTS



Tru-Edge Brush Kit

A two compartment open tank with removable inner unit of wedge shaped pockets which holds and shapes brushes. Made of heavy galvanized metal with bails for carrying.

STANDARD SIZE; Dimensions: 10" long x $6\frac{1}{2}$ " wide $5\frac{1}{2}$ " deep 3 pockets.

Each.....	\$4.20	\$3.50
Cover, each	1.70	1.39

PROFESSIONAL SIZE: 10" long x $7\frac{1}{2}$ " wide x $7\frac{7}{8}$ " deep, 4 pockets.

Each.....	\$6.85	\$5.65
Cover, each	1.90	1.55

Dandy Brush Kit

Holds 5 brushes. Each brush hangs separately on clips. Made of 24 gauge steel finished in Metallic Blue. Cover included. Wire handles. Size $5\frac{1}{2}$ " x 6" x 10" deep.

Each	\$6.50	\$5.83
------------	--------	--------

No. 8 Master Painter Brush Kit

Holds 8 brushes. Each brush hangs separately on clips. Made of 24 gauge steel finished in Metallic Green. Cover included. Wire handles. Size $7\frac{1}{2}$ " x $8\frac{1}{2}$ " x $10\frac{1}{2}$ " deep.

Each	\$8.50	\$7.78
------------	--------	--------

No. 12 Master Painter Brush Kit

Holds 12 brushes. Same construction as No. 8.

Each	\$11.50	\$8.90
------------	---------	--------

No. 30 Lifetime Brush Tank

Holds up to 30 brushes. Each brush suspended on a clip. Made of 16 gauge steel. All seams welded. Can be burned out. Cover included. Size 10" x 22" x $9\frac{1}{2}$ " deep.

Each.....	\$22.70	\$20.85
-----------	---------	---------

No. 113 Extension Brush Holder

A metal brush holder which can be instantly adjusted to any desired angle. Holds any type of brush handle. Easily attached to a long pole for reaching awkward, dangerous and difficult places. Weighs approximately $\frac{1}{2}$ pound.

No. 113 Brush Holder, ea.	\$ 3.85	\$ 3.05
--------------------------------	---------	---------

Professional Painters' Pots

(Regular Lead Kegs)

Stamped from heavy gauge one piece black steel. No seams. Preferred by many painters.

25 lb. size, each	\$.85	\$.71
50 lb. size, each	1.35	1.10

Special Paint Pots

Made from a light weight black steel sheet. Tightly crimped—no solder. Wide mouth. Convenient bail.

5 qt. size, per doz.....		\$5.20
Each.....	\$.66	.49
2½ qt. size, per doz		4.15
Each53	.39

Pot Hooks No. 81

Made of heavy galvanized steel wire, impossible to fall off but easy to detach. Without finger loop. One dozen in a box.

Per doz.....		\$.50
Each.....	\$.07	.06

Paper Paint Tubs

An inexpensive, handy paper pot. It can be used by itself as a mixing tub or as an insert liner for regular metal paint pots with bail.

	(No. 2 or 1 quart size)	(No. 5 or 2½ quart size)	(No. 10 or 5 quart size)
No. 2 Size, per 100.....			\$6.05
Each.....		.10	.10
No. 5 size, per 100	(100 to carton)		10.95
Each15	.15
No. 10 size, per 100	(100 to carton)		16.25
Each20	.20

Wire Bails

To fit under pouring lip of each paint pot. Caution should be used to make sure they are properly seated.

No. 2-R for No. 2 Pot, each	\$.05	\$.05
No. 5-R for No. 5 Pot, each15	.13
No. 10-R for No. 10 Pot, each15	.13

Galvanized Pails

Heavy gauge galvanized pail with well secured bail. Excellent for use by painters, paperhangers, and wall washers.

10 qt. size, each	\$.89	\$.76
12 qt. size, each98	.84


114 HI-GRADE PAINT & VARNISH PRODUCTS



Automatic Rubber Respirator

Has a perfect filter device with no sticking valve disc. Has large capacity and will keep out smoke, fumes, gases and dust. Protects workmen in any occupation. Made of soft, white rubber, is easily kept clean, cup-shaped and bends perfectly to fit any face. One in box.

Each\$2.55\$2.15




Martindale Protective Mask

The Martindale Protective Mask is a lightweight, inexpensive dust filter to protect the nose and throat from the dusty conditions which prevail in some industries. May also be used to filter out the fog particles encountered in spray painting.

Each\$.35
Extra Filter Pads (25 to box) each per box55
Extra Filter Pads, each04

Paint and Kalsomine Strainer

Five inches deep, by 5" wide at bottom, 11" at top. Brass wire bottom. An article that is serviceable and useful.



No. 472½ each\$2.10\$1.75

Paper Paint Strainers

Regular funnel type made of paper and fine count muslin. 6½" in diameter

Lots of 100, per 100-\$300
each03½


Nomus Can Top

This is a can top extender made of a durable, flexible plastic which snaps over the can rim, covering the groove completely. Lessens slop-over when stirring or pouring—makes can easier to seal. Not affected by paint solvents. Easy to clean. May be used repeatedly.


Quart Size, per doz.\$1.55
Each\$.1915
Gallon Size, per doz.3.20
Each3930

**Aluminum Woodmark
Folding Rule**

A zigzag rule made from aluminum alloy metal. Very durable. Black numerals on white background.



6' per doz.....		\$13.33
each	\$1.45	1.25



Self-Chalking Chalk Line

Nickel plated case. Contains 50' of line and chalk. Line is always chalked when drawn from case. Contains enough chalk to last for years. Cannot get out of order and always ready for use. Has small, sharp awl attached to end of line as shown. Three inches in diameter, weighs 4 ounces.

Each.....	\$1.69	\$1.25
-----------	--------	--------

Blue Powdered Chalk


Sold in 1/2-lb. paper packages for the self-chalking chalk line.

Per dozen pkgs.		\$ 5.35
Per pkg.	\$.65	.50

Carpenters' Blue Chalk

Sold in pressed half-moon cakes. Blue only.

Per dozen cakes		\$.45
Each cake	\$.05	.05




Leigh Ventilators

An aluminum wall breather ventilator with louvers. Installs in siding by simply drilling hole and tapping in place with a block of wood. Louvers are counter sunk in face of ventilator to simplify installation. Barbed ears will hold ventilator in place.

1" width per doz.....	\$1.50	\$1.28
1" width each15	.13

"Midget" Louvers



An aluminum insert for complete protection in the ventilation of outside walls.

Holes are drilled through the siding and sheathing to allow air circulation or "breathing" which helps prevent most common causes of paint blistering and peeling. Midget Louvers are inserted in these holes, and being equipped with screens and deflectors, they keep out both insects and outside moisture. No nails needed. Midgets are slotted for tension and swedged for anchorage.

All sizes packed one dozen to box.

1" per doz.....	\$2.25
2" per doz.....	3.50
2½" per doz.....	4.00
3" per doz.....	4.50
4" per doz.....	5.75

Turner L P Torch

(Professional Type)

The Turner L. P. Torch is a specially designed Blow-Torch which uses a steel type of throw away fuel container. The torch lights instantly with a match and the large fuel tank provides many hours of continuous service. When fuel becomes exhausted, simply remove used cylinder and insert new one. Fuel is Propane type usable at all temperatures.



LP555 Torch Unit

Complete torch with interchangeable pencil-point burner and LP175 Universal tank.		
LP555 each	-----\$6.95	\$ 5.65

LP556 Torch Unit

Complete torch with interchangeable heavy-duty burner and LP175 Universal tank.		
LP556 each	----- 6.95	5.65

LP175 Fuel Tank—(Green)

With 1" inlet. Interchangeable with all propane burner assemblies made by other manufacturers. Green color.

LP175 each	----- 1.89	1.45
------------	------------	------

Interchangeable Burner And Valve Assemblies

LP511 Pencil Point Burner Assembly each	----- 5.25	4.10
LP522 Heavy-Duty Burner Assembly each	----- 5.25	4.10

Accessories

LP603 Pencil Point Burner Tip each	----- 1.95	1.60
LP604 Heavy-Duty Burner Tip each	----- 1.95	1.60
LP606 Pencil Point Burner Orifice each	----- 1.00	.80
LP607 Heavy-Duty Burner Orifice each	----- 1.00	.80
LP506 Flame Spreader each	----- 1.00	.80
LP504 Pointed Solder Tip each	----- 1.95	1.60
LP505 Chisel Solder Tip each	----- 1.75	1.40

Glo-torch

Model S-102


The Ludlow Electric Super Glo-torch is a compact electric paint remover, made from stainless steel, which uses radiant heat from the tubular G. E. Calrod unit to soften the paint film. The built-in 3½-inch width steel scraper blade follows the heating element to remove the paint film to the grain. The tool with cord weighs 1½ pounds. Hardwood handle. Electric Rating: 1000 watts.

115 volts. Uses 1 KW per hour. A practical, well-constructed tool. Use on weather boarding, woodwork, furniture, etc.

Each\$11.90 \$9.60


Blotorches

No. 206A—Powerful moderate-priced Blotorch for professional users. New design burner develops high heat and gives superior performance in any weather. Removable cleaning needle and non-enlargeable orifice. Cool composition valve handle. Highly polished seamless brass tank, and effective trouble-free pump. Substantial and comfortable handle grip. One quart. Shipping weight 4½ pounds.



Each.....\$16.00 \$14.40

Turner Flame Spreader



Made of cast bronze and wedge shaped to fit into burner nozzle of the Blotorch. Spreads flame from torch to approximately 5" long and 4" wide. Installed by simply tightening small set screw. Very efficient and will allow a larger area of paint to be removed more easily and in a shorter time.

Size is determined by the inside diameter of the burner nozzle.

3/4" No. F1, each.....\$1.50 \$1.20

No. 239 Bantam Weight Wallpaper Remover


A light, compact, easy to carry gas burning steamer for quick and easy removal of wallpaper. Weighs only 35 lbs. Overall height 24". Equipped with easy rolling casters and a single, sturdy, bail type carrying handle.

Outfit includes one 20 lb. capacity steel fuel tank which more than complies with ICC safety specifications. Tank has built-in excess flow check and valve is equipped with standard POL connections.

Self-injection, torch type Propane Gas Burner is permanently installed.

Three gallon capacity boiler permits generating of steam in 6 minutes. No muss, no fuss—light the torch as you would a gas range burner and while you're getting ready for the job, water is heating rapidly.

Complete equipment includes 18' steam hose, 6¼' gas hose, 13" x 16½" large steam pan, 3½" x 16½" small steam pan and boiler funnel.



No. 239 Steamer complete with fuel tank, each	\$125.00	\$104.25
No. 239 Steamer, only, each	88.00	73.35
No. 238 Empty Fuel Tank, each	37.00	30.90

No. 237 Steamer


Five gallon capacity boiler; otherwise same specifications as No. 239.

No. 237 Steamer complete with fuel tank, each.....	135.00	112.40
No. 237 Steamer, only, each	98.00	81.50

120 HI-GRADE PAINT & VARNISH PRODUCTS

No. 260 Chief Wall Paper Remover

Removes wallpaper with steam,



Specifications:

Five-gallon working capacity
Two-gallon fuel tank.
Large steam pan 11" x 16"
Shipping weight 85 lbs.
Small steam pan 3" x 16"
Special steam hose 18'.

The Chief is the preferred wall paper remover everywhere. It gives steady dependable service for all classes of work. All parts are constructed of steel, finished with heat resisting enamel. It has all safety features, such as—Weighted Safety Cap; Large Water Gauge. Sheet metal draft resister protects burner from drafts.

The 7" Coleman Handy Gas-Plant generates plenty of heat within a few seconds. CAUTION: Use only WHITE gasoline which is free from tetra-ethyl lead compounds.

The Chief is readily adaptable and has proven very satisfactory for use with other types of heating units, such as gas, kerosene, etc.

Any defective or broken part from either the Chief Remover or Coleman Burner may be easily and inexpensively replaced.

Model No. 260 each	WITH BURNER.....	\$107.75	\$89.75
Model No. 260 each	LESS BURNER.....	73.35	61.10
No. 16 Boiler Water Compartment Insert, each		24.00	20.00
No. 460 G-7" Coleman Burner each		48.55	40.45

Wall Paper Remover Spray

A high pressure hand-operated spray unit which produces a fine and penetrating mist. Will soften several thicknesses of paper.

Tank is of galvanized steel construction, 3½ gallon capacity, 7½" diameter, 19½" height. Completely seam welded and pressure sealed. Cover locks in place by pressure within tank. Adjustable carry strap; rust-proof snaps. 24" brass extension spray tube.

This sprayer is also excellent for spraying insecticides.



Each	\$16.50	\$13.95
------------	---------	---------


Red Devil

No. 30 Paint Conditioner

The Red Devil Conditioner has proven over many years its efficiency and long life. By eccentric-action it agitates vigorously. Handles cans of 1/4 pint to gallon size without damaging either can or label. The automatic timer switch controls the electric current for any predetermined period from 30 seconds up to 15 minutes.

Pictured is the No. 30 with standard pedestal base. No. 30 is available also with a pedestal base with rubber suction cup feet or with a spring mounted counter base.

A highly desirable accessory is the Four Can Adapter—a plate which fits atop the lower jaw of the can clamp and will hold four quarts or four pints to be shaken at once.




No. 30 Paint Conditioner, each	\$147.25
Pedestal Base with feet, each	27.25
4 Can Adapter (For small cans - not shown) each	5.75
Spring Counter Base (not shown) each	17.25

No. 890 Speedy Sprayer

This portable electric paint sprayer uses a compressor which operates on the diaphragm principle. Delivers 2 cu. feet of air at 30-40 lbs. pressure. Equipped with a 1/4 H.P. 1750 R.P.M. electric motor. May be used also with 1/3 H.P. motor.


Outfit complete consists of compressor with motor; 1 only #915 - 15 ft. high test air hose and 1 only #112 Gun and Cup.

Sprays most paint materials, insecticides, etc.




No. 890 Speedy Sprayer complete, each	\$57.50	\$51.60
No. 890 Speedy Spray, less motor each	39.95	33.60
No. 112 Spray Gun & Cup for above, each	9.45	8.10
No. 315 Air House for above, each	4.50	4.05


122 HI-GRADE PAINT & VARNISH PRODUCTS



DeVilbiss
Spray Equipment




Stock at Terre Haute includes some complete
outfits and a complete line of parts most in demand.



WRITE FOR
QUOTATIONS

Maple Seam Rollers

Rollers made from select maple stock, thoroughly seasoned and highly polished. Each roller is carefully turned to run true. Sturdy nickel frames with maple handles finished with clear lacquer.



No. 11, 1" Flat, per doz.	\$7.95
each \$.90	.73
No. 17, 2" Flat, per doz.	9.55
each 1.05	.89
No. 18, 2" Oval, per doz.	9.55
each 1.05	.89



Hyde Plastic

Seam rollers made from Hydite plastic. Solid, ivory white color on black and silver handles.

No. 212—1" Flat, grooved, per doz.	\$15.60
No. 212—1" Flat, grooved, each \$1.95	1.45

Hyde No. 300 Maple

Hard maple rollers set on precision pins. Black and silver handles.

No. 300—1" Flat, per doz.	\$8.80
No. 300—1" Flat, each \$1.10	.81

No. 79 Sandpaper Covered Seam Roller

1" flat side arm sandpaper covered roller. To be used on certain type papers to prevent seams from showing shiny streaks.



Per doz.	\$9.55
Each \$1.05	.89



No. 67

One-inch polished maple roller, flat, bevel face. Side arm. Nickel plated frame. Large natural maple handles.

Per doz.	\$7.95
Each \$.90	.73


124 HI-GRADE PAINT & VARNISH PRODUCTS

No. 187C- Seam Roller

A $1\frac{1}{2}$ " maple flat seam roller for the home owner and decorator.

Per dozen.....		\$4.85
Each.....	\$.55	.46

American Wall Paper Kit No. 729



A practical set of paperhanging tools and brushes consisting of the following:

- 1 $1\frac{1}{2}$ " Smooth Casing Wheel
- 6" Fibre Paste Brush
- 10" Fibre Smoothing Brush
- 1 $1\frac{1}{2}$ " Round-face Seam Roller
- 3" Stiff Wall Scraper
- 1 Plumb Bob and Chalk

One set packed in a carton


Per set.....	\$1.98	\$1.79
--------------	--------	--------

X-700 Wallpaper Tool Kit

This special kit contains a 6" paste brush, 12" smoother, seam roller, razor-type cutter, and illustrated instructions for the home user.

Each	\$1.98	\$1.59
------------	--------	--------

Sanitas Trimmer No. 160-H



This tool trims sanitas on canvas without marring plaster. Uses Gem or Eveready razor blades.

Per doz		\$16.90
Per set.....	\$1.90	1.57

Casing Wheels

No. 2

Serrated edge 1" wheel. Double arm nickel frame and polished maple handle.



Per doz.	\$8.20
Each \$.90	.76

No. 02

Serrated edge, 1½" wheel. Double arm nickel frame and polished maple handle.

Per doz.	\$8.50
Each \$.95	.79



No. 17

Serrated edge, 1½" wheel. Goose-neck, single arm, nickel frame. Polished maple handle.

Per doz.	\$8.00
Each \$.90	.74

No. 03 or 3

Milled edge 1½" wheel. Double arm, nickel frame, and polished maple handle.



Per doz.	\$8.90
Each \$1.00	.82

No. 4

Smooth edge, 1" wheel. Double arm nickel frame and polished maple handle.



Per doz.	\$8.05
Each \$.90	.74

No. 6

Smooth edge, 1½" wheel. Double arm, nickel frame, and polished maple handle.

Per doz.	\$8.30
Each \$.95	.77

Casing Wheels

Hyde No. 4 & No. 40

Smooth blade, double bearing nickel plated frame, black and silver handle, riveted.

No. 4 —1½"	Smooth, per doz.	\$9.60
No. 4 —1½"	Smooth, each\$1.20	.89
No. 40—2"	Smooth, per doz.	10.49
No. 40—2"	Smooth, each 1.30	.97

Hyde No. 9

Smooth, 1½" blade, single bent gooseneck type frame. Black and silver handle, riveted.

No. 9 —1½"	Smooth, per doz.	\$8.80
No. 9 —1½"	Smooth, each\$1.10	.81

Hyde No. 5 & No. 50

Serrated blade, double bearing nickel plated frame. Black and silver, riveted.

No. 5 —1½"	Serrated, per doz.	\$9.60
No. 5 —1½"	Serrated, each\$1.20	.89
No. 50—2"	Serrated, per doz.	10.49
No. 50—2"	Serrated, each 1.30	.97

Hyde No. 75 Wheel and Knife

Serrated blade mounted on a milled knife. Black and silver handle, riveted.

No. 75—1½"	Serrated, per doz.	\$10.40
No. 75—1½"	Serrated, each \$1.30	.97

No. 157-C

A 1½" smooth wheel casing knife in the popular price class.

Per dozen.....	\$4.00
Each.....\$.50	.37

Casing Wheels


No. 06

Smooth edge, 2" wheel. Double arm, nickel frame, and polished maple handle.

Per doz.	\$8.90
Each\$1.00	.82

No. 1 Wheel Knife


serrated corner knife. Polished
Serrated edge, 1½" wheel, with
maple handle.



Per doz.	\$10.00
Each\$1.15	.93

No. 8

Smooth edge, 2" wheel, double
arm, nickel frame, with thumb
guard to prevent cutting the hand.
Polished maple handle.



Per doz.	\$13.15
Each\$1.50	1.22

Paper Hanger Knives



No. 2




No. 02

Tool steel, oil hardened and tempered blades. Round, brown stained handles riveted through tang of blade. Nickel plated and trimmed steel ferrule. No. 2 is round point, 3⅜x1½" blade; No. 02 is square point, 3¼x1½" blade.

No. 2, or No. 12 per doz.	\$8.00
each\$1.00	.74
No. 02, or No. 13 per doz.	8.00
each1.00	.74
No. 4 Clip Point, per doz.	8.00
each1.00	.74

128 HI-GRADE PAINT & VARNISH PRODUCTS

Paperhangers' Shears



No. 50 Straight Handle

Straight Japanned handle, with nickel plated blade. Very best material. Made expressly for the paperhanger. They are evenly ground and cut smoothly.


9", per pair	\$ 4.50	\$3.75
10", per pair	5.75	4.80
12", per pair	7.50	6.25
14", per pair	12.90	10.75

No. 31 Bent Handle

12", per pair	\$7.50	6.25
---------------------	--------	------

No. 00


Straight handles, Japanned, of malleable iron. Blades are made of special tempered spring steel. Made for heavy duty, withstands abuse and rough wear.



12", per pair.....	\$4.50	\$3.75
--------------------	--------	--------

No. 000 Left Hand Shears

12" per pair	\$4.50	\$3.75
--------------------	--------	--------




No. 111 Shear Holder

Made from select leather. Tabs are securely riveted to back. A very popular holder.


Each	\$1.05	.90
------------	--------	-----

No. 22 Trimmer

A fine, precision built trimmer with double suspension action which prevents straight edge lifting or tilting. Adjustable to any straight edge. Long sub-gauge reduces rock or wobble. Blade is easy to change. Nickel plated casing.



Each\$7.35 \$5.28



Parts for No. 22 Trimmer

- No. 40 Bearing Adj. Screw,--\$.12
- No. 41 Plunger Screw, ea.12
- No. 42 Arbor Screw, ea.12
- No. 43 Plunger, ea.37
- No. 44 Arbor & Bushing..... 1.10
- No. 46 Spiral Spring, ea.12
- No. 47 Casing, ea.2.93
- No. 48 Gauge, ea.1.83
- No. 10 Blade, ea.1.10
- No. 49 Sub Gauge, ea.73

No. O Trimmer

This is a popular priced mechanics tool built to give years of service. Uses standard trimmer blade, has a long sub-gauge. Nickel plated casng.



Each6.05 4.38

130 HI-GRADE PAINT & VARNISH PRODUCTS

Ridgely Style Trimmer

NUMBER 266D

Made of steel, frictionless, will easily cut heavy material. Nickel plated. Has steel clip guide which runs on brass track of straight edge, thus insuring a perfectly straight cut.


Trimmer is 5" long and weighs 9 ounces. With ordinary care, will last for years.



Each \$6.00 \$4.32

Ridgely Style Trimmer


MODEL NUMBER 266-D



No. 5, Pivot Screw, each.....	.20
No. 6, Slide Screw, each.....	.20
No. 7, Arbor, each35
No. 8, Arbor Screw, each.....	.20
No. 9, Blade, each85
No. 10, Screw Holding Spring to Gauge, each....	.20
No. 11, Spring, each20
No. 12, Gauge, each	1.80
No. 13, Stay Spring and Roller, each.....	.20
No. 14, Adjusting Screw, each.....	.20
No. 15, Screw Holding No. 13 to Gauge, each....	.20
No. 16, Stay Roller, each.....	.20
No. 17, Stay Roller Screw, each.....	.20
No. 18, Case, each.....	1.80
No. 19, Guide, each35

Ridgely's New Master Trimmer No. 265-A


A new ball-bearing trimmer that rides on roller bearings. The cutter wheel turns on a ball-bearing axle. Quicker, smoother and more accurate and free from side-sway and wobble. Has double adjustment, delivers one beautiful straight cut after another.




Each.....\$7.60 \$5.46

Ridgely's Master Trimmer Parts

MODEL NUMBER 265-A



A-2 Spring	\$.20
A-3 Gauge Rollers20
A-4 Spring Retainer Pin....	.20
A-5 Pivot Screw20
A-6 Slide Screw20
A-7 Male Arbor35
A-8 Female Arbor35
A-9 Blade, 1/2" Hole.....	.90
A-10 Brass Blade Bearing ..	.20
A-11 Blade Lock Nut.....	.20
A-12 Gauge	1.80
A-13 Gauge Guide35
A-14 Brass Thrust Bearing..	.20
A-15 Screw Gauge Guide....	.20
A-16 Stay Roller20
A-17 Stay Roller Screw.....	.20
A-18 Case	1.80
A-19 Set Screws20
A-23 Thrust Wash. Screws...	.20



No. 777 Hyde-Century Trimmer

A very fine, well balanced tool. Special adjustments insure a clean cut with all types of paper. Can be used with all standard Straight Edges.

Each\$8.00 \$5.75

Trimmer Parts for

No. 777 Hyde Century Trimmer

No. 50	Trimmer outer case	\$2.25
No. 51	Plunger inner case	2.10
No. 52	Balance roller40
No. 53	Eccentric arm40
No. 54	Eccentric adjuster set screw40
No. 55	Roller screw40
No. 56	Angle guide40
No. 57	Two angle guide screws40
No. 58	Two plunger coil springs40
No. 59	Plunger screw40
No. D-1	Blade90
No. 15-S	Arbor40
No. 16-S	Adjusting bushing40
No. 22	Set collar40
No. 24	Arbor screw40



Hyde No. 4 Trim-N-Paster

A simple inexpensive machine that trims and pastes wallpaper in one simple operation. Its revolutionary features include: accurate trimming—while paper is dry and unfolded, uniform pasting while paper is being trimmed, neatness and efficiency—no splashing or dripping. Simplified operation.

Packed individually in a portable case with simple, well-illustrated instruction booklet.

Each\$65.50

Straight Edges

No. 1

Ruled trimmer or knife edge. Brass binding securely held by screws. Made of five laminations of white pine and redwood. Brass track for trimmer runs full length of straight edge.



6' length, each	\$10.75	\$9.65
7' length, each	11.75	10.55

No. 11

Ruled trimmer or knife edge. Brass bound. Reinforced with nickel plated steel strip 1 1/4" wide by 1/8" thick, full length, set flush in the wood, held with screws. Made of five laminations of white pine and redwood. Brass track for trimmers runs entire length of straight edge.



6' length, each	\$11.75	\$10.55
7' length, each	13.20	11.90

Ridgely's No. 4 Screwless Straight Edge

Made without screws or exposed fastenings of any kind Brass bindings anchored by method that adds strength and does away with screws and jamming of trimmer wheel.

6' length, each	\$ 9.90	\$8.25
7' length, each	10.95	9.11

No. 800-Hydlite Metal Straight Edge

A specially designed magnesium alloy straight edge for trimmer or knife. Absolutely straight. Will not warp. Very light and strong.

6 ft. length, each	\$12.80	\$9.25
7 ft. length, each	14.00	10.10

Zinc Strips

Regular zinc strips that have been commonly used for years. Run full length of the straight edge, insuring quick, smooth trimming.

6' length, 3" wide, each	\$.93	\$.67
6' length, 4" wide, each	1.23	.90
7' length, 3" wide, each	1.00	.72
7' length, 4" wide, each	1.43	1.04

Zinc Plates

Heavy plates 1/8 in. thick. Will outwear several zinc strips.

6' length, 3" wide, each	\$3.07	\$2.21
6' length, 4" wide, each	4.47	3.20
7' length, 3" wide, each	3.60	2.59
7' length, 4" wide, each	5.00	3.60

No. 889 Paste Bucket Stand


This all steel bucket stand can be adjusted quickly to take any size pail. Spring grips hold pail firmly, permitting user to move pail and stand at same time. Folds compactly; stands rigidly.




Each\$4.45 \$3.54

Plumb Bob

Accurately machined from steel and shaped so that the line may be wound around it. Chromium plated finish, highly polished. Weight 6 oz.



Each\$.85 \$.67




Paper Hangers' Folding Trestles

Top of legs is reinforced with steel to prevent splitting. When opened, the foot of the front legs is 3" back, allowing plenty of room for the operator. Hook for straight edge. May be adjusted to three heights.

Per pair \$4.75 \$3.78

136 HI-GRADE PAINT & VARNISH PRODUCTS

Folding Paste Table



No. M-B 300

The No. 301 Box Type Paste Table is steel reinforced throughout. Top measures 23 inches wide when opened. Sturdy wood legs. Each table equipped with extension board brackets, and hooks for straight edge.

6 ft. length, each	\$25.65	\$20.50
7 ft. length, each	27.15	21.75
8 ft. length, each	28.95	23.20

Extension Board for Paste Table M-B 302 $\frac{1}{2}$

Board 7 $\frac{1}{2}$ " wide, $\frac{1}{2}$ " thick Made of clear, dry, white basswood.

6 ft. length each	\$3.70	\$2.95
7 ft. length, each	4.35	3.50
8 ft. length each	4.95	3.95

Hinged Paste Board

Two-piece boards $\frac{1}{2}$ " thick, 11 $\frac{1}{2}$ " wide. Opens 22 $\frac{1}{2}$ " wide. The under side of one edge is reinforced with a strip running full length. Steel end battons held with $\frac{1}{4}$ " screws and hinged in center, making a hinge with leaves extending clear across end of board. Heavy steel butt center. Made from dry, white bass wood.



6 ft. length, per set	\$10.95	\$8.80
7 ft. length, per set	11.95	9.55

Doweled Paste Board

Two piece boards. measuring $\frac{1}{2}$ " thick by 11 $\frac{1}{2}$ " width, doweled.

6 ft. length, per set	\$10.95	\$ 8.80
7 ft. length, per set	11.95	9.55

No. 567 All Purpose Table

A general utility table made of basswood, with sturdy hardwood legs—all with steel braces. Folds compactly like a box. Closed 11" wide; open 22" wide; 58" in length; weighs 21 pounds. Stands 33" in height.

Suggested Uses: A shop table; picnic table; sewing table, etc.

No. 567 Table, each	\$15.75	\$12.60
---------------------------	---------	---------

DeLuxe Step Stool

A pine step stool, varnished. has red lacquered steps, each rodded. Back legs x braced. Standard knife ladder lock.

2 foot each.....	\$2.75
3 foot each.....	3.15


Household Step Ladders

A sturdy, well built household type step ladder made of southern pine, with top shelf and pail shelf. Steel rod under each step. Stamped steel hinges. Back legs X braced. Regular type 4-way spreader lock.



4 ft. length, each	4.45
5 ft. length, each	5.55
6 ft. length, each	6.65
8 ft. length, each	9.25

138 HI-GRADE PAINT & VARNISH PRODUCTS



Aluminum Step Ladders

Werner Alumladders

Series 400

These are light industrial step ladders with standard pail and shelf and 4-way inside spreader-locks. Each ladder is equipped with 4 safety rubber shoes. The 4 foot and 5 foot ladders have X-type back leg braces. The 6-8-10 foot ladders have rungs to accommodate planks.

All Werner ladders are fabricated from—61 ST—heat treated, corrosion resistant, extruded aluminum alloy with all edges rounded; and in accordance with specifications recommended by the Metal Ladder Manufacturers Association.

2 ft. (6 lbs.) each	\$11.50	\$ 8.85
3 ft. (8 lbs.) each	16.98	13.05
4 ft. (10 lbs.) each	19.98	15.45
5 ft. (12 lbs.) each	23.98	18.55
6 ft. (15½ lbs.) each	30.98	23.90
8 ft. (25½ lbs.) each	44.98	34.55
10 ft. (33½ lbs.) each	56.98	43.75

Superlight Magnesium Step Ladder

Standard Model

This ladder is constructed from U Channel beams made of high strength magnesium alloys. Steps are slightly corrugated and back legs x-braced for safety; standard pail shelf; safety knife-type lock and spreader; hard rubber feet. This is a sturdy, dependable ladder which is exceptionally light in weight.

4 ft. (8½ lbs.) each	\$20.50	\$15.40
5 ft. (9½ lbs.) each	23.00	17.25
6 ft. (11½ lbs.) each	27.00	20.25
8 ft. (16 lbs.) each	37.50	28.15
10 ft. (21 lbs.) each	47.00	35.25

Hudson

Step Ladder

Made of extra quality ladder stock cut to full dimensions. Wide steps with rod and truss under each one. Back legs braced with center rail and 7/8" dowels. Top, Pail Shelf Arms, Double Ears, and Spreader Lock are all riveted.

This ladder is light weight and strong, suitable for all general purposes.



4 ft. length, each.....	\$6.75	\$5.65
5 ft. length, each.....	8.40	7.00
6 ft. length, each.....	10.15	8.45
7 ft. length, each.....	11.80	9.85
8 ft. length, each.....	13.50	11.25
10 ft. length, each.....	17.60	14.70
12 ft. length, each	21.10	17.55



Extension Ladder Trestles

Each trestle is made of select ladder stock with sanded second growth hickory rungs 1 1/8" in diameter. Each rung double dipped in aluminum paint and counter sunk for strength. This trestle stands absolutely rigid. Center section can be raised or lowered with bottom section in any position. Special steel bar lock provides for 6" height adjustment.


No. 6 - 6'	extends to 10'	Wt. 36 lbs. each
No. 8 - 8'	" 14'	" 60 "
No. 10 - 10'	" 18'	" 74 "
No. 12 - 12'	" 22'	" 85 "

No. 6, each	\$39.55	\$32.95
No. 8, each.....	44.75	37.30
No. 10, each.....	50.75	42.30
No. 12, each.....	58.95	49.15

Tilley Painters Step Ladder

This type of decorator stepladder is made with steps on one side and hickory rungs on the back legs, staggered so as to provide in-between elevation so that all ceiling heights may be reached. Extra wide steps supported by rods and truss blocks. Bottom step angle braced.

A very popular stepladder for inside work. Light in weight, yet well made and strong.



4 ft.	"	ea.	7.50	6.25
5 ft.	"	ea.	9.35	7.80
6 ft.	"	ea.	11.20	9.35
7 ft.	"	ea.	13.10	10.90
8 ft.	"	ea.	14.95	12.45
10 ft.	"	ea.	19.80	16.50



Peerless Single Long Ladders

Single Ladders are constructed from selected lumber stock. Side-rails are square sawn and tapered to make the ladder light, strong, and convenient to handle. Rungs are white ash or hickory, bored through the siderail.

Weight approximately 2 lbs. per foot

10', lengths each	\$10.35	\$ 8.65
12', lengths each	12.40	10.35
14', lengths each	14.50	12.05
16', lengths each	16.55	13.80
18', lengths each	19.90	16.55
20', lengths each	22.10	18.40


Werner Aluminum Extension Ladders

Series 500

Medium Weight Popular Type

The siderails of these light weight extension ladders are made from solid U-Type extruded 615-T6 Aluminum. The channel type construction holds the sections together without need of top cross bars or guides. Corrugated rungs are swedged into side rails and keyed at 4 points to prevent twisting.

Made with straight bottoms only, equipped with steel and rubber safety shoes. Gravity type lock holds over two rungs for safety. Rope and pulley included as standard equipment.



Specifications

Width of siderails up to 28' — 2½", Width of siderails 30'to 40' — 3",

Diameter of Rungs — 1¼"

Approximate weights

20 ft. - 32lbs.	32 ft. - 58lbs.
24 ft. - 37lbs.	36 ft. - 62lbs.
28 ft. - 43lbs.	40 ft. - 68lbs.

Inside width between Rails:

Top Sections — 14¼" Bottom Sections — 14¾"

20 Ft. Length (10' Bottom, 10' Top) each	\$56.00	\$42.40
24 Ft. Length (12' Bottom, 12' Top) each	67.20	50.90
28 Ft. Length (14' Bottom, 14' Top) each	78.40	59.35
32 Ft. Length (16' Bottom, 16' Top) each	104.00	78.50
36 Ft. Length (18' Bottom, 18' Top) each	117.00	88.30
40 Ft. Length (20' Bottom, 20' Top) each	130.00	98.15

We can drop ship many styles of aluminum ladders.

Service averages 3 weeks. Ask us

Superlight Magnesium Extension Ladder

All Superlight Ladders are made from high strength magnesium alloys and especially engineered to approved safety standards. The Channel Type I beam construction of the siderails holds all sections together without need of top cross bars or guides. Corrugated rungs are swedged into the siderails, made with straight bottoms only, equipped with rubber treaded safety shoes. Spring locks. Rope and pulley included as standard equipment.

Specifications**20' to 28' inclusive**

Siderails—3" wide x 1-3/16" beam.

Rungs—1-3/16" x 3/32".

Weight—1-1/16 lbs. per foot.

Width overall—18".

32' to 40' inclusive

Siderails—3-1/2" wide x 1-3/8" beam.

Rungs—1-5/16" x 3/32".

Weight—1-3/8 lbs. per foot.

Width overall—20".

20 ft. length (10' Bottom, 10' Top) each	\$63.50	\$47.65
24 ft. length (12' Bottom, 12' Top) each	75.50	56.65
28 ft. length (14' Bottom, 14' Top) each	87.50	65.65
32 ft. length (16' Bottom, 16' Top) each	112.30	84.25
36 ft. length (18' Bottom, 18' Top) each	125.90	94.45
40 ft. length (20' Bottom, 20' Top) each	139.50	104.65

**Handy Andy****Combination Ladder**


This ladder is made in two sections. It serves as a painter's trestle, extension ladder, straight or step ladder. By using the back section, you can make a painter's trestle; the back section may be used as a top section of an extension ladder, or both sections may be used as straight ladders. All irons necessary for the use of the ladder as a trestle or extension ladder are attached. Clear, yellow pine risers, hickory rungs. Length given is combined length of both sections. Makes trestle or single ladder just half of length given. Are handy for the painter and decorator.

No. 6 Complete - 2 6 ft. sections, each	\$13.95	\$11.65
No. 8 Complete - 2 8 ft. sections, each	18.35	15.30
No. 10 Complete - 2 10 ft. sections, each	22.10	18.40
No. 12 Complete - 2 12 ft. sections, each	23.60	19.70

Bauer Perfection Extension Ladders

Siderails made from spruce, number one grade ladder stock. Rungs are made from ash or hickory and are bored through the siderails. Each ladder equipped with spring locks, and double guide irons for extra safety.

Weight approximately $2\frac{1}{2}$ lbs per foot.
Furnished without rope

**COUNTER SUNK RUNGS**

The side rails are bored all the way through and rungs are counter sunk. Also each rung is double and to keep out moisture, thus insuring the life of dipped in a special aluminum paint to seal the wood the ladder for a longer period.



20 ft. length, each	-----	\$23.50	\$19.56
22 " " each	-----	25.90	21.56
24 " " each	-----	28.20	23.50
26 " " each	-----	30.55	25.44
28 " " each	-----	32.90	27.39
30 " " each	-----	35.20	29.33
32 " " each	-----	37.60	31.33
34 " " each	-----	42.35	35.28
36 " " each	-----	44.80	37.33
38 " " each	-----	47.35	39.44
40 " " each	-----	49.80	41.50
44 " " each	-----	72.00	60.00
60 " " each	----- 3 Section Rope and Pulley -----	130.00	108.45

Telescoping Extension Plank

Built of well-seasoned pine. Each plank is 12 inches wide, securely bolted at each end and bound in center by two 1 x 3/16" steel bands. Adjustable to different lengths. Will not spring nor warp. Always lies even.



5' closed, extends to 9', 2 sec., each	-----	\$ 15.40	\$12.83
6' closed, extends to 10', 2 sec., each	-----	18.00	15.00
7' closed, extends to 12', 2 sec., each	-----	19.40	16.17
8' closed, extends to 14', 2 ec., -----	-----	20.80	17.33
8' closed, extends to 14', 3 sec., each	-----	22.30	18.55
10' closed, extends to 17', 3 sec., each	-----	25.10	20.89

144 HI-GRADE PAINT & VARNISH PRODUCTS



Murray-Black No. 603

Ladder Bracket

This bracket can be adjusted so that plank may rest on either top or bottom arm. The safety slot feature makes it impossible for the bracket to jump out of position. It is made of special steel for greater safety. Easy to erect and simple to adjust. Weight 22 lbs. per pair.


Per pair.....\$9.75 \$7.80

Owosso No. 101 Siderail Ladder Jack

A new style ladder jack which clamps to the siderail of a ladder or any upright 2 x 4. Made in pairs, rights and lefts. Easily adjusted. Locked positively in place by piston action with screw lock. Weight 10 lbs. per pair. Folds compactly for ease in handling.



Per pair\$10.60 \$8.50



MB-612 Safety Ladder Bracket

An adjustable rod-and-chain type ladder jack which fits the siderail of an extension ladder. This lock is made on the patents formerly held by U. S. Screw and Bolt Co., but which expired in 1948. A very popular jack.

No. 612 - per pair\$14.10 \$11.30

Window Bracket or Jack

Platform type made of best-grade lumber; all metal parts of high carbon steel. Designed to fit over window sill. Can be adjusted quickly to fit any window. 4 foot size weighs 25 lbs.

Each\$26.50 \$21.00

M-B 106 Roof Bracket


Has a shoe made of pressed steel in which rests the point of the scaffold hook or stay hook which carries the block and tackle for staying. Does away entirely with nailing cleats, ladder hooks, stay supports, etc. Safer and more secure than any other method.

A very handy and convenient tool that will soon pay for itself. Weight, two pounds each.



(Discontinued - Subject to stock on hand)

Each\$1 85 1.49



No. 545 Roof Bracket

A 45-degree pitch roof bracket. The frame is 16 gauge smooth steel with the step 14 gauge, assembled with rivets. Cannot damage roofing. Very popular with roof contractors. Sold singly.

Each\$1.25 \$1.05


J.P.I. Safety Lad-R-Step

This is an adjustable heavy metal step which can be made to fit any type of ladder—round rungs, step ladders or metal ladders. Extends from 10½ inches to 20 inches in width. Fastens securely to any ladder rungs. Easily changed. Provides a safe, working platform.

Each\$7.95 \$6.93


No. 404 Step Bracket

Made with 5½" width wood step to give foot comfort while working on ladder. It is very strong and can be put on any rung-type ladder instantly. Weighs 4 pounds.



No. 404 Step Bracket, each\$3.95 \$3.35

146 HI-GRADE PAINT & VARNISH PRODUCTS



No. 222 Ladder Bottom

Fits step ladder or straight ladder. Best of rubber, $\frac{1}{2}$ " thick, with heavy corrugations on steel plate that screws to bottom of ladder. Protects floors on the inside; prevents slipping on the outside.


Per doz. pairs.....		\$14.00
Per pair	\$1.60	1.30

Ladder Hooks


No. M-B 606

This large hook fits over ridge of roof and prevents ladder from slipping. May be adjusted to any ladder.

Enameled black. Weighs $1\frac{1}{2}$ pounds.



Each.....	\$1.65	\$1.35
-----------	--------	--------




Adjustable Scaffolding Jacks

They receive beams from 1" to 2" thick, any width from 4" up. Can be used on a 3' to a 30' beam. Any mechanic requiring inside scaffolding readily sees the good points in these jacks. They fold up nicely, occupying only 5" in thickness; are light, strong and suitable for carpenters, plasterers, painters and paperhangers. Legs, $3\frac{1}{2} \times 1\frac{1}{8}$ "; traveling legs, $3\frac{1}{2} \times 1\frac{1}{8}$ ".

No. 7, stands 5' high, extends to 8', per jack.....	\$23.80	\$19.85
No. 8, stands 6' high, extends to 9' 6", per jack	26.80	22.35
No. 9, stands 7' high, extends to 11', per jack	29.10	24.25
Malleable Iron Brackets, (per set of 4)	4.75	3.90

Swing Stage

Bauer Swing Stage Scaffolds are very strong and much superior to ordinary and stiff and no heavier than ordinary scaffolds. Beams are select ladder stock $1\frac{3}{8}" \times 3\frac{3}{4}"$. Rungs are of hickory $1\frac{1}{8}"$ in diameter and are placed 12 inches apart. Flooring is securely fastened to rungs. Built with Countersunk rungs and double-dipped tenons for increased strength. Can be furnished with Bauer Patented Steel Cable Truss consisting of a $\frac{7}{8}"$ steel cable running under each beam the entire length of the scaffold. All hardware is cadmium plated. Weight $3\frac{1}{2}$ lbs. per foot.



Cable fits in grooves and is fastened at each end.

UNDERSIDE CONSTRUCTION

20 inches wide

Steel Cables

16 "	"	each	-----	35.65
18 "	"	each	-----	46.85
20 "	"	each	-----	51.90
22 "	"	each	-----	66.70

Toothpick Scaffold Plank

12 inches wide




Similar in design and construction to the Swing Stage. Straight side rails, reinforced with steel cable running full length of each rail. Hickory rungs spaced every 12 inches. Many contractors prefer this type of plank for exterior work. Weight 3 lbs. per foot.

14 ft. lengths, each	-----	\$26.00
16 ft. " each	-----	29.70
18 ft, " each	-----	38.55
20 ft. " each	-----	42.65
22 ft. " each	-----	59.80

For A Complete Swing Stage Outfit

1. Pr. Stage or Roof Hooks
2. Pr. Block & Falls
3. Guard Rail
4. Triangles
5. Swing Stage
6. Bumpers & Hook



Write for quotation on Block and Falls, giving length of drop.


Stage Hooks

No. 94—Made of high carbon steel, 2" wide by $\frac{5}{8}$ " thick. Pair will stand load of 1500 lbs. Extreme length, 29", and clearance, 19". Weight per pair, 40 lbs.

No. 96—Large size, $2 \times \frac{5}{8}$ " high carbon steel. Pair will stand load of 1400 lbs. Extreme length, 37", and clearance, 21". Weight per pair, 52 lbs.



No. 94, per pair	\$22.35	\$17.90
No. 96, per pair	24.55	19.65

**Guard Rail Triangles****M-B 516**

Safety support for swing stage in suspending it from block and tackle rigging. Made from $1" \times \frac{3}{8}"$ flat iron without welds. No rough edges to chafe or cut ropes. Weight 30 lbs. per pair; 24" opening

Per pair	\$26.85	\$21.50
----------------	---------	---------

No. 316 Metal Bumper Roller

These clamp on front of No. 516 guard rail triangles

No. 316 per pair	\$9.75	\$7.80
------------------------	--------	--------


Wood Bumpers and Bumper Hooks

Adjustable wooden roller bumpers used to steady stage against side of building Complete with J hooks, washers and wing nuts for attaching to stage

Per pair	8.95	7.15
----------------	------	------

Sea Wool Sponges

ROCK ISLAND - Firm compact texture; tough and durable. The best sponge for all rough work.
CUBA WOOL - Larger and somewhat softer exture than Rock Island. Use them for cleaning all delicate surfaces.



Rock Island

No. 1 Grade - Regular Grading

6-8 Cuts, each	3.25
8-10 Cuts, each	2.35
10-12 Cuts, each	1.85

Cuba Wool

No. 1 Grade - Professional Quality

6-8 Cuts, each.....	2.60
4-6 Cuts, each.....	3.75

Mediterranean Sheepswool Sponges

Large firm sponges similar to Cuban Sheepswool in size and color, but more durable and unifom quality. Professional quality

MSW No, 7, Approx, size 12-16 each.....	\$1.50
MSW No. 10, " 6-8 "	3.30
MSW No. 13, " 4-6 "	4.25
MSW No, 15, " 3-4 "	4.65

Cuban Wool Sponges

No. 39 Small, firm pieces, not tagged. One dozen to a package.

No. 39 12-20 Size each,	\$.39
-------------------------------	--------

Household Sponges

Genuine Cuba sheepswool sponges. Tagged. Extra large sizes in this class of sponge.

S/C - 4/6 Size each	\$1.79
A/C—6/8 Size—each	1.39
B/C—10/12 Size—each89
C/C—12/16 Size—each69
D/C—16/20 Size—each59

O-cel-o Sponges



An open pore cellulose sponge which absorbs many times its own weight in water. Although soft and flexible, it retains its shape and can be boiled for sterilizing. Recommended for many kinds of general cleaning work such as washing walls and painted surfaces, cleaning cars, dish washing, etc.

No. 1C—7/8 x 3 1/2 x 4 5/8 each	(Handy).....	\$.20	\$.15
No. 2C—1 1/8 x 3 3/4 x 5-7/8 each	(Medium)35	.25
No. 2 1/2 C—1 1/8 x 4 3/8 x 6 1/8 each	(Regular)50	.36
No. 3C—1 3/4 x 4 3/8 x 6 1/4 each	(Large).....	.70	.51
No. 4CN—2 3/8 x 4 5/8 x 7 each	(Giant).....	1.00	.72
No. 1OHN—2 1/2 x 4 1/2 x 7 1/4 each	(Auto)95	.70

Rubber Sponges

For general cleaning and household use. In assorted colors. Red, Blue, Green, and Peach. Each individually cellophane wrapped.

No. 681 - Size 4 7/8 x 2 7/8 x 1 1/2
 No. 682 - Size 5 3/4 x 3 1/2 x 1 1/2
 No. 685 - Size 5 3/4 x 4 x 2

No. 681 - 24 to Counter display, each	\$3.35
Each	\$.39 \$.32
No. 682 - 12 to Counter display, each	4.85
Each59 .48
No. 685 - 12 to Counter display, each	6.25
Each75 .60

Household Chamois

Pocket Shaped

Domestic selected skins, branded and guaranteed, pliable and wear well—Mastertan—pocket shape—individually wrapped.

Of medium weight, carefully selected and recommended to give general satisfaction wherever a good chamois is needed. Soft, dependable, washable.



No. 56 - 10x13, each	\$.49	\$.42
No. 91 - 12x14, each79	.72
No. 140 - 13x17, each	1.39	1.26
No. 175 - 14x18, each	1.69	1.50
No. 189 - 15x20, each	1.89	1.68
No. 210 - 16x21, each	2.09	1.86

Special English Tanned Chamois

Fine quality large square shaped chamois. Medium weight. Slight imperfections. Cellophane wrapped. An excellent value.

BS-7-16 x 17, each	\$1.59	\$1.44
BS-13-21 x 22, each	2.89	2.58

Heavy Duty Chamois

For The Car Washer

First quality heavy weight chamois cut from selected skins. 100% oil tanned. Made for heavy duty work. Best for auto washing and other severe use. Tag shaped. Each skin individually boxed.

No. 280 - 14x23, each	\$3.29	\$2.94
No. 315 - 17x26, each	3.79	3.36
No. 420 - 18x30, each	4.59	4.14
No. 490 - 22x34, each	5.59	4.98

Sheepswool Washing and Polishing Mitt

Made from skins having heavy thick wool. Knitted wrist band style. May be used for either washing or polishing cars, furniture, etc. Each mitt individually packaged.

Jumbo size, each	1.50	1.20
------------------------	------	------

152 HI-GRADE PAINT & VARNISH PRODUCTS

Bleached White Cheesecloth

Fine grade of bleached white cheesecloth in packages

4 yard pkg., each.....	12 to display - Curity.....	\$.45	\$.37
5 yard pkg., each	Rymple Cloth.....	.50	.39

Painters White Wiping Rags

Clean, near white, wipers that have been bleached and thoroughly sterilized.
The kind the painter and decorator like to use.

Lots of 100 lbs., per lb.		\$.39
Less than 100 lbs., per lb.	\$.49	.43

Huck Towel Wiping Rags

Pieces of reclaimed, washed and sterilized light weight huck toweling.

Lots of 100 lbs., per lb.		\$.50
Less than 100 lbs., per lb.	\$.63	.56

Tack Cloth (Permacel Brand)

A high quality, chemically treated cloth for dust removal in preparing most surfaces for refinishing.

Each cloth packed in cellophane envelope. Cloth size is 18" x 36" folded into a pad

24 Tack Cloths to display

Per display		\$5.03
Each cloth	\$.29	.23

Rub-x Rubbing Compound

In liquid form to be used with a rubbing pad or brush as a rubbing compound on high gloss enamels and varnishes. Also excellent for cleaning waxes and polishes from furniture; cleaning and polishing metal surfaces, porcelain, glass, mirrors, etc.

8 oz. bottles, each.....	\$.45	\$.30
Quart bottles, each	1.10	.73

Rubbing Felt

Gray Mexican, solid, rubbing felt, made especially for rubbing and polishing. 1/2" thick. A piece 9"x12" weighs approximately 1 lb.

Per lb.		\$6.50
Per oz.	\$.65	.50

Rotten Stone

Best grade imported Rotten Stone. Very fine and uniform. Sold in bulk.

Per lb.	\$.15	\$.12
--------------	--------	--------

Powdered Pumice Stone

Finest quality powdered pumice that is uniformly ground and carefully graded. Free from moisture and ash. FFF is extra fine, FF is medium fine, and F is ordinary.

50 lb. bags per lb.		\$.07½
Bulk, per lb.	\$.12	.08½

154 HI-GRADE PAINT & VARNISH PRODUCTS

Steel Wool



Very best quality cut with scientific precision, carefully graded, positive uniformity. Does not crumble or break. Used for preparing first coats, rubbing down successive and final coats, dulling and highlighting of furniture and cabinet work. Cleans aluminum, nickel, brass, porcelain, sinks, tubs, tile, stoves, and linoleum. Serviceable for smoothing bowling alleys and balls, rubbing down filler and removing paint from glass. Sold in packages weighing approximately one pound that contain sixteen large size compressed pads, and in standard family size cartons.



16 pad package, approximately 1 pound, packed 12 to carton.

000 Extra Fine, per package	\$1.02	\$.82
00 Very Fine, per package78	.63
0 Fine, per package63	.51
1 Medium, per package63	.51
2 Medium Coarse, per package60	.48
3 Coarse, per package60	.48

Household Packages

C-12 Jex (NEW) Contains 12 small pads to each carton. Medium grade.

Per Dozen (24 to case)		\$1.45
Each	\$.19	.15

Steel Wool Rings

Donut shaped, to use with polishing machines. Flat pack, 24 to case. Most popular size, 12", in stock.

0 - Fine

1 - Medium

Case		\$11.40
Each	\$.72	.58

Sandpaper


Finest and sharpest flint obtainable combined with new resin type bonding material and manila backing, making toughest paper available for the painter, furniture maker, carpenter, builder, shoe maker, and general mechanical uses. Supplied in all popular grades. Always clean and pliable, of the best quality to give quick, satisfactory sanding.

GRITS:

Very Fine, Fine, Medium
100 sheets per Sleeve
1000 sheets per Carton

GRITS:

Coarse, Very Coarse
50 sheets per sleeve




500 sheets per Carton

	Very Fine	Fine
Full Carton—per 1000 sheets		\$ 18.45
Full Sleeve—per 100 sheets		2.05
Less Quantity—per sheet04	.03
Medium		
Full Carton—per 1000 sheets		20.80
Full Sleeve—per 100 sheets		2.35
Less Quantity—per sheet04	.03
Coarse		
Full Carton—per 500 sheets		13.40
Full Sleeve—per 50 sheets		1.50
Less Quantity—per sheet06	.03½
Very Coarse		
Full Carton—per 500 sheets		17.00
Full Sleeve—per 50 sheets		1.90
Less Quantity—per sheet06	.04½

Special Sheets for Sterling Sander

Production Paper 3-2/3" x 9" for flat pad. 10 sheets to retail pack. 20 packs to a box. Not assorted.

Fine—Per box	\$7.10
Per pack	\$.49
Medium—Per box	8.55
Per pack59
Coarse—Per box	10.85
Per pack75



3 M Sandpaper

Each package contains 15 sheets $4\frac{1}{2} \times 5$ " of quality sandpaper in assorted grit numbers. 50 plays (200 pkgs.) to standard unit carton. packages to an attractive counter display. 4 dis-

Per Standard Carton of 4 displays	\$29.95
Per Display of 50 pkgs.	8.35
Per Package	\$.23 .19

Wetordry Garnet Household Package

For sanding of varnish, enamel or lacquer coats when refinishing autos, furniture or woodwork. Waterproof. Use with water for quicker cutting, particularly on metal surfaces.

Each package contains 8 sheets $4\frac{1}{2} \times 5\frac{1}{2}$ " of waterproof sandpaper. 25 packages in a counter display. 4 displays (100 pkgs.) to standard unit carton.




Per Standard Carton of 4 displays	\$21.50
Per Display of 25 pkgs.	5.95
Per Package	\$.33 .27

Emery Cloth Household Packages

For sanding and cleaning metal surfaces. Each package contains 5 sheets $4\frac{1}{2} \times 5\frac{1}{2}$ " of first quality Emery Cloth in assorted grit numbers. 25 packages in a compact counter display. 4 displays (100 pkgs.) to standard unit carton.

Per Standard Carton of 4 displays	\$16.75
Per Display of 25 pkgs.	5.25
Per package	\$.29 .23



No. 9 Sandpaper Holder

No. 9-A

An all metal sanding block. made to hold a quarter-sheet of sandpaper. Holds paper firmly and permits easy sanding on any flat surface. Packed one dozen in display carton.

Per dozen	\$4.00
Each	\$.49 .38

3 M Sanding Block

No. 275B

A flexible rubber block which fits the hand comfortably. Ideal for sanding down and finishing flat or curved surfaces. Uses a sheet 2¾"x9".



Packed 6 to display.

Per display		\$6.65
Per block	\$1.49	1.29

Special Sheets for 3 M Sanding Block

No 275B


2¾" x 9" production paper supplied in grits Fine — Medium — Coarse. 10 Sheets to retail pack. 20 packs to a box. Not assorted.

Fine—Per box		\$6.25
Per pack	\$.43	.36
Medium—Per box		7.10
Per pack49	.40
Coarse—per Box		9.25
Per pack64	.51

Tool Craft Super Sander - Model 12

A new type hand sanding device, made of metal that uses a continuous strip of sandpaper from a roll inserted in the tool. Presents a sanding surface 6½" long by 2" wide.

Roll Sandpaper refills may be purchased in various grits.




Model 12, each.....	\$1.65	\$1.32
---------------------	--------	--------

Toolcraft Sander Refills

No. 12

In rolls made especially for the Model 12-D Speed Grits Sander. This type of sandpaper is recommended for all general sanding. There are 10 rolls of a single grit number in a box.

	Coarse	Medium	Fine	
Per box of 10 rolls,.....				\$2.55
Per roll,35	.29



Model 505 Skil Belt Sander

This is a compact well designed belt sander which is recommended for sanding flat surfaces. Belts are changed and adjusted quickly and easily. Properly geared motor transmits power through silent long-life chain.


Weights only 9½ lbs. Uses Belts 2¼" x 21-5/16".

Model 505 each.....\$79.50 \$75.50

Production Cloth Belts

Belts are made from aluminum oxide mineral on a tough cloth backing. May be used on both wood and metal surfaces. Closed coat. Belt Size 2¼" x 21-5/16". Packed 10 Belts of a single grit per box.

2¼" Fine per box		\$3.40
2¼" Each Belt50	.38
2¼" Medium per box		3.50
2¼" Each Belt55	.39
2¼" Coarse per box		3.70
2¼" Each Belt60	.41



Model 53 Dremel Electric Sander

This portable electric sander operates on a straight line (with the grain) sanding motion which produces a nearly perfect scratch-free finish. Does not require special size sandpaper. Uses 1/3 sheet of standard abrasive papers. Weighs approximately 5¼ lbs. Direct drive Rotary Motor, 110 Volt 60 Cy. A. C. only. Sealed ball bearings.

Model 53 each\$34.85 \$31.40

Model 200—Junior Electric Sander

This portable electric sander weighs 9 pounds. It requires a sheet of sandpaper 4½" x 7½". It has a direct sealed ball-bearing drive which requires no lubrication. It has a convenient switch which operates a shaded pole motor, 115 volt, 50-60 cycle—3450 R.P.M.

The cut is slightly elliptical, but fine enough to produce a satisfactory finish.

The Junior 200 Model was built for production and maintenance sanding, finishing, polishing and rubbing operations on wood, metal, metal, stone, plastics, and composition material. Guaranteed against defective material and workmanship, for one year.



Each.....\$45.50 \$40.95

No. 517 Skil Sander Polisher

For general utility, a 6" electric disc sander of extra power and ease of handling. Detachable side handle fits either side of tool. Equipped with 7' — 3 conductor rubber covered cord, No. 5916 Rubber Disc Pad, Allen Wrench and No. 5925 Lambswool Polishing Bonnet. Positive slide action type switch.

Overall length 6³/₄", overall height 10³/₄". Power unit weight 4 pounds.

Optional equipment includes Jacobs Drill Chuck 1/4" capacity and other useful accessories.



No. 517 Sander Polisher, each	\$43.95	\$41.50
No. 5437 Drill Chuck, each	3.45	3.30
No. 5925 Lambswool Bonnet, each	2.25	2.00

Sandpaper Discs for No. 517 Skilsander

Opencoat production paper for light finishing work on either wood or metal surfaces. Size 6" x 3/8" slotted.

No. 2-0 per 100 discs	100 to box, per disc	\$.10	\$.08
No. 1-2 per 100 discs,	100 to box, per disc12	.10
No. 2 per 100 discs,	100 to box, per disc15	.13

Special Sander Discs

Production Paper with 1" Universal center hold adaptable to any arbor 1/4" to 1". 5 discs to pack; 20 packs to box. Not assorted.

5" Fine—Per Box		\$5.05
Per Pack	\$.35	.28
5" Medium—Per Box		6.25
Per Pack43	.34
5" Coarse—Per Box		8.55
Per Pack59	.48
6" Fine—Per Box		7.10
Per Pack49	.40
6" Medium—Per Box		8.55
Per Pack59	.48
6" Coarse—Per Box		10.85
Per Pack75	.61

160 HI-GRADE PAINT & VARNISH PRODUCTS

Wet-or-dry Garnet Finishing Paper



A water-proof sandpaper for wet sanding on rough stuff, sanding surfacers, varnishes, enamels, lacquers, etc. Impervious to hot or cold water. Finer numbers rival results produced by pumice and water on last coats of rubbing varnish and lacquer. Sheets 9x11". Furnished in six grit numbers.

ALL GRITS:- 50 sheets per Sleeve 500 sheets per Carton

2/0—Full Carton—per 500 sheets	\$47.50
2/0—Full Sleeve—per 50 sheets	5.30
2/0—Less Quantity—per sheet	\$.15 .13
3/0—Full Carton—per 500 sheets	43.50
3/0—Full Sleeve—per 50 sheets	4.85
3/0—Less Quantity—per sheet14 .11
4/0—Full Carton—per 500 sheets	39.50
4/0—Full Sleeve—per 50 sheets	4.40
4/0—Less Quantity—per sheet13 .10
5/0—Full Carton—per 500 sheets	34.50
5/0—Full Sleeve—per 50 sheets	3.85
5/0—Less Quantity—per sheet12 .09
6/0—Full Carton—per 500 sheets	32.00
7/0—Full Sleeve—per 50 sheets	3.55
8/0—Less Quantity—per sheet11 .08½

3M Garnet Finishing Paper—Open Coat

Used in putting the final smooth, scratchless finish upon coated and varnished surfaces. Produces an undersurface over which finishing materials settle to a perfect finish. Light weight, single faced sheets, 9"x11".

GRITS: - 7-0 6-0 5-0 4-0 2-0

Full Carton—per 1000 sheets	\$41.90
Full Sleeve—per 100 sheets	4.65
Less Quantity—per sheet	\$.11 .07

GRIT: - 1-0

Full Carton - per 500 sheets	\$23.40
Full Sleeve - per 50 sheets	2.60
Less Quantity - per sheet	\$.11 .07

3M Garnet Cabinet Paper—Closed Coat

A better type of sandpaper preferred by the woodworking trade. Used to assure an extra smooth surface for fine finishes. Sheets 9 x 11.

Fine (4-0 3-0 2-0)

Full Carton—per 1000 sheets	\$65.15
Full Sleeve—per 100 sheets	7.25
Less Quantity—per sheet	\$.12 .08½

Medium (1-0 ½)

Full Carton—per 500 sheets	36.40
Full Sleeve—per 50 sheets	4.05
Less Quantity—per sheet13 .09½

Coarse (No. 1-1½)


Full Carton—per 500 sheets	47.95
Full Sleeve—per 50 sheets	5.35
Less Quantity—per sheet14 .12

Very Coarse (No. 2)

Full Carton - per 500 sheets	61.30
Full Sleeve - per 50 sheets	6.85
Less Quantity - per sheet19 .16

Wetordry Tri-M-Ite Paper

Especially recommended for sanding lacquers with water or sanding liquid. Sheets 9x11". Furnished in six grit numbers. Made of a manufactured mineral, very hard, always uniform, gives maximum cutting.




GRITS:- 180-C 220A 220C 280-A 280-C 320-A 400-A

Very Fine is 220A Extra Fine is 320A Super Fine is 400A

Full Carton—per 500 sheets	45.65
Full Sleeve—per 50 sheets	5.10
Less Quantity—per sheet14 .12½

162 HI-GRADE PAINT & VARNISH PRODUCTS



Cutrite Elek-Tro-Cut Production Paper

Made with an artificial mineral (aluminum oxide) that is hard, tough, and will not dull. Made purposely for sanding bare metal surfaces or undercoats on machine castings. Use dry or with gasoline, but is not waterproof. Sheets 9" x 12". Open coat grit type.

Very Fine

6-0 - 220A - Full Carton - per 1000 sheets.....	\$50.25
6-0 - 220A - Full Sleeve - per 100 sheets.....	5.60
6-0 - 220A - Less Quantity - per sheet13 .07

Fine

3-0 - 120C —Full Carton—per 1000 sheets	75.35
3-0 - 120C —Full Sleeve—per 100 sheets	8.40
3-0 - 120C —Less Quantity—per sheet.....	.13 .09½

Medium

1/0—80-D—Full Carton—per 500 sheets.....	42.15
1/0—80-D—Full Sleeve—per 50 sheets	4.70
1/0—80-D—Less Quantity—per sheet13 .10½

Coarse

1 - 50D - Full Carton - per 500 sheets	55.50
1 - 50D - Full Sleeve - per 50 sheets.....	6.20
1 - 50D - Less Quantity - per sheet17 .14½

Very Coarse

2 - 36D - Full Carton - per 500 sheets	70.90
2 - 36D - Full Sleeve - per 50 sheets	7.90
2 - 36D - Less Quantity - per sheet20 .18

Wetordry Fabricut Aluminum Oxide

Wetordry Fabricut is a new 3M Waterproof Coated Abrasive made with a mesh cloth uniformly coated with Aluminum Oxide. The open mesh construction permits use of both sides on many types of materials. It is especially good where filling or loading is a problem. Sheets 9 x 11.

Grits: 320 Fine—180 Medium

Full Carton—per 250 sheets -----	\$60.05
Full Sleeve—per 25 sheets -----	6.70
Less Quantity—per sheet -----	\$.40 .30

Grit: 100 Coarse


Full Carton—per 250 sheets -----	78.70
Full Sleeve—per 25 sheets -----	8.75
Less Quantity—per sheet -----	.50 .39

Sand-No-Mor Abrasive Block

Sand-No-Mor is a grayish black synthetic mineral which has been molded into an oblong block 2 x 2 x 9 inches. As the block is used, particles break away to act as a polishing agent in combination with the cutting action of the block. As the dull edges of the cell walls break away, new sharp edges appear.

Sand-No-Mor removes paint, varnish, and old finishes; smooths new wood; cleans rust and grease from metal surfaces. It is ideal for feather edging plaster. Sand-No-Mor may be cut in any size with an old saw blade.

Packed 48 Blocks to case.



Per Block-----	\$.35	\$.27
----------------	--------	--------



Emery Cloth

Made of the best quality emery mineral on cloth backing, making a light, flexible cloth that is best suited for hand work. It is especially adapted for the metal working trade. Cuts fast, making a clean, smooth surface.

GRIT 00 is Fine

Full Carton—per 500 sheets.....	62.50
Full Sleeve—per 50 sheets.....	6.95
Less Quantity—per sheet.....	.19 .16

GRIT $\frac{1}{2}$ is Medium

Full Carton—per 500 sheets.....	65.00
Full Sleeve—per 50 sheets.....	7.25
Less Quantity—per sheet.....	.20 .17

GRIT $1\frac{1}{2}$ is Coarse

Full Carton, per 250 sheets.....	71.00
Full Sleeve, per 25 sheets.....	7.90
Less Quantity, per sheet.....	.21 .18

GRIT 2 is Very Coarse

Full Carton - per 250 sheets.....	41.00
Full Sleeve, per 25 sheets.....	4.55
Less Quantity, per sheet.....	.24 .21

Crocus Cloth

For high polishing on metal surfaces. Sheets 9x11 with flexible cloth backing.

Full Carton, 500 sheets.....	\$62.50
Full Sleeve, 50 sheets.....	6.95
Less Quantity, per sheet.....	\$.19 .16

Floor Sanding Cut Sheets

American Rental Sander

8" x 20" Template K-4

1-0 per box (25 to box) per sheet.....	Fine.....	\$.32	\$.25
2 per box (25 to box) per sheet.....	Medium.....	.52	.40
$3\frac{1}{2}$ per box (25 to box) per sheet.....	Coarse.....	.75	.60

Floor Sanding Cut Sheets

Specially cut sheets to fit drum of the most popular floor sanders. For removing heavy coats of paint, varnish, or shellac from old floors, use No. 3½ open coat grit. For first cut on old floors after old finish has been removed, use No. 2 closed coat grit. No. 2 may also be used for first cut on new floors. For finishing, use No. 1-0 closed coat grit.

Please specify make of machine; width of paper; and template number where ever possible to do so.

Speedolite Sander

7 x 19 11-16 Template C 217

No. 1-0, per box (25 sheets to box) per sheet	Fine.....	\$.27	\$.22
No. 2, per box (25 sheets to box) per sheet	Medium.....	.45	.36
No. 3½, per box (25 sheets to box) per sheet	Coarse65	.54

Clarke Sanders

New Template C-229 for EC8, MV8 and DU8

No. 1-0, per box (25 sheets to box) per sheet	Fine.....	.33	.26
No. 3½, per box (25 sheets to box) per sheets	Coarse79	.63
No. 2, per box (25 sheets to box) per sheet.....	Medium.....	.55	.48

Sandpaper Discs for Edging Machine

Specify size of center hole

Same quality and grit as regular floor sanding paper.

7 inch

No. 1-0, per box (100 disc to box) per disc	Fine.....	.13	.10
No. 2½, per box (100 discs to box) per disc	Medium20	.17
No. 3½ per box (50 discs to box) per disc.....	Coarse.....	.25	.20

5½ inch

No. ½, per box (100 discs to box) per disc.....	Fine.....	.10	.08
No. 2½, per box (100 discs to box) per disc	Medium14	.12
No. 3½ per box (50 discs to box) per disc.....	Coarse.....	.18	.14

5 inch

No. ½, per box (100 discs to box) per disc	Fine.....	.07	.06
No. 2½, per box (100 discs to box) per disc	Medium10	.08
No. 3½ per box (50 discs to box) per disc	Coarse.....	.12	.10

166 HI-GRADE PAINT & VARNISH PRODUCTS

Floor Sanding Paper 50-yard rolls

GRITS (Closed Coat)



	Type E—	8" (1 thru 9 rolls)	
2/0 per 50 yd. roll			\$ 13.23x
1/0 per 50 yd. roll	Fine		14.50x
1/2 per 50 yd. roll			16.71x
1 per 50 yd. roll			18.91x
1 1/2 per 50 yd. roll			21.28x
2 per 50 yd. roll	Medium		23.83x
2 1/2 per 50 yd. roll			26.29x
3 per 50 yd. roll			28.75x

GRITS (Open Coat)

Type F—

3 1/2 per 50 yd. roll	\$ 29.57x
4 per 50 yd. roll	29.57x

Discs for Edging Machines

GRITS (Closed Coat)

Type E—

	5" (500)	5 1/2 or 6" (400)	7 (300)
Packing per unit			
2/0 per unit	\$15.25	\$16.64	\$18.57x
1/0 per unit	16.55	17.96	20.10x
1/2 per unit	18.25x	20.00x	22.38x
1 per unit	20.35	22.40	24.69
1 1/2 per unit	22.45	24.76	27.21
2 per unit	25.00	27.48	29.76
2 1/2 per unit	27.15x	30.20x	32.55x
3 per unit	29.25	32.56	35.10

GRITS (Open Coat)

Type F—

	Packing per unit (250)	(250)	(200)
3 1/2 per unit	16.60x	23.40x	26.22x
4 per unit	17.40	24.63	27.64

Sizes marked with an "x" carried in stock.

Any item may be shipped direct from Chicago.

Unit Discounts

UNIT QUANTITY DISCOUNTS apply on purchases for a single shipment. A unit may be made up of any combination of 50-yd. roll, discs, or any other floor sanding paper specialty.

On 50 yd. rolls - a unit consists of 1 single roll regardless of width.

On special cut sheets - a unit consists of 50 sheets of a single grit and width.

On discs - a unit consists of 1 full carton of a single grit and diameter according to packing printed in price list.

1 unit thru 9 units. Net price listed above.

Mystik Tape

A pressure sensitive cloth tape which sticks without moistening. It is strong, durable and waterproof. It can be applied to any surface and material. Mystik tape can be used for decorating purposes, general repairing, etc. Each roll cellophane wrapped.



White	Black	Brown	Red	Wine	Green	
Blue	Lt. Blue	Tan	Lt. Green	Yellow	Pink	Gray
$\frac{3}{8}$ " x 108" per roll (10 Rolls per carton)						\$.15
$\frac{3}{4}$ " x 108" per roll (6 Rolls per carton)25
$1\frac{1}{2}$ " x 108" per roll (3 Rolls per carton)50
						\$.15
						.25
						.50

Mystik Tape Cabinet Deal "W"

Consists of 20-15c rolls, 42-25c rolls, and 21-50c rolls Mystik Cloth Tape assorted colors. All packed in 12 x 16 inch blond maple counter display cabinet.

Mystik Cabinet Deal "W" each Retail Value \$24.00

Mystik Painters Masking Tape

A pressure sensitive paper tape which requires no moistening. Very thin and flexible. Leaves clean, sharp edges. For all home decorating jobs.

No. 222 Counter Display contains 12 rolls— $\frac{3}{4}$ " x 25 ft.

No. 289 Counter Display contains 12 rolls— $\frac{3}{4}$ " x

No. 259 Counter Display contains 12 rolls— $1\frac{1}{2}$ " x 25 ft.

No. 222 Counter Display contains 12 Rolls $\frac{3}{4}$ " x 25 ft.

No. 222 Display, each	\$2.58
$\frac{3}{4}$ " x 25 ft. Rolls, each22

No. 289 Counter Display contains 12 Rolls $\frac{3}{4}$ " x 100 ft.

No. 289 Display, each	8.90
$\frac{3}{4}$ " x 100 ft. Rolls each89

No. 259 Counter Display contains 6 Rolls - $1\frac{1}{2}$ " x 25 ft.

No. 259 Display, each	2.63
$1\frac{1}{2}$ " x 25ft. Rolls each59
	.50

168 HI-GRADE PAINT & VARNISH PRODUCTS



Scotch Wet-or-dry Masking Tape No. 202

A new, all weather tape which eliminates sweating under humid conditions. This new Wet-or-Dry tape has a thin clean edge which neither lacquers nor synthetic enamels can penetrate. It is very flexible, has no curl back; bends perfectly in corners and around curves. Scotch Wet-or-Dry tape has a positive grip on any object to which it is applied—chromium parts, rubber moldings, upholstery material, glass, paper, etc. Leaves no residue when removed, and its tough, strong backing means less breakage, thus assuring its use repeatedly.

1/4" width, per roll 60 yards	\$1.05	\$.78
1/2" width, per roll 60 yards	1.37	1.02
3/4" width, per roll 60 yards	1.65	1.21
7/8" width, per roll 60 yards	1.91	1.41
1" width, per roll 60 yards	2.10	1.55
1 1/4" width, per roll 60 yards	2.63	1.94
1 1/2" width, per roll 60 yards	3.15	2.33
2" width, per roll 60 yards	4.20	3.10
3" width, per roll 60 yards	6.30	4.65

Scotch Decorator's Tape

Requires no moistening. Easy to apply. Easy to remove. Provides the home-user with a quick, easy way to paint stripes, borders, and simple designs on furniture, toys, woodwork, walls, and floors. Gives a clean sharp edge for straight line painting; crepe back can also be stretched to mask off curves.

No. 181 assortment contains 12 rolls, $\frac{3}{4}$ " x 25 ft., in counter display. - Metal dispenser.

No. 185 assortment contains 12 rolls, $\frac{3}{4}$ " x 90 ft., in counter display - Metal dispenser.

No. 188 assortment contains 12 rolls, $1\frac{1}{2}$ " x 25 ft in counter display.

No. 189 assortment contains 12 rolls, $\frac{3}{4}$ " x 60 yd. in counter display - Metal dispenser

No. 181 assortment each		\$3.10
No. 181, per roll	\$.35	.29
No. 185 assortment each		8.71
No. 185 per roll98	.81
No. 188 assortment each		6.13
No. 188 per roll69	.58
No. 189 assortment each		15.02
No. 189 per roll	1.69	1.40

THE SMITH-ALSOP PAINT & VARNISH CO. 168A

Scotch Apron Taper

Automatically applies $\frac{3}{4}$ " or 1" Masking Tape to edge of paper as apron of desired length is pulled from machine.

Model A 25 Taper

(Discontinued)

Will handle single rolls masking paper in widths of 3", 6", 9" or 12".

Each.....Subject to Stock..... \$13.00

Model A 209

Will handle only 6" or 9" width paper.

Each 9.75

Model A-212

Will handle 12" width paper.

Each..... 11.50

Scotch Masking Paper

Specially treated to resist paint penetration.

3" x 1000 ft. (16 to carton) per roll 1.39

6" x 1000 ft. (8 to carton) per roll 2.29

9" x 1000 ft. (4 to carton) per roll 3.32

12" x 1000 ft. (4 to carton) per roll 4.33

No. 232 Scotch Creped Masking Tape - Bulk in Cartons

	Broken Carton	Single Carton
$\frac{1}{2}$ " x 60 yard (72 to carton) per roll61	.58
$\frac{3}{4}$ " x 60 yard (48 to carton) per roll73	.68
1" x 60 yard (36 to carton) per roll97	.91
1 $\frac{1}{2}$ " x 60 yard (24 to carton) per roll	1.46	1.37
2" x 60 yard (20 to carton) per roll.....	1.94	1.82

Sold only in full cartons

168B HI-GRADE PAINT & VARNISH PRODUCTS



Scotch "33" Plastic Tape

For electrical and other household uses. Has the stretch and insulation properties of rubber and friction tapes—does the job of both in one operation. Black Vinyl coating resists water, oils, acids and weather conditions. Ideal for mending, wrapping, protecting and covering metal, glass, rubber, plastic, etc. Approved by the Underwriters Laboratories, Inc.

No. 197 assortment contains 12 - .39 rolls $\frac{1}{2}$ " x 150"

No. 197 — Per display	\$3.47
Per roll,39 .32

No. 198 assortment contains 12 - .79 rolls $\frac{3}{4}$ " x 260"

No. 198 - Per display	\$7.02
Per roll79 .66



Scotch Plastic Tape

New Scotch Plastic Tape is a vinyl-plastic with a stick-at-a-touch adhesive. Stretches to nearly twice its length and holds tightly to curves and irregularly shaped objects. For interior or exterior use. Ideal for decorating, mending plastic or rubber, sealing bottles or cans, etc.

CP-1 Deal

A sturdy wire rack displaying 12 rolls each color $\frac{3}{4}$ " size red, green, yellow, white, blue, brown and six rolls each color $1\frac{1}{2}$ " size as above.

CP-1 Deal each	Retail
	\$36.00

Refill Rolls

Red	Green	Yellow	White	Blue	Brown	Black
-----	-------	--------	-------	------	-------	-------

No. 190 $\frac{3}{4}$ " x 108" per roll (12 Rolls per Carton)	\$.25	\$.21
No. 191 $1\frac{1}{2}$ " x 108" per roll (6 Rolls per Carton)50	.41

Scotch Cellophane Tape

A transparent tape that may be instantly applied without moistening. Always remains flexible. When used in wrapping packages, becomes a part of the paper. Can be removed from glass or metal without leaving a residue. Remains fixed until it is pulled off. Ideal for mending books, documents, currency, etc. Does not dry, crack or distort the mended page.



No. 131 Mending Tape

$\frac{1}{2}$ inch rolls, 60" long. 36 in counter display carton.


Per carton	\$2.80
Per roll\$.10	.09

Mending Tape in Dispenser

Rolls, attached to handy utility dispenser. Packed 12 in counter display.

No. 134 - $\frac{1}{2}$ "x100", per carton	\$1.40
No. 134 - per roll.....\$.15	.13 $\frac{1}{2}$
No. 135 - $\frac{3}{4}$ "x150", per carton	2.33
No. 135 - per roll......25	.22 $\frac{1}{2}$
No. 144 - $\frac{1}{2}$ "x200", per carton	2.33
No. 144 - per roll......25	.22 $\frac{1}{2}$
No. 157 - $\frac{3}{4}$ "x330". per carton	3.64
No. 157 - per roll......39	.36
No. 167 - $\frac{1}{2}$ "x400", per carton	3.64
No. 167 - per roll......39	.36

170 HI-GRADE PAINT & VARNISH PRODUCTS



Scotch Cellophane Tape Dispensers

Heavy Duty Type

A compact metal dispenser for use on counter or desk. The Counter Model weighs $5\frac{1}{2}$ lbs. and will hold a 2592 inch roll of any width from $\frac{1}{4}$ inch to 1 inch. The Desk Model weighs 4 lbs. and will hold a 792 inch or 1296 inch roll.

C-23 Counter Model each	\$3.95	\$3.56
C-20 Desk Model each	1.69	1.53

Scotch Transparent Cellophane Tape No. 600

$\frac{1}{2}$ " x 2592" (2 rolls per unit) per unit	\$1.84	\$1.78
$\frac{1}{2}$ " x 1296" (1 roll per unit) per unit68	.62
$\frac{3}{4}$ " x 1296" (1 roll per unit) per unit90	.80
$\frac{1}{2}$ " x 800" (Display No. 175) per roll	59	.47

Scotch Drafting Tape No. 230

A pressure sensitive tape for use by engineers, draftsmen, layout men, etc.

1" width, 60 yds. per roll	\$2.04	\$1.60
No. 172 Assortment contains 12 rolls $\frac{3}{4}$ in. x 10 yds. in counter display		
No. 172 Assortment, each		\$3.47
$\frac{3}{4}$ " width, 10 yds. per roll	\$.39	.36

Blue Ribbon Metal Polish

Is a fast metal polish that is also safe to use on the finest nickel plating. A standard product for cleaning and polishing nickel, brass, copper, Monel metal, nickel-silver and aluminum with wonderful results.

Used successfully on automobile radiators, lamps, nickel railings, bumpers, ice cream cabinets, soda fountains, fountain apparatus and equipment, aluminum brass signs, railings.



CREAM STYLE

1/2 pint cans, each35	.30
1 pint cans, each65	.53
1 gal. cans, each	2.75	2.32

No. 22 Metal Polish

A quick acting water base metal polish which quickly cleans all metals.

1 gal. cans, per gal.	2.75	2.32
----------------------------	------	------

Blue Ribbon Chromium Polish

Made especially to clean and brighten all items which have a chrome plate finish.

1/2 pint cans, each	\$.35	\$.30
---------------------------	--------	--------

Johnson's Chrome Cleaner

In liquid form for cleaning chrome trim on automobiles.

8 oz. cans, each	\$.65	\$.53
------------------------	--------	--------

Johnson's Deep Gloss Carnu

New Deep Shine Formula

A liquid auto polish which cleans and polishes in one application. Apply evenly—using small amounts on cheesecloth. Let dry to a powder. Wipe off with a clean cloth. Leaves a high lustre finish.

20 oz. cans (12 to case) per dozen		\$14.70
each	\$1.65	1.37

172 HI-GRADE PAINT & VARNISH PRODUCTS

Johnson's Car-Plate

Car-Plate is a new type of wipe-on liquid wax for autos. Produces a brilliant finish that is abrasive resistant and water resistant. Car-Plate should be applied to a clean surface, let to dry, then wipe off lightly. For best results Johnson's Car-Nu should be used first to remove the old road film.

10 oz. cans, per dozen.....		\$11.15
10 oz. cans, each.....	\$1.25	1.03

Johnson's Car-Plate Cleaner

This is a heavy-duty liquid cleaner for autos. It should be used before applying Car-Plate and other types of wax finishes.

Pint cans, per dozen		\$8.70
Pints, each.....	\$.98	.81

Johnson's Car-Plate Combination Pack

One each 10 oz. Car-Plate and Car-Plate Cleaner.

Combination Pack, per dozen.....		\$17.60
each	\$1.98	1.64



Johnson's "J" Wax

An auto wax in paste form combined with a cleaning agent. Cleans and waxes in one operation. Leaves a hard bright finish.

9 oz. cans (12 to carton) per can	\$1.95	\$1.56
---	--------	--------



Vista Simoniz Car Wax

Vista is a paste wax which cleans and polishes in one operation. Provides a durable brilliant finish.

10 oz. cans (12 to carton) per can	\$2.00	\$1.62
--	--------	--------



Simoniz Kleener—Simoniz Polish

Simoniz is the standard for cleaning, protecting and keeping automobiles new and beautiful. It is very durable and lasts for months. Simoniz Kleener should be used first to remove grime, dirt, spots, stains and discolorations. After the surface is cleaned, Simoniz Polish is applied and polished. The



utmost brilliance and sparkle will be obtained and the richness and depth of color greatly improved.

Can also be used for restoring the appearances of furniture, linoleum, woodwork, radio cabinets, pianos, leather goods, etc.

16 oz. cans liquid Simoniz Kleener, per doz.		8.75
each.....	.98	.81
7 oz. cans Simoniz Polish, per doz.		8.75
each98	.81

Simoniz Bodygard

A liquid wax for automobiles. Surface must be cleaned first with a special cleaner such as Simoniz Liquid Kleener. Then saturate a clean soft cloth with Bodygard and spread thin and evenly. When car is dry, wipe off haze with a clean cloth. Leaves a sparkling finish.



12 oz. cans (12 to case) per dozen		\$8.75
each.....	\$.98	.81

Simoniz Bodysheen

A "Wipe-on, Wipe-off" type of liquid automobile polish which assures maximum results with a minimum of effort. Contains no abrasive, requires no hard rubbing.

Car to be polished should be reasonably free of dirt. Wipe on Bodysheen with a soft cloth, covering the entire car. Rub only hard enough to remove old road-haze. Let dry a few minutes, then wipe off. The result will be a coat of high-gloss lasting protection.

Do not apply in the sun or to a hot surface.



16 oz. bottles, (12 to case), per doz.		13.25
each.....	1.49	1.23



Fastime Self-Polishing Wax

A liquid wax that does not require rubbing or polishing. Dries in twenty minutes. Apply with a soft cloth or any of the popular applicators.

Fastime Self-Polishing Wax will withstand the heaviest traffic, and is, therefore, ideal for either large or small areas, subject to any kind of wear. Recommended for woodwork, linoleum, painted or varnished floors, composition tile, rubber tile, and asphalt tile floors.

1 pint cans, each	\$.59	\$.48
1/4 gal. cans, each98	.82
1 gal. cans, per gal.	2.95	2.65
5 cans, per gal.	2.70	2.40
55 gal. drums, per gal.		2.30

Institutional Brand Self-Polishing Wax

FOR INDUSTRIAL TRADE

A liquid wax that dries within 30 to 45 minutes to a nice gloss finish, requires no rubbing or polishing. Apply with any of the popular applicators such as the 4 in 1. Institutional Brand Self-Polishing Wax produces a tough durable finish that is ideal for the maintenance of all large floor areas.

1/4 gal. cans, each	\$.98	\$.78
1 gallon cans, per gal.	2.85	2.57
5 gallon cans, per gal.	2.60	2.32
55 gallon drums, per gal.		2.22



Johnson's Glo-Coat

Needs no rubbing or polishing. For varnished or painted wood floors linoleums, painted concrete, or composition flooring. Dries in 20 minutes with good gloss. Apply with cloth, applicator, or brush.

Hard Gloss - Green Band

1 pint cans, each	\$.65	\$.52
1/4 gal. cans, each	1.09	.92
1/2 gal. cans, each	1.89	1.59
1 gal. cans, each	3.45	2.92

Simoniz Self-Polishing Floor Finish

Produces a wax finish for wood, concrete, linoleum or composition floors. Does not require rubbing or polishing. Dries within 20-30 minutes with a good gloss. Apply with a soft cloth, brush, or one of the popular lamb's wool applicators.



Non-Scuff

Pints (12 to a case) each	\$.65	\$.56
Quarts (12 to a case) each	1.10	.98
1/2 gal cans, (6 to a case) each	1.89	1.67
1 gal. cans, (4 to a case) each	3.45	3.05

Heavy Duty Commercial Type

For heavy traffic. May be buffed.

1 gal. cans, (4 to a case) each	3.15	2.70
5 gal cans, per gal.	2.95	2.50

Johnson's "Stride" (Self-Polishing Wax)

A liquid wax which dries to a brilliant tough water-resistant finish. Regular damp mopping removes water spots and restores lustre. Easy buffing takes out streaks and scars. Use on linoleum, asphalt, vinyl, rubber, wood or terrazzo.



Pints (12 to case) each	\$.89	\$.75
Quarts (12 to case) each	1.49	1.32
1/2-Gallon (6 to case) each	2.59	2.30
1 Gallon (4 to case) each	4.69	4.15

176 HI-GRADE PAINT & VARNISH PRODUCTS



Johnson's Traffic Wax

Traffic Wax is a genuine buffing wax for hard service on public floor areas. Not for use on rubber or asphalt tile. One gallon of Traffic Wax Liquid covers 2000 square feet, one pound Traffic Wax Paste covers about 400 square feet.

	Paste	Price to all consumers
5 lb. cans (6 to case) lb.57
10 lb. cans (4 to case) lb.54
30 lb. cans, lb.50
	Liquid	
1 gal. cans (4 to case) gal.		\$3.00
5 gal. cans, gal.		2.75

Johnson's No-Buff Floor Finishes

No rubbing, no polishing. Dries in 30 minutes with a high lustre. For use on linoleum, rubber, asphalt tile, sealed wood, terrazzo and other floors. Covers 2000 square feet per gallon, one coat.

(Green Label)

1 gal. cans (4 to case) gal.	\$3.00
5 gal. cans, gal.	2.75

(Brown Label)

With added water resistant properties.

1 gal. cans, each, [4 to case]	3.55
5 gal. cans, per gal.	3.10


(Shur-Tred Finish)

A tough, brilliant finish that will reduce slip hazards

1 gal. cans, (4 to case) gal.	\$3.55
5 gal. cans, per gal.	3.30

Johnson's Electric Floor Polisher Single Brush

A single disc electric floor polisher-scrubber which uses 8" width brushes. Overall weight about 13 pounds. Molded plastic housing. Non-slip belt driven mechanism. Quiet operation. Standard equipment includes a polishing brush, a scrubbing brush and a thick chenille buffing pad.



Model HP-54, each.....\$69.50 \$55.60

Red Devil FP 33

Twin Brush

Floor Conditioner

Motor— $\frac{1}{4}$ H. P., 110 Volt, AC-DC

Brushes—Two 6" - 12" Spread

Cord—22 ft. heavy cable. Fully enclosed cord connector.

Complete Unit—Consists of one machine, two 6" scrubbing brushes, two 6" polishing brushes and two 6" felt pads.

U L Approved



FP 33 Floor Conditioner each\$65.50 \$53.65

Accessories For FP-33

No. 6402 Polishing Brushes, pair	\$4.75	\$3.80
No. 6403 Scrubbing Brushes, pair	4.75	3.80
No. 6404 Felt Buffing Pads, pair80	.65
No. 6405 Lambs Wool Pads, pair	2.50	2.00
No. 6406 Steel Wool Pads, pair.....	1.00	.80

178 HI-GRADE PAINT & VARNISH PRODUCTS

4 in 1 Applicator

The 4 in 1 Applicator is so constructed that every square inch of the washable sleeve-like sheep wool pad may be used on all four sides. There are no bolts, nuts, screws, nails, or metal fasteners of any kind which would mar the surface. To replace the pad simply unscrew the handle and slide on a new pad.



This applicator is the ideal tool for applying waxes and sealers over large areas.

No. 10: Spreading surface 10 in. long or 113 square inches.

No. 16: Spreading surface 16 in. long or 177 square inches.

No. 10 each	\$2.20	\$1.85
No. 16 each	3.20	2.70
Extra pads for No. 10, each	1.35	1.15
Extra pads for No. 16, each	2.30	1.90



Lambswool Wax Applicators

Wood blocks covered with a lamb's wool pad. For applying liquid waxes and sealers. The pad of the No. 175 Applicator may be removed for cleaning or replacing. Long handle furnished with each Applicator.

No. 8390, Old English, 1½" x 7", each	\$.35	\$.31
No. 45 - 7x2", each45	.39
No. 175 10x3½", each	1.39	1.15
Extra pads for No. 175, each80	.67

Johnson's Glo-Coater Applier

Complete with 1 washable replaceable pads.

Each	\$.59	\$.49
------------	--------	--------

THE SMITH-ALSOP PAINT & VARNISH CO. 178A

Wax-Off


The modern speed-way to remove old wax and polish from floors before re-waxing. Dissolve contents of package in one gallon hot water (enough for average size floor). Safe - can't explode.



5 oz Pkgs. (12 in display box) per doz.....		\$1.20
3 oz Pkgs., each	\$.15	.11
9 oz Pkgs. (36 to carton) per doz.		3.20
9 oz Pkgs., each40	.30

Liquid Waxoff

A liquid cleaner and wax remover to be used full strength. Removes wax and soil from asphalt-tile, rubber-tile, linoleum, hardwood floors, concrete floors, etc. in preparation for rewaxing or revarnishing. Liquid Waxoff is non-inflammable, non-toxic, will not harm hands or clothing.



Pint Cans (12 to Case) each	\$.75	.54
1/4 Gal. Cans (12 to Case) each	1.25	.91
1 Gal. Cans (6 to Case) each	3.25	2.35

Johnson's Kleen Floor Floor Cleaner

A liquid concentrate to be added to lukewarm water. Removes old films of self-polishing, paste or liquidwax quickly and effectively for rewaxing

Pints per dozen		\$6.05
Pints, each	\$.65	.56

Johnsons Emerel Cleaner

Emerel Cleaner is a liquid chemical concentrate to be added to water. One quart added to 5 gallons of water makes a solution which will quickly and safely remove dirt, wax, stains, grease, rubber burns, etc., from any type of floor surface. Also recommended for washing walls and many other cleaning jobs.

1 gal. cans, 4 to case, each		\$3.00
5 gal. cans, per gal.		2.75

Johnson's Wax Strip Floor Cleaner

Wax Strip Floor Cleaner is a liquid chemical concentrate to be added to water. For removing wax and dirt. May be used on all types of floors, including rubber asphalt tile.

1 gal. cans, each	(4 to case).....	\$2.90
5 gal. cans, per gal.		2.65

187B HI-GRADE PAINT & VARNISH PRODUCTS

THE SMITH-ALSOP POLICY

The Smith-Alsop Policy is based on certain fundamentals essential to the success of any business—quality products sold at reasonable prices, well directed selling methods, fair and honest dealings with the trade, and dependable service.

By Service we mean not only the handling and shipping of orders promptly, but offering the Smith-Alsop facilities and organization as a whole, and extending our customers the benefit of our forty-seven years of paint making and merchandising experience.

It has been our aim to manufacture and market highest quality goods. The purest and best raw materials are demanded. All raw materials are given careful laboratory tests against standard samples to assure uniformity. The most modern machinery and equipment aid in production. Those responsible for Smith-Alsop quality have devoted their lives to study and research work, and have acquired the most valuable experience from technical and practical standpoints.

The locations of our factory and our distributors enable us to render prompt and efficient service to the trade in our territory. Each of our distributors is located in a trading center for a large area. Our Terre Haute factory and warehouse with trunk railroad and terminal truck service in every direction can give "right now" delivery on every order. Ability to deliver is as important as ability to produce. We are equipped for both.



Johnson's Beautiflor Liquid Wax

A wax polish that contains its own cleaning ingredient. In one application it removes ground-in dirt, grease, and rubber heel marks and at the same time leaves a protective wax film. Beautiflor buffs quickly to a deep lasting lustre. Use on wood or linoleum floors.

1 pint cans, each	\$.75	\$.58
1/4 gal. cans, each	1.29	1.01
1/2 gal. cans, each	2.15	1.72
1 gal. cans, each	3.75	3.07

Johnson's Powdered Wax

Made for dance floors only. Clean and free from dust and will not ball up under the feet of the dancers. Easy to use—simply shake it lightly on the floor. Will give a perfect dancing surface, anywhere, at any time.

One pound of Johnson's Powdered Wax is enough for about 10,000 square feet of floor space. Sold in shaker top cans. Gives dance floor the proper smoothness and adds to the beauty of the ballroom.



1 lb. cans, each60	.50
------------------------	-----	-----

Cook's Dance Floor Wax

In powder form - for dance floors. Perfumed, dustless. Produces a gloss. Will not soil delicate garments.

1 lb. cans, per lb.	\$.55	\$.45
6 lb. cans. per lb.50	.41

Fastime Floor Wax

Easy to apply—easy to polish. For waxing and polishing floors, linoleums, automobiles, furniture, and woodwork. Accentuates the grain of the wood, will not show scratches or heel marks, and does not become sticky in warm weather. Dust and dirt will not adhere to it. One pound covers about three hundred square feet.



1 lb. cans, each.....	12 to case	\$.54	\$.50
2 lb. cans, each.....	6 to case	1.05	.94
4 lb. cans, each.....	6 to case	1.89	1.59

Simoniz Paste Wax for Floors

In paste form to be buffed and polished. It is especially made to be used on wood, linoleum, terrazzo, and cement floors.

1 lb. cans, per doz.	\$6.67
1 lb. cans, each	\$.69 .62



Johnson's Paste Wax

Imparts a hard, dry, oilless surface on floors that are old or new, whether of wood, linoleum, tile, marble, rubber or composition, whether varnished, shellaced, waxed or painted.

Produces bright, shining surfaces that are the most desirable. Waxed surfaces wear and are more easily cleaned. One pound of Johnson's Paste Wax covers 300 square feet.

1 lb. cans, each	\$.69	\$.61
2 lb. cans, each.....	1.29	1.11

Old English Paste Wax

Highest standard of floor wax that creates a beautiful and lasting finish. Use on floors, woodwork, furniture, linoleum, automobiles, leather goods, etc.

Old English Wax is a protection against scratches, heel marks and dirt. Produces a rich, lustrous finish that is hard and durable. One pound covers about 300 square feet.



1 lb. cans, each59	.54
2 lb. cans, each	1.10	.94

Simoniz Paste Wax in Colors

Regular Simoniz Paste Wax for household use. For matching finishes on furniture and wood-work, the following color recommendations are suggested:

Blonde Shade use on

Dark Shade use on

Oak-Pine-Birch-Bleached and Light Woods

Mahogany-Walnut-Cherry-Redwood

6 1/2 oz. colors, per doz.	\$6.66
6 1/2 oz. colors, each	\$.75 .62

Johnson's Pride

Pride is recommended for all dark or light finished furniture. In liquid form. Saturate cloth thoroughly and spread Pride over entire surface. When dry, wipe off the milky haze with a clean cloth. Leaves a long lasting wax lustre.



8 oz. bottles (24 to carton) each.....(with tube Blem).....	\$.74
1 pint bottles, 12 to carton, each.....(with polish pad).....	1.39 1.26
1 gal. bottles (4 to carton) each	7.50 5.85

Johnson's Blem

Blem is a soft semi-paste refinishing compound which permits the easy removal of burns, scratches, white rings, etc., from furniture and woodwork. Apply Blem with a soft cloth, rub lightly and wipe off with clean cloth. Follow with a coat of Pride or Cream Wax. Use Dark Blem for dark finishes, Light Blem for light wood.

Assortment contains 12—1 1/2-oz. tubes each Light and Dark Blem.

Per assortment.....	\$18.00 \$15.39
Per 1 1/2 oz. tube.....	.75 .75

Old English Scratch Remover Polish

A liquid polish which covers up small blemishes and rubs out to a smooth lustrous finish.

6 oz. bottles, 12 to carton, each.....	\$.29 \$.26
--	---------------

Tibet Almond Stick

A chemical compound for treating minor scratches on furniture and woodwork. Packed in a handy metal cylinder 1-3/4" x 3" for instant use. 12 to Counter Display.

Per display,.....	\$8.00
Each	\$1.00 .74

Johnson's Cream Wax Furniture Polish

A white liquid wax polish which may be rubbed to a hard lin-fée finish

1 pint cans, each	\$.69 \$.63
-------------------------	---------------



White Ribbon Furniture Polish

A very economical and yet highly satisfactory polish and cleaner for furniture, woodwork, etc. Simply wipe surface with cloth dampened with White Ribbon, then rub briskly with dry cloth.

8 oz. bottles, each(12 to carton).....	\$.15	\$.13
24 oz. bottles, each25	.21
1 gal. jugs, 4 to carton, each	1.90	1.39

Hi-Grade Furniture Polish

A liquid ready for use that gives a hard, brilliant, lustrous finish to varnished surface of furniture and other household objects. Will not collect dust, cleans and polishes in one operation and contains nothing that would injure the finest finish. Shake thoroughly—pour on cloth—apply, and allow few minutes to dry. Polish with a clean, soft cloth. Hi-Grade Furniture Polish will not injure the hands. No acids nor alkalies. Polishes readily. Does not leave any white sediment in cracks, corners or rough surfaces.

1/2 pint cans, each	\$.35	\$.27
1 pint cans, each50	.40
1/4 gal. cans, each85	.68
1 gal. cans, each	2.75	2.22

Simoniz HiLite



A no-rub gloss liquid polish for furniture—easy to apply and easy to remove. Simply wipe it evenly on the entire surface, let dry a few minutes, then wipe it off. Use clean, soft cloths.

HiLite "heals" ordinary surface scratches and leaves a durable protective coating which can be dusted frequently without the necessity of repolishing for months.

Blond HiLite is recommended for light furniture, Dark HiLite for Walnut, Mahogany, and other dark finishes.

8 oz. bottles, (12 to case) per doz.	\$7.75
Each	\$.79 .72
16 oz. bottles, (12 to case) per doz.	13.61
Each	1.39 1.26

Johnson's Jubilee Kitchen Wax

This is a cream type liquid wax emulsion which cleans and waxes in one operation. Recommended for all enameled surfaces - walls, woodwork, kitchen equipment, appliances, and cabinets. Cleans all kitchen surfaces.

1 pint bottles, 12 to case, each	\$.75	\$.59
----------------------------------	-------	--------	--------

Gold Seal Glass Wax

Glass Wax is a heavy cream-like liquid for cleaning and polishing glass surfaces, such as windows, mirrors, glassware, etc.; also porcelain, plastics, glazed tile, silverware, and other metal objects. Glass Wax produces an invisible protective film that resists dirt, fingerprints, and water marks. It leaves no streaks or smears.

With a clean soft cloth, cover the surface completely with a light coat of Glass Wax, then while still damp, polish off with a dry, soft, clean cloth. Use no water.



Pints (24 to case) each	\$.69	\$.54
Quarts (12 to case) each	1.19	.92
Gallons (6 to case) each	3.25	2.75

Gold Seal Wood Cream


A cream type liquid wax polish which cleans the surface and polishes out to a hard lustrous finish. May be used on both wood and porcelain surfaces.

Pints, 12 to case, per doz.		\$5.95
Each	\$.69	.55

Doozit Applicators

Standard Model

A long handle applicator made of plywood which holds a removable pad. A wire spring makes it easy to change pads. Doozit was developed especially for use Bruce Floor Cleaner



Standard Model, 6 to carton, each.. ..	\$2.49	\$1.99
--	--------	--------

Doozit Pads—Regular

Made of No. 00 Steel Wool, reversible. - (Three pads to package).

Doozit Pads (12 to carton) each	\$.19	\$.16
---------------------------------------	--------	--------

Doozit Lambs Wool Pads

For use with Doozit Applicators for applying self-polishing wax. Handy for general dusting. May be used also for buffing any type of wax applications. Washable.

Lambs Wool Doozit Pads (12 to carton) each.....	\$.48	\$.39
---	--------	--------

184 HI-GRADE PAINT & VARNISH PRODUCTS



Bruce Floor Cleaner

A wax base liquid floor cleaner which dry cleans floors and linoleums. Eliminates soap and water scrubbing. As it cleans it leaves a wax film that polishes readily to a natural sheen. It should be followed with a coat of paste wax for maximum protection. Do not use on rubber or asphalt tile floors.

Pint bottles (12 to case) each	\$.59
Quart bottles (12 to case) each98
$\frac{1}{2}$ gallon cans (6 to case) each	1.69
Gallon cans (4 to case) each	2.98

Bruce Cleaning Wax

Combines easy cleaning with maximum wax protection for wood floors and linoleums. Its composition is similar to that of Bruce Floor Cleaner except that it contains a much greater percentage of wax; therefore there is no need for additional waxing. Do not use on rubber or asphalt tile floors.

Quart bottles (12 to case) each	\$1.19
Gallon cans (4 to case) each	3.25

Bruce Tuf-Lustre Wax

A high quality wax in liquid form to be used on floors and linoleums. Apply with a Doozit Pad; let dry; then buff to a high lustre.

Quart cans (12 to case) each	\$1.19
Gallon cans (4 to case) each	3.25

Bruce Paste Wax

A high quality paste wax for floors, woodwork, and furniture.

1 lb. cans (12 to case) each	\$.69
------------------------------------	--------



Bruce Asphalt Tile Cleaner

Bruce Asphalt Tile Cleaner is a liquid concentrate of several cleaning agents, to be dissolved in water. Use two or three tablespoons to the gallon. It will remove wax, grease, or dirt from asphalt tile, rubber tile, printed linoleum, cement floors, etc.

Quart cans (12 to case) each	\$1.09
Gallon cans (4 to case) each	3.25

Peel Wallpaper Remover

Peel is a wallpaper remover made in dry concentrated powder form to be dissolved in hot water. Apply this mixture freely with brush or sprayer to the wall paper and allow 10 to 15 minutes for it to penetrate the paper and dissolve the paste. Then remove the wallpaper with a wide scraper.

A two ounce bottle of Peel dissolved in 2 gallons of hot water will remove the paper from two average size rooms. Peel will not harm woodwork, painted surfaces, clothing or hands.



2 oz. bottles, 24 to case, per doz.	\$7.10
2 oz. bottles, each	\$.85 .70

M & H Wallpaper Remover

This is a liquid concentrate to be diluted with water. One pint added to 2½ gallons of water will make a penetrating solution capable of removing wallpaper easily and quickly. Harmless to hands or painted or varnished surfaces.


16 oz. bottles, per doz.	\$5.35
16 oz. bottles, each	\$.69 .50

Sav-A-Lot Remover

A liquid type wall paper remover which may be applied with brush, sponge or sprayer. Penetrates quickly and is odorless, stainless and harmless to the hands, woodwork or clothing. Add one gallon water to each pint to make a solution which will do from one to two rooms.

16 oz. bottles, per doz.	\$4.45
16 oz. bottles, each	\$.50 .42

186 HI-GRADE PAINT & VARNISH PRODUCTS



Wallpaper Cleaners

Walvet

Walvet is an improved type of wall paper cleaner which gives good results with a minimum amount of crumbling. Easy to work and use. Has a distinctive green color.

16 oz. cans (12 to case) each	\$.33	\$.28
32 oz. cans [12 to case] each(Formerly 40 oz.).....	.63	.53
10 lb. cans [4 to carton], per can	2.45	2.00

Absorene

Removes dirt, accumulation and impurities perfectly. The most appreciated is its disinfectant quality. Suitable for cleaning wall paper, kalsomine, water colors, window shades, flat paints, burlap, oriental rugs, felt and straw hats. Anyone can use Absorene Wall Paper Cleaner. It is pliable, works free and easy with very best results, cleaning the surface 100% clean.



NON-CRUMBLY TYPE

12 ounce cans(36 to case) each	\$.19	\$.17
16 oz. cans(12 to case) each33	.28
32 oz. cans [12 to case]each(Formerly 40 oz.).....	.63	.53
10 lb. cans [6 to case] each	2.95	2.44

CRUMBLY - For the Professional Cleaner

32 oz. cans, (12 to case) each(Formerly 40 oz.).....	.76	.57
10 lb cans, (6 to carton) per can	3.60	2.67



"Clean" Wallpaper Cleaner

"Clean" is one of the popular wallpaper cleaners having a distinctive green color Non-crumbling on most types of paper. Easy to use.

32 oz. cans, 12 to case, each(Formerly 41 oz.).....	\$.63	\$.53
10 lb. cans, 4 to case, each	2.45	2.00



Marigold Wallpaper Cleaner

Marigold Wallpaper Cleaner is made according to the Imperial formula and will produce the same effective cleaning job. Now packed in standard round cans with tin tops and bottoms.

1 lb. cans (12 to carton) each.....	\$.40	\$.32
-------------------------------------	--------	--------

Speedee Dry Wall Cleaner

The Speedee Wall Cleaner consists of an oblong block of crepe sponge rubber attached to a wire holder with 15" round handle. It is used to dry clean painted walls, wallpaper, window shades, etc. The sponge rubber absorbs dirt, and may be removed, washed and reused many times.

Packed 2 Dozen to Counter Display.

Speedee Tools, per doz.	\$8.00	
Each	\$1.00	1.00

Speedee Sponge Refills

Two sponge heads wrapped as a unit. Unit not broken.

Per dozen refill units.....		\$7.25
Per refill unit89	.89

Crescent Window Cleaner

A liquid cleaner for windows, glassware, etc., which leaves them sparkling clean. Economical, safe, and practical to use. For best results, apply with spray.

8 oz. (12 to carton), each.....	\$.15	\$.12
1 gal. jugs (4 to case), each.....	1.25	1.15
Sprays, each.....	.17	.15

Windex

An odorless, non-inflammable liquid for cleaning windows.



6 oz glass jars, 24 to carton, each	\$.19	\$.17
20 oz glass jars, 12 to carton, each45	.40
Sprays, each17	.15


Snappy Waterless Cleaner



A convenient, easy-to-use, inexpensive cleaner that removes dirt and grime effectively, and quickly. Used in homes, apartments, office buildings, hotels, theatres, restaurants, schools, hospitals, garages, and factories for general cleaning.

To clean painted, varnished, or enameled surfaces, tile, marble, apply lightly with cloth or sponge, cleaning small space at a time. Wipe off with damp cloth or sponge, preferably a sponge. Use in same manner on furniture, linoleum, oil cloth. Apply with sponge or brush on carpets or rugs. Use small amount in warm water for cleaning dishes, pots, and pans, overalls and working shirts. For cleaning the hands, rub on a small amount and wipe with clean cloth. No water necessary.

$\frac{1}{2}$ gal. cans, each69	.57
1 gal. cans, each	1.29	1.00
5 gal. can, each	4.95	4.15



Wipe Liquid Cleaner

Wipe is a once-over, liquid cleaner for removing the grease, smoke, scum, and dirt instantly from all painted, enameled, lacquered, varnished, or porcelain surfaces.

Wipe is the ideal medium for the new and efficient method of "moist" cleaning. Simply dampen a soft cloth with water and wring dry. Add small amount of cleaner, squeeze out any excess amount, as cloth should only be moist. Then wipe the surface firmly and evenly. When cloth becomes dirty, rinse in clean water, wringing dry as possible each time and renew the cleaner.

Wipe is excellent for the "moist" cleaning of hardwood floors, venetian blinds, porch furniture, woodwork, refrigerators, etc.

Wipe makes cleaning easier: No muss—no cleaning fuss—just "Wipe" it clean. A product of the Smith-Alsop Laboratories.

1 pint cans, each	\$.49	\$.38
1 quart cans, each69	.56
1 gal. cans, each	1.89	1.37

Lino-Flax Linseed Soap

Lino-Flax is a neutral pure linseed soap of amber-like color. Contains no alkali. Has a pleasing odor. Will not injure the hands. Dissolve $\frac{1}{4}$ pound or 4 heaping teaspoons in 1 gallon warm water; this makes a good cleaning solution which cleans any surface without harm. Recommended for all household cleaning, for floors, linoleum, furniture, woodwork, tile, porcelain. Also for painted walls and ceilings. For cleaning rugs and carpets use same directions, only scrub with stiff brush and rinse with clear water. Clean a small section at a time. Wipe with dry cloth. A product of the Smith-Alsop Laboratories.

1-lb. glass jars (12 to carton), each	\$.49	\$.41
2 lb. " " each,85	.72
2 gal. cans, 18 lbs., each	5.95	4.94

Soilax

A superior type cleaner for wall washing, paint cleaning and general use. Soilax comes in the form of a pink powder which turns to green when dissolved in the right amount of water, or yellowish if used too strong. A heaping tablespoonful to a gallon of warm water is sufficient for most cleaning purposes. Clean only two or three square feet of surface before rinsing. A clean sponge or cloth wrung out of the same cleaning solution may be used for rinsing. Highly recommended as a water softener.



Household size contains 16 oz.

Household Size (24 to case) each	\$.29	\$.27
25 lb. pails, each		3.75
4½ lb. Giant Size, each.....	.79	.72

Dic-A-Doo Paint Cleaner

A mild but effective quick-cleaning agent in powder form that mixes easily and readily with cold water. Cleans painted, varnished or enameled surfaces, tile, marble, stone, oil cloth, washable wall paper, linoleum, fine cement or any surface not affected by water. Mixed to a creamy consistency, applied with brush or soft cloth and wiped off with wet sponge. No scrubbing or rubbing. To be mixed in proportion of one-half pound to half-gallon of water.



1 lb. pkgs., (24 to carton) each	\$.25	\$.19
5 lb. bags, (6 to carton) each95	.78

Absorene Household Cleaner

An improved cleaner in powder form to be added to water. For cleaning painted, varnished or enameled surfaces such as walls, floors, woodwork, etc. Pour a heaping tablespoonful of Absorene Cleaner into a gallon of warm water. Dip a sponge or cloth into it, wring nearly dry, then wipe away dirt. No rinsing required.

As a cleaner for porcelain fixtures, nickelware, and silverware, sprinkle a small amount of powdered cleaner on a damp cloth and rub briskly.


Comes in oval-sifter top cans.



19 oz. cans, 24 to case, per doz,		\$2.34
19 oz. cans, each	\$.25	.22

Magic Foam Cleaner

For Renovating Carpets and Upholstery



The liquid form in which this chemical type cleaner is prepared, should be worked up into a very stiff foam and the foam applied with sponge or brush to the fabric. The foam penetrates deep into the fabric, dissolves the dirt and draws it to the surface, to be wiped away. No liquid should touch the fabric - the FOAM dry cleans it

Magic Foam is recommended for cleaning upholstery, rugs, draperies, auto upholstery etc. The half-gallon size will clean an ordinary 9 x 12 rug, or a two piece living room suite. Magic Foam cleaner is non-inflammable and will not injure the hands.

10 ounce spray cans(12 to case)each	\$1.49	\$1.30
Pints, 24 to case, each69	.55
Quarts, 24 to case, each.....	.99	.78
$\frac{1}{2}$ Gal., 12 to case, each.....	1.59	1.35
1 Gal., 6 to case, each.....	2.49	2.10

Richtone Cleaner

A better cleaner in powder form to be dissolved in warm water for cleaning oil paints, frescoes, flat wall paint, enameled, varnished or lacquered surfaces. It is an exceptional cleaning agent for household purposes such as sinks, tiling, bath tubs, aluminum, nickel and glass. Contains no grit or coarse abrasive.

For cleaning painted walls, woodwork, furniture, etc., use a tablespoonful of Richtone Cleaner to a gallon of warm water. Wash surface with solution by using a sponge, rub surface and sponge immediately with clear water, using another sponge. For sinks, tiling, bath tubs, etc., scour with damp cloth sprinkled with the cleaner.



Bbls. (250 lbs. net), cwt.....		11.15
Bulk, per lb.	\$.17	.15

Dirtex



Dirtex is a chemical cleaner or detergent in dry powder form to be dissolved in warm water. It removes grease and grime instantly without leaving a film and it requires no rinsing. Use it for washing all painted and varnished surfaces such as walls, woodwork, and floors; also for general household cleaning.

Dissolve one heaping tablespoon of Dirtex per gallon of warm water for all ordinary washing. Apply with sponge or cloth, first squeezing out excess liquid.

16 oz. pkgs., 24 to carton, per doz.		\$2.49
Each	\$.28	.23
4 lb. 8 oz. pkgs, 8 to carton, per doz.....		8.80
Each.....	.89	.83

Odorless French Dry Cleaner

A superior type of liquid dry cleaner for all kinds of wearing apparel such as dresses, suits, hats, gloves, furs, etc. For renovating rugs, drapes, and similar articles. Pour French Dry Cleaner into a deep pan and dip the articles to be cleaned. Squeeze, dip again, and repeat the operation for three or four minutes. **DO NOT RUB.** When article is apparently clean, rinse thoroughly in fresh French Dry Cleaner. Hang out to dry. The same liquid may be used repeatedly. Let settle for several hours and then draw off the clear liquid. French Dry Cleaner should be used in a well ventilated room and kept away from open flame and sparks.

The Ideal Dry Cleaner - Leaves no odor in clothe

1 gal. cans, each	\$1.69	\$1.44
5 gal. cans, per gal.	1.59	1.34

Trisodium Phosphate

Trisodium Phosphate is a detergent. As a cleaning agent it is recommended for removing the dirt film from all painted surfaces such as walls, woodwork, furniture, etc. Use from one to two tablespoonfuls to a gallon of warm water. Wash the surface with a sponge, and rinse immediately with clear water. As a remover of paint and varnish films, use a concentrated solution of 1/2 lb. to 1 lb. per gallon of very hot water. Be sure to rinse with clear water.

50 lb. bags, per cwt.		\$8.50
Bulk, per lb.	\$.13	.10

Bric-Kleen

Bric-Kleen is a dry chemical powder containing acid which is activated when dissolved in water. A 12-ounce can dissolved in 1 gallon of hot water makes a solution that will etch concrete surfaces preparatory to painting or remove the excess mortar from brick and masonry surfaces. When clean, flush with clear water. When preparing concrete surfaces for painting, remove any dirt or grease. Then apply Bric-Kleen solution to the dry surface with broom or brush. Allow to stand from 15 to 30 minutes. Then flush with clear water. Although much safer to work with than strong liquid acids, avoid contact with skin, eyes, or clothing. Protect all shrubbery when using. See directions for use on each container.



12-oz. Cans (12 to case) per case		\$ 7.85
12-oz. Cans each	\$.98	.72
3 1/2-lb. Cans (6 to case) per case		15.93
3 1/2-lb. Cans each	3.98	2.96

Zinc Sulphate

A neutralizer for free lime, which is always present in fresh mortar joints, concrete, and plaster surfaces. Since lime is injurious to the paint film, it is necessary that it be rendered harmless with a neutralizing solution before any type of size or paint coat is applied. Dissolve three to four pounds of Zinc Sulphate crystals in a gallon of water, apply freely to the surface, allow it to dry, and remove the excess powder with clear water. Be sure the surface is thoroughly dry before applying paint.

Bulk, per lb.	\$.30	\$.25
--------------------	--------	--------

192 HI-GRADE PAINT & VARNISH PRODUCTS



Savabrush Brush Cleaner

In powder form to be dissolved in water, making a very efficient and economical solution for restoring hard, stiff paint brushes. For bristle, Nylon and all types of roller coaters. Contains no acid, lye or other harmful ingredients.

2 doz. 3 oz. packages in display box.

3 oz. pkgs., doz.	\$1.00
3 oz. pkgs., each(2 for 25¢).....	\$.13 .10

1 doz. 9 oz. packages in display box

9 oz. pkgs., doz.	\$2.40
9 oz. pkgs., each\$.30	.22

Saco Brush Cleaner

In granular form to be dissolved in warm water. Soak brushes until paint is softened and wash with soap and water. A three ounce package will make a quart of solution which will clean three ordinary size paint brushes.

A safe easy way to clean brushes. Will not injure hands or bristles.

Packed 6 doz. to carton with display.

3 oz. pkgs., doz.	\$1.00
3 oz. pkgs., each(2 for 25¢).....	\$.13 .10

Dic-a-Doo Paint Brush Bath

A three ounce package of this crystalline powder dissolved in a quart of hot water will clean one large paint brush or several small brushes. After cleaning, rinse in clear water, dry thoroughly and use a brush comb to straighten out the bristles. Full directions on each package.

3 oz. pkgs., 24 to display, doz.	\$1.00
3 oz. pkgs., each(2 for 25¢).....	\$.13 .10

Double X Floor Cleaner

A dry compound to be dissolved in boiling hot water. Cleans and bleaches wood floors in one operation but does not raise the grain. Cleans floors, in-laid linoleums and tile, and also used as a paint, varnish or shellac remover. Full directions for the various uses on each package.

If floors are dingy, streaked or spotted, Double X brings back the original beauty. It is a new, double-action chemical that will clean and bleach at the same time.



4 oz. boxes, (12 in box) each	\$.35	\$.25
1 lb. cans, each98	.67
5 lb. cans, each	3.75	2.70

Spe-de-way Wood Bleach

A single operation bleach, most effective and economical for removing the natural color from all types of wood, including mahogany. A single application by synthetic sponge or spray is usually sufficient.

Spe-de-way consists of 2 solutions, "A" and "B", furnished as a unit. These are mixed when used, in about equal proportions. A quart of the mixture bleaches from 75 to 125 square feet, depending upon the wood and the amount of color to be removed. Simply wet the surface thoroughly with Spe-de-way and allow to dry about one hour. No neutralizing. Will not raise the grain.



A unit consists of two containers of the same size

Gallon units, each	\$11.00	\$8.50
Quart units, each	3.35	2.65
Pint units, each	2.20	1.75
Half-Pint units, each	1.40	1.10

Oxalic Acid

A bleaching agent which is particularly recommended for oak woods. It generally will not bleach other types of wood satisfactorily. In crystalline form to be dissolved 1/2 lb. to 1 lb. in a gallon of water. Apply freely to the surface, let it stand until dry, then rinse with clear water. Oxalic Acid is poison when taken internally.

Bulk, per lb.	\$.60	\$.45
--------------------	--------	--------

194 HI-GRADE PAINT & VARNISH PRODUCTS

Blanchit

Wood Bleach

Blanchit is a chemical wood bleach in liquid form which will give effective bleaching action on wood surfaces without harming the wood. Blanchit is recommended for bleaching floors and woodwork; for all refinishing work where a lighter shade is wanted; for making "blond wood"; for making new shades of furniture, such as Sun Tan, Wheat, etc.

The Blanchit system requires the use of two solutions—No. 1 and No. 2. They must be used according to directions on each package, and must be applied with fibre brushes, rubber or cellulose sponges, or spraying equipment.

No. 1 and No. 2 solutions

1/2 pint jars each.....	\$.75	\$.60
Pint glass jars each	1.20	.96
Quart glass jars, each	1.95	1.56
1 gal. glass jars, each	6.85	5.46

Blanchit Mahogany Stain Remover

In liquid form to be used for the removal of aniline stains or other dyes which have not been removed by Blanchit. Full directions with each package.

1/2 pint glass jars, each45	.33
Pints, glass jars each75	.60
Quarts, glass jars each	1.20	.94

Vitrophane

Commonly known as art or stained glass paper. Artistic designs, which admit light, yet completely obscure the view. Used chiefly on window glass. Easily applied by coating window surface with a gelatine solution made by dissolving a tablespoonful of cooking gelatine in one quart of lukewarm water. Vitrophane can be removed with any paint and varnish remover.

Packed in rolls 18 yds. x 19 in. wide.

No. 76 - White Daisy - Black Outline	No. 98 - Conventional White Design	
No. 81 - White Netlace and Star	No. 109 - White Daisy - Blue Outline	
No. 84 - Scattered Rose Pattern	No. 223 - Blue Diamond - Fancy White Bird	
No. 87 - White Allover Lace Design	No. 306 - Red and Green Squares, Black Lines	
No. 95 - Black Line Diamond,	No. 317 - Red, White and Blue Design	
Per yard.....	.20	.15
Per 18 yd. roll	3.20	2.55

Wallpaper Grease Spot Removers

Peter Putter—Blot X—Magic

A wallpaper grease spot remover in putty form. Cover the grease spot with a thin layer of remover, allow to dry until powder is white, then brush off with a clean cloth. Use second application if necessary. Ordinary soil should be removed with regular wallpaper cleaner before an attempt is made to remove grease spots.

Inflammable—keep away from open flame. Keep cover on when not in use.

Packed two dozen to display.



$\frac{1}{4}$ pt. cans, doz.	\$3.11
$\frac{1}{4}$ pt. cans, each\$.35	.28

Superior No-Grit Sweeping Compound

No-Grit Sweeping Compound is a wax base, antiseptic floor sweeping compound that lays the dust, cleans, and polishes any type of floor. Since it contains no sand, it is light in weight, will not back track, and sweeps easier than ordinary compounds which contain abrasive sand and paraffin mixtures. It is a concentrated compound and very economical to use.

Packed in fibre kegs. 17 gal. weighs approximately 60 lb

1 gal. fibre kegs, each98	.80
7 $\frac{1}{2}$ gal. kegs, each.....	3.75	2.85
17 gal. kegs, each.....	7.50	5.75
23 gal. kegs, each	9.50	7.25

Hammon's Waterless Hand Soap

Hammon's Waterless Hand Soap will remove grease, paint, printers' ink, tar, grime, etc. from the hands. It is a soft soap of heavy consistency which is rubbed into the skin to soften the dirt film and then may be wiped off on a cloth or paper towel. No water is required. Leaves skin clean and soft.

Cream Type

14 oz. jar(12 to case)each79	.62
----------------------------------	-----	-----

Liquid Type

(Use with Dispenser)


Quart jar (12 to case)each.....	1.29	1.10
Gallon jar (4 to case)each.....	3.65	3.05
Dispenser Quart Size, each	4.75	4.75

Pro-tek

A greaseless cream which protects the hands from grime, grease, paint, and many solvents. It washes off when the job is done and takes the dirt with it. Needed by painters, mechanics, factory workers, and home owners. A DuPont product.

8oz. jars each	\$.60	\$.44
----------------------	--------	--------

196 HI-GRADE PAINT & VARNISH PRODUCTS



No. 110 Paint Pusher Gloves

Paint-Pushers are made of a plastic treated material that repels paint. They have the comfortable feel and breathing qualities of leather gloves. Are washable and color fast. Display assortment consists of 8 medium size and 4 large size.

No. 110 per pair	\$.79	.79
No. 110 Assortment		\$7.05

Ebonettes Household Rubber Gloves

Ebonettes are made from DuPont Neoprene synthetic rubber which resists damage by oils, grease, acids, dry cleaners, caustics, etc. Ebonettes are soft and flexible with black finish outside, red inside. Fashioned with short, curved fingers with non-slip finish.



Per Assortment, each		\$3.45
Per Pair.	\$.79	.67
Fill-ins Small-Medium-Large per pair79	.67

No. 459 Girl Friday Gloves

These have a vinyl coating over a knitted liner which makes them soft and flexible. This is an excellent household glove. Resists soaps, oils, detergents and abrasive cleaners. Easy to slip on and off. Made in pink and pastel blue. Packed 6 pairs of gloves to display—4 medium, 2 large.



No. 459 Assortment		\$5.73
No. 459 per pair	\$1.29	1.29



No. 412 Snorkel Work Gloves

This is a vinyl plastic-coated Jersey Work Glove. The knitted Jersey liner makes the glove very flexible. The vinyl coating renders it very resistant to abrasion, oil, acids, caustics and many solvents. Curved, preflexed fingers and wing thumb insure complete hand freedom. Use it in farm, factory and home. Men's full size, 12" gauntlet style, packed one dozen pairs to carton.

No. 412 Work Glove per assortment		\$14.55
No. 412 Work Glove each	\$1.69	1.39

THE SMITH-ALSOP PAINT & VARNISH CO. 196A

Raid House and Garden Bug Killer

An aerosol bomb containing an insecticide which will give a full year protection from moths. Odorless and stainless. Can be used on articles of clothing, carpets, drapes and furniture.



12 oz. Spray Cans (12 to case) each.....\$1.59 \$1.47

Raid Moth Proofer

An aerosol bug bomb which contains a powerful insecticide that kills bugs in both the house and the garden. Clears room of flies, mosquitoes and other flying insects. In the garden kills aphids, mites, thrips, and most other insects, yet is not harmful to the plants.



12 oz. Spray Cans (12 to case) each\$1.19 \$1.08

Roost-No-More

Roost No More is a gelatin compound which, when applied as directed, prevents birds from roosting. It does not injure or kill them. It is non-toxic to human beings; is non-flammable and weather proof. Roost No More is applied to natural landing places such as cornices, ledges, window sills, and gutter edges. A 10-ounce pressure type can will provide about 16 lineal feet of protection. It is especially effective with pigeons and starlings.



12 oz. Aerosol Cans, each.....\$2.49 \$2.22

196B HI-GRADE PAINT & VARNISH PRODUCTS

THIS CATALOG

lists a complete line of decorative and maintenance paints, varnishes, enamels, lacquers and stains. Also a wide assortment of painters', paperhangers' and signwriters' tools and supplies. Note that in the case of almost every article offered under a brand name, the name is recognized as being a leader in its field. No attempt is made to carry every brand but we do handle those which we know are best suited and most acceptable to the trade.

CONTACT US

for information on our auxiliary lines such as

ART SUPPLIES—Our Art Department prides itself on the completeness of its line as well as the identities of the suppliers with whom we are associated—Grumbacher, Devoe, Craftint, Eberhard Faber, Prang, Speedball, Paasche and many others equally well known for top quality.

DECORATIVE HOBBY CRAFT—This line includes numbered picture painting sets, picture frames, ready-to-decorate metal goods such as trays, wastebaskets, etc., copper trinkets and such other items as might be classed as art and decorative hobbies.

FLOOR SANDING EQUIPMENT—We deal with several manufacturers and test rigidly many machines to keep ourselves posted on all developments in this field. Since our stores offer Sander Rentals, we must know which machines will prove to be most satisfactory as to results, durability and economy.

SPECIFICATION MATERIALS—Some Federal and State Specification paints, varnishes and enamels carried in stock regularly at Terre Haute. Others can be made in batches of 25 gallons or more.

SPRAY EQUIPMENT—We represent DeVilbiss and have on our staff several experts trained at the DeVilbiss plant. Our stock at Terre Haute includes some complete outfits and many of the parts and accessories most in demand.

WALLPAPER—Next to paint products, this item represents our largest volume of business so naturally we must carry a wide range of patterns properly priced and styled to please our customers. We represent several of the larger and better known wallpaper mills. Tho we operate in only the Middle West, we are recognized as one of the larger wallpaper distributors in the country.

DECORATING SERVICE—Advice on color styling, interior or exterior, for homes, commercial buildings and institutions is available without charge. Write our Color Styling Department at Terre Haute or get in touch with our nearest dealer.

Miscellaneous Household Aids

6" Metal Linoleum Cement Spreader	\$.25
3 oz. Spout Can 3-in-1 Oil	\$.25

Rug-Sta

A white liquid latex compound which when applied to back of rug, dries to a thin film of rubber which prevents slipping and skidding. Rug may be moved at any time. Harmless to rugs and floors.



Pint bottles, each(with applicator brush.).....	\$1.00	\$.86
---	--------	--------

Johnson's "Glade" Air Wick

A room deodorizer with a mild pleasant scent. The wick is fully exposed when cap is removed. Choice of two scents:

Blossom

Evergreen

Packed 12 jars each scent to case

6 oz. Glass Jars, per doz.....		\$6.79
Each	\$.59	.59

Johnson's "Glade" Aerosol

A pressurized can containing pleasant air-freshening chemicals that neutralize unpleasant odors. Press the button and spray. Choice of two scents:


Blossom

Evergreen

Packed 12 jars each scent to case

5½ oz. Cans, per doz.....		\$9.10
Each.....	\$.79	.79

198 HI-GRADE PAINT & VARNISH PRODUCTS



Household Dust and Oil Mops

No. 100-B Removable Glove Type Dry Mop, wrist action
6 oz. medium weight, blue Yarn

Each.....	\$1.98	\$1.98
-----------	--------	--------

No. 8021 Windsor Dust Mop, triangular shape 15 x 15" spread
Removable for washing. Seamist green yarn, detachable Handle.

Each	1.69	1.69
------------	------	------

No. 430 Dust Mop, Large triangular frame gives 15 x 14" spread.
Detachable Handle.

Each98	.98
------------	-----	-----

No. 407 Polish Mop, large triangular shaped frame.
Oil treated yarn, detachable Handle.

Each89	.89
------------	-----	-----

Dustex Dusting Paper

A sanitary processed paper for dusting, cleaning and polishing. Picks up dust and retains it; gives a fine lustre without use of a polish; will not scratch the finest finish. Will not irritate the skin.

No. 60 (24 rolls per case) per roll 36	(60 ft. rolls).....	.49	.40
--	---------------------	-----	-----

Duo-Dustin Sheets

A tough, durable, chemically treated paper for polishing and dusting. Packed one roll 12" wide x 75 ft. long in handy dispenser box, with cutter edge.

Per box	\$.65	\$.52
---------------	--------	--------

Plasti-Shield Wall Protector

A transparent plastic sheet that is washable and non-inflammable to be put on the wall as a protection against grease, dirt and grime. Use behind cook stove, sink, etc. Apply with thumb tacks or Scotch cellulose tape.

Packed one dozen sheets rolled in a cardboard tube.

Medium Weight - 5 Gauge

25 x 40" sheets each	\$.95	.95
100 ft. x 40" wide each roll.....		30.00
Per ft.60	.60

Heavy Weight - 10 Gauge

25 x 40" sheets each.....	\$1.65	\$1.65
---------------------------	--------	--------

Rust-i-cide

Rust-i-cide is a liquid chemical rust remover which dissolves rust from iron and steel surfaces. Also removes corrosion and discolorations from brass, copper, aluminum, bronze, and chromium plate.

Apply Rust-i-cide freely with brush or cloth and allow to stand a few minutes. After rust has dissolved, wipe off with cloth. If any rust remains, it may be removed easily with steel wool dipped in Rust-i-cide. For immediate painting, wipe surface with naphtha or benzine and be sure surface is dry.

Rust-i-cide removes rust stains that form on sides of bath tubs, toilets, and wash bowls, and also loosens tightly rusted bolts, nuts, screws and springs.



8 oz. bottles, 24 to case, per doz.		\$6.00
each	\$.75	.60
16 oz. bottles, 12 to case, per doz.		10.00
each	1.25	1.00

Rane Tite Damp Resistor

A pigmented liquid chemical compound used to moisture proof inside plaster walls, chimney breasts, etc. Also excellent to neutralize grease on walls before painting or papering.

Damp Resistor may be brushed on damp plaster and it will draw out all moisture; will also prevent further condensation.

See directions on can label.

1 pint cans, each	\$1.70	\$1.38
1/4 gal. cans, each	2.50	2.04

Hum-i-dri Moisture Absorbent

Hum-i-dri is a dry crystalline chemical compound which absorbs moisture from the air. It is most effective when used with the Hum-i-dri Unit which consists of a heavy galvanized pail containing a wire frame from which a bag of the chemical is suspended and exposed to the air. A 10 lb. bag of Hum-i-dri Chemical will absorb about 12 gallons of moisture. A unit works most efficiently in an area of not more than 300 square feet of floor surface.

Excess moisture in the air causes mold or mildew, rust, and wood decay. Hum-i-dri reduces the moisture content of the air.

The Hum-i-dri Unit may be used indefinitely by replacing the bag of chemical which is available in refill bags of 10 lbs. each.



H-10 Hum-i-dry Unit with 10 lbs. Chemical, ea.OUT..	\$3.95	\$3.55
R-10 10 lb. bags Chemical, 4 to carton, ea.OUT..	2.45	2.28

200 HI-GRADE PAINT & VARNISH PRODUCTS

Window Paint Shield

Liquid Masking Tape



Window Paint Shield is a plastic material especially formulated for keeping paint off glass or metal surfaces. It dries quickly to a tough film which masks the surface to which it has been applied. After the paint coating has dried, score around the edges of the glass, then peel off the masking.

Window Paint Shield is very handy to use when trimming French windows and doors. Auto shops use it when refinishing cars and accessories.

May be brushed on or sprayed. The Brush Type is tinted cream; the Spray Type is clear in color.

Brush Type

1/2 pint cans, brush in can, each	1.25	.90
1 pint cans, brush in can	1.95	1.40
1/4 gal. cans, each	2.85	2.05
1 gal. cans, each	9.25	6.66

Spra-Shield

1/4 gal. cans, each	2.75	1.98
1 gal. cans, each	9.00	6.48

Resistane

Plastic Coating for Wallpaper

Resistane is a synthetic coating for both washable and non-washable wallpaper to render it more resistant to water and many stains such as soot, grease, cooking oils, grease-crayon pencil marks, lipstick, etc. It dries to a transparent flat finish, which will not affect the appearance of most papers.

Resistane should be diluted with equal parts of water. Use a folded piece of clean cloth, thoroughly saturated and wash or pat the solution on the wall with small circular movements. Two coats are absolutely necessary; the second coat may be applied in 10 minutes. It requires at least 48 hours for the coated surface to become completely stain resisting. A wall paper properly treated may be washed repeatedly with soap and water to remove the soil and stains without affecting the Resistane coating which has been applied.

One gallon of Resistane will give protection to approximately 1000 square feet of papered surface.

1 pint bottles (24 to case) each	\$1.50	\$1.03
1/4 gal. bottles (12 to case) each	2.70	1.85
1 gal. bottles (4 to case) each	10.00	6.75

Setfast Canvas Paint



Setfast is a new type paint developed especially to renew and preserve canvas awnings. This special paint will not stiffen any fabric to which it is applied, and will not crack whether awnings roll or fold. Setfast is sun-resistant, water repellent, and retards rot and mildew. One coat of Setfast is usually sufficient. However, light colors will not cover well over darker colors. Also Setfast works best on heavier awnings made from at least 10-oz. duck.

Setfast comes in liquid form, ready to use. It may be brushed or sprayed. Thin, if necessary, with benzine or naphtha. Setfast dries quickly, may be given a second coat within 20 minutes; however, when job is completed, do not disturb for 24 hours. One quart covers approximately 60 sq. ft.

- 6361 Light Green
- 6353 Burgundy
- 6351 Bright Red
- 6391 Black
- 6381 French Blue
- 6362 Dark Green
- 6341 Yellow
- 6311 White
- (See Color Card for intermixes)

No. 6303 Overcoating

Setfast Canvas Paint may be used to paint many canvas articles, such as beach chairs and umbrellas, gliders, settees, leggings, canvas shoes, boat canvas, and auto tops. Also may be used to renew grass rugs. However, all such articles must be given a final finish of Setfast Overcoating in order to seal the color and prevent the excess pigment from rubbing off.

1 pint cans, each	-----	\$1.15	\$.80
1/4 gal. cans, each	-----	2.05	1.45
1 gal. cans, each	-----	6.70	4.80

No. 6301 Setfast Clear

Intended for use on new or unpainted canvas, to make it water repellent and mildew resistant.

1/4 gal. cans, each	-----	1.65	1.20
1 gal. cans, each	-----	5.20	3.75

Periseal Spar Vehicle

A highly recommended reinforcing oil, which, when added to the paint mixture, makes it more durable. Also used as a clear varnish for any outside or inside exposure.

1/4 gal. cans, each	-----	\$2.05	\$ 1.62
1 gal. cans, each	-----	6.45	5.16
5 gal. cans, per gallon	-----	6.35	5.06

Valentine's Super Valspar

A nationally known clear varnish suitable for general use. Dries in four hours with a high gloss

1/2 pt. cans. each	-----	\$.90	.78
1 pt. cans. each	-----	1.45	1.29
1/4 gal. cans, each	-----	2.60	2.28
1 gal. cans. each	-----	8.95	7.96

202 HI-GRADE PAINT & VARNISH PRODUCTS

Dutch Boy White Lead in Oil

TO CONSUMERS

	100 lb. kegs	50 lb. kegs	25 lb. keg
100 lb. lots each	\$30.65	\$15.68	7.95
500 lbs. or over ONE DELIVERY	29.90	15.30	7.77

TO PAINTERS OR MAINTENANCE TRADE

100 lb. lots each.....	28.75	14.70	7.45
500 lbs. or over ONE DELIVERY.....	28.00	14.33	7.27

TO DEALERS; (FOR RESALE)

100 lb. lots, each	26.20	13.40	6.80
--------------------------	-------	-------	------

Dutch Boy Red Lead in Oil

(Direct Shipment Only)

TO MAINTENANCE TRADE each.....	31.80	16.23	8.23
--------------------------------	-------	-------	------

Dutch Boy White Lead in Oil—Retail Packages

1 lb. cans, 25 to case	\$.38	\$.35
5 lb. cans,	1.73	1.63

Above prices established by white lead producers. Our franchises prohibit deviating from this schedule.

Dutch Boy Flatting Oil

1/4 gal. cans, each 85.....	\$1.00
1 gal. cans, each	2.75
5 gal. cans, per gal.	2.60

Dutch Boy Lead Mixing Oil

1 gal. cans, each	\$4.05
5 gal. cans, per gal.	3.90

Duratox Termite Control Liquid

For specific directions in giving a complete treatment or spot treatment, see Duratox Dealers' Manual.

Use Grade A on inside work where no ventilation is possible.

Use Grade B for exterior or ground treatment.

1 gal. cans, each	\$3.50	\$2.78
5 gal. cans, per gal.	3.40	2.68

Odorless Paint Thinner

A solvent which evaporates completely. Big advantages are its freedom from odor and its economy. Odorless Paint Thinner is recommended for thinning all kinds of paint, inside and outside; especially where fast drying is desired and where drying conditions are poor. Ideal also for thinning varnishes and enamels.

1 pint cans, each -----	\$.35	\$.28
1/4 gal. cans, each -----	.50	.41
1 gal. cans, each -----	1.35	1.13
5 gal. cans, per gal. -----	1.25	1.03
Drums, per gal. -----		.88

Turpoline

A slower evaporating thinner for paints, enamels, etc. Recommended particularly for slowing the setting of flat wall paints and to retard evaporation of the thinner in outside paints when used in unusually hot or windy weather.

1 gal. cans, each -----	1.00	.82
5 gal. cans, per gal. -----	.90	.72
Drums, per gal- -----		.57

Denatured Alcohol

Specially denatured alcohol to be used for thinning shellac, cleaning, fuel, and general painting requirements. Not to be sold for anti-freeze purposes.

1 pint cans, each -----	Quakersol	.35	.29
1/4 gal. cans, each -----	"	.55	.46
1 gal. cans, each -----	"	1.75	1.44
5 gal. cans, per gal. -----	Shellacol	1.65	1.34
Drums. per gal. -----			.99

Refined Creosote Oil


1 gal. cans, each -----	1.65	1.39
5 gal. cans, per gal. -----	1.55	1.29
Drums, per gal. -----		1.04

Pale Paraffin Oil

1 gal. cans, each -----	1.60	1.33
5 gal. cans, per gal. -----	1.50	1.23
Drums, per gal. -----		1.04

Turpentine, Polmerik Linseed Oil -----	Market
--	--------

Empty Tin Cans



Round, Double Tight Friction Top

For paint, varnish, stain, enamel and various other liquids.
Removable covers which fit very securely, and will not leak.

Sizes


Gallon—6 $\frac{5}{8}$ " x 7 $\frac{1}{2}$ "
Quart—4 $\frac{1}{8}$ " x 4 $\frac{7}{8}$ "
Pint—3 $\frac{3}{8}$ " x 3 $\frac{7}{8}$ "
 $\frac{1}{2}$ Pt.—2 $\frac{1}{8}$ " x 2 $\frac{7}{8}$ "
 $\frac{1}{4}$ Pt.—2 $\frac{1}{2}$ " x 2 $\frac{1}{8}$ "

1 gal. cans, per 100	-----	each	\$.33
$\frac{1}{4}$ gal. cans, " "	-----	"	.14
1 pt. cans, " "	-----	"	.10
$\frac{1}{2}$ pt. cans, " "	-----	"	.09
$\frac{1}{4}$ pt. cans, " "	-----	"	.07

Square Varnish Cans


Varnish type can, plain, oblong with 1 $\frac{5}{8}$ " nozzle for corks. Practical for varnish, stain, shellac, linseed oil, turpentine, turpoline, alcohol, Japan driers and various other liquids.

Made from best quality tin plate. All seams securely soldered, guaranteed not to leak.



1 gal. cans, per 100	-----	each	\$.36
$\frac{1}{4}$ gal. cans, " "	-----	"	.17
1 pt. cans, " "	-----	"	.13
$\frac{1}{2}$ pt. cans, " "	-----	"	.11

Corks



Tapered corks, regular and uniform for varnish cans, jugs and bottles. Diameter indicated is size at large end.

No. 18, 1 $\frac{1}{2}$ " diameter for 5 gal., 1 gal., $\frac{1}{2}$ gal., 1 qt.
1 pt. and $\frac{1}{2}$ pt. square varnish cans.

No. 12, 1 $\frac{1}{8}$ " diameter for 1 gal. jugs.

No. 8, $\frac{7}{8}$ " diameter for 1 qt. bottles.

No. 6, $\frac{3}{4}$ " diameter for 1 pt. and $\frac{1}{2}$ pt. bottles.

No. 4, $\frac{5}{8}$ " diameter for 6 oz. and 4 oz. bottles.

Per hundred	No. 18, -----	\$4 20
	No. 14, -----	3.20
	No. 12, -----	2 35
	No. 8, -----	1 30
	No. 6, -----	.95
	No. 4, -----	.60

Dry Colors

Pure, strong colors, bright, non-fading. Quality guaranteed. For general use where dry colors are required. These are same colors used in our Hi-Grade product. Give maximum color strength and tone. They are not to be confused with the ordinary commercial colors.

1 lb. pkgs., Germantown Lamp Black, each	\$.61	\$.51
½ lb. pkgs., Germantown Lamp Black, each39	.32
¼ lb. pkgs., Germantown Lamp Black, each23	.19
Ivory Drop Black, bulk, per lb.44	.37
Pure Air-floated Graphite, bulk, per lb.20	.17
Cobalt Blue, bulk, per lb.73	.61
Ultramarine Blue, bulk, per lb.55	.46
Chinese Blue, bulk, per lb.	1.05	.85
Prussian Blue, bulk, per lb.	1.05	.85
Van Dyke Brown, bulk, per lb.35	.28
Burnt Turkey Umber, bulk, per lb.20	.17
Raw Turkey Umber, bulk, per lb.20	.17
Burnt Italian Sienna, bulk, per lb.36	.30
Raw Italian Sienna, bulk, per lb.27	.22
Princess Metallic, 50-lb. bags per lb.09
Princess Metallic, bulk, per lb.12	.10
Chrome Green, Med., bulk, per lb.	1.00	.74
Chrome Green, Dark, bulk, per lb.93	.78
Jobbing Green, bulk, per lb.40	.31
Chrome Yellow, Lt., Med., Deep Orange bulk, per lb.68	.57
French Yellow Ochre, bulk, per lb.12	.09½
American Yellow Ochre, bulk, per lb.12	.09½
English Venetian Red Lt. 50 lbs., heavy paper bags), per lb.08¾
English Venetian Red, Lt., bulk, per lb.12	.10
Red Oxide, 50 lb. bags, per lb.		12½
Red Oxide, bulk, per lb.17	.14½

Dry Colors

Indian Red, bulk, per lb.35	.29
Tuscan Red, bulk, per lb.80	.66
Rose Lake, bulk, per lb.55	.45
American Vermilion, bulk, per lb.	1.10	.89
Red Lead, bulk, per lb.31	.27
Litharge, bulk, per lb.30	.26
XX American Zinc, 50 lb. bags per lb.22
XX American Zinc, bulk, per lb.30	.24
Silica, 50-lb. bags, per lb.04
Silica, bulk, per lb.08	.06
White Ochre, bbls., per lb.04
White Ochre, bulk, per lb.08	.06
Gilders' Whiting, 50-lb. bags, per lb.		04½
Gilders' Whiting, bulk, per lb.10	.07
Pure White Lead, bulk, per lb.31	.26
Plaster Paris, bbls. (230 lbs. net), per bbl.		15.75
Plaster Paris, bulk, per lb.13	.10
Orange Shellac Gum, bulk, per lb.90	.78
White Shellac Gum, bulk, per lb.	1.00	.89
Fullers Earth, bulk, per lb.12	.09

Versitex

Versitex is a finely ground organic substance to be mixed with any type of paint whether oil base, water base, or latex base to produce a textured effect for painted or unpainted plaster, wall board, plywood and other types of walls and ceilings. The texture of the finish may be varied by mixing more or less Versitex with the paint. However, 6 ounces of Versitex mixed with one gallon of any type of paint will produce a finish satisfactory to most people. Use brush or roller method of application.

The use of Versitex makes available a very wide range of colors since it may be used with Richtone, Dull Lustre, Saco-Sheen, One Coat Flat, etc. Among the many other advantages should be included the fact that, unlike some prepared texture paints, Versitex does not "settle", but remains in complete suspension to assure uniformity in texture.

Versitex makes no change whatsoever in the color or drying properties of the paint in which it is used.

Coverage per gallon will vary according to the type of base paint, plus amount of Versitex added.

Packed 24 — 6-oz. Bags to Case

6-oz. Bags (24 to Case) per Case \$7.84

6-oz. Bags each \$.49 .37

Packed 12 — 30-oz. Bags to Case

30-oz. Bags (12 to Case) per Case 15.60

30-oz. Bags each 1.95 1.44



Bondex Water-proof Cement Paint

Bondex is made especially for use on inside or outside upright "unpainted" porous masonry surfaces such as brick, concrete, stucco, sand-finished plaster and unglazed tile. It is not suitable for use on floors, sidewalks; and will not adhere to wood, metal, glass or other non-porous surfaces. It should not be used over surfaces which have been coated with an oil paint. Best results are obtained by first thoroughly wetting the surface before Bondex is applied.

Bondex is furnished in powder form to be mixed with cold water. 5 lbs. of Bondex and 5 pints of water will make about 1 gallon of paint ready for application, and will cover from 100 to 150 square feet, one coat. To mix, add to each 5 lbs. of Bondex, 3 pints of water, stirring until free from lumps; then add 2 pints of water, stirring thoroughly, whereupon this mixture will be ready for use.

Although one coat, brushed or sprayed, will often suffice, best waterproofing results are obtained with two coats. Mix only a sufficient amount for about 4 hours work.

Regular White & all Tints

100 Colonial White	109 Dawn Gray	117 Sierra Tan
101 Wheat Yellow	110 Antique Ivory	118 Dutch White
103 Sun Set Yellow	112 Grotto Blue	119 Tropical Coral
108 Canyon Red	114 Ivy Green	121 Pearl Beige
5 lb. pkgs. (10 pkgs. to carton), pkg.	\$1.45	\$1.21
25 lb. drums, each	6.92	5.77
50 lb. bags each	10.25	8.55
100 lb. packages, each (Subject Stock)	26.35	21.96

Meets U. S. Treasury Dept. Specifications—D49-9

Bondex Primer

Bondex primer is a special formulated priming coat for either interior or exterior upright surfaces. It should be used on those non-porous surfaces to which Bondex Waterproof Cement Paint will not adhere directly, such as painted or smooth troweled cement, second-hand and hard burned brick, asbestos shingles, metal or tile roofs, etc. Surfaces must be firm, solid, and free from seepage of water. All glossy surfaces must be dulled by sanding or other means.

Bondex Primer comes in powder form to be mixed with cold water. Average use calls for five to six pints of water to five pounds of powder. This mixture may be brushed or sprayed, and will cover from 200 to 350 square feet, depending on the condition of the surface. White only.

5 lb. pkgs. (10 pkgs. to carton), pkg.	\$1.60	\$1.33
25 lb. drums, each	7.70	6.42
100 lb. drums, each	29.75	24.79

208 HI-GRADE PAINT & VARNISH PRODUCTS

Bondex Hydraulic Cement



Bondex Hydraulic Cement is a patching compound in dry powder form to be mixed with water. It is used to plug leaks and breaks in basement walls and foundations and in other interior or exterior masonry surfaces where the water is NOT constantly flowing through the surface under pressure. It is an ideal material for waterproofing cement or cinder block foundations, repointing mortar joints in brick and stone walls, patching breaks in window wells, etc.

For trowel application, add one pint of water to each 5 lbs. of powder. Stir to a smooth paste and allow to stand for 15 minutes. For brush applications, use an additional $\frac{1}{4}$ pint of water. Saturate the area with water and apply a heavy coating while surface is wet, working material into cracks and breaks. Then brush over repaired area with water to produce a smooth surface.

face. Bondex Hydraulic Cement is slow to set and the patches should be kept wet for at least 4 hours after application.

Two coats may be necessary in repairing deep cracks. Application of a second coat of cement or a finish coat of Bondex paint must be made within 24 hours after applying first coat. Be sure to wet surface thoroughly between coats.


5 lb. pkgs. (10 pkgs. to case) pkg.	\$1.35	\$1.12
100 lb. drums, each.....	23.60	19.67

Bondex Heavy Duty Sealer

An aggregate type wall coater that seals out moisture and decorates unpainted porous masonry wall surfaces such as rough poured concrete, rough brick, cement and cinder blocks; interior or exterior, above or below grade. Furnished in white only but may be followed with Bondex Cement Paint or a good oil or water-thinned paint to produce a colored finish. If Bondex is used as a finish, it must be applied within 24 hours.

In powder form to be mixed with water. Ten pounds will cover from 30 to 50 square feet, depending upon texture and porosity of the surface. See package for mixing directions.

NOTE: Large cracks in surfaces to be coated should be filled with Reardon's Patching Cement or Reardon's Quick Plug.



White 301 Island Buff 302 Gulf Gray 303 Harbor Blue 304 Surf Green

50 lb. bags, each.....	\$ 8.60	\$ 7.17
10 lb. cans, 4 to case, each.....	3.00	2.50



Reardon's Quick Plug

For use in sealing holes and large cracks in masonry surfaces to be coated with Bondex Heavy Duty Sealer and/or Bondex Cement Paint.

Quick Plug may be used to stop water seepage or water which flows through the wall under pressure.

In powder form to be mixed with water.

Pints, $1\frac{1}{2}$ lbs., 12 to case, each.....	\$.80	\$.67
Quarts, 3 lbs., 6 to case, each.....	1.54	1.28

Sila-Tex

A plastic decorative material in powder form for use over wall board, plastered walls and ceilings, other surfaces, such as paint, canvas, glass, metal, wood, brick and concrete. With Sila-Tex, unlimited decorative effects are obtainable, such as textured finishes, water color effects, blended tones, grained, stippled and mottled surfaces. It is a favored material for finishing art objects in polychrome and other pleasing effects.

To mix, add cold water to Sila-Tex, stir thoroughly, working out all lumps and apply when it is dissolved into a smooth paste. For a rough texture, the mixture should be thicker.

Material is applied with a clean paint or calcimine brush to a thickness of 1/32 to 1/16 of an inch or thicker, depending on the texture desired. Allow it to remain on the wall about ten minutes before stippling.

Sila-Tex does not injure the hands or woodwork and can be removed with rag or sponge without injury to the finished surface. One pound should cover one to one and one-quarter yards of surface for a medium texture.



White

5 lb. pkgs. [10 to case] each	\$1.05	\$.94
25 lb. bags, each	4.50	4.14
100 lb. bags, per lb.17	.14½
Bulk, per lb.18	.15½

	Lite Buff	Cream	Lite Green	Azure Blue	Ivory
Gray	Rich Cream	Peach	Rose Pink	Lite Blue	Yellow

5 lb. pkgs. [10 to case] each	\$1.05	\$.94
25 lb. bags, each	4.50	4.14

Venostone Primer

Venostone is a primer-sealer to be used as a first coat on unpainted cement floors, walls, and ceilings, and other interior and exterior masonry surfaces. Venostone stops suction, seals the surface, and neutralizes any free lime or alkali which may be present. For a finish coat, use an appropriate varnish, enamel or paint.

Venostone comes in powder form. Five pounds mixed with water according to directions, will cover from 200 to 300 square feet depending upon the texture and porosity of the surface.

White

5 lb. pkgs. (10 to case) per pkg.	\$2.10	\$1.75
--	--------	--------

1 Buff	3 Stone Gray	5 Green	6 Tile Red	Black
--------	--------------	---------	------------	-------

5 lb. pkgs. (10 to case) per pkgs.	2.40	2.00
---	------	------

210 HI-GRADE PAINT & VARNISH PRODUCTS

Dramex



Dramex is a texture finish for interior walls. It comes in dry powder form to be mixed with water. Dramex will cover wall imperfections and give a decorative finish in one coat. It may be used on many surfaces which are clean, dry and firm, such as plaster, plaster board, wood and concrete. No size required except on badly stained or very smooth, slick surfaces.

A 5 lb. package of Dramex mixed with 5 pints of water will cover from 55 to 75 square feet depending on surface conditions. Dramex is easily applied with a brush and may be textured into many decorative surface designs by using roller stipplers, sponges, etc. Dries over night.

400 White	403 Peach Blossom	406 Lush Pink
401 Butter Yellow	404 Modern Ivory	407 Seafoam Green
402 Silver Gray	405 Azure Blue	408 Golden Cream

5 lb. pkgs. (10 to case) each	-----	\$1.75	\$1.46
25 lb. pail, each	-----	8.55	7.12

Dramex Deep Tones

409 Shadow Green

5 lb. pkgs. (10 to case) each	-----	\$2.50	\$2.08
25 lb. pails, each	-----	12.30	10.25

410 Autumn Brown	411 Dusty Rose	412 Smoke Gray
------------------	----------------	----------------

5 lb. pkgs. (10 to case) each	-----	2.00	1.67
25 lb. pails, each	-----	9.75	8.12

Solarite Art Colors

Ready for use when mixed with hot or cold water. For deep effects, stenciling and general water color work. Can be inter-mixed and used also for tinting Solarite Wall Coating

I - Dark Green	B - Bright Orange
U—Seal Brown	C—Turquoise
White	M—Green

1 lb. pkgs. (12 to case) each	-----	\$.47	\$.39
-------------------------------	-------	--------	--------

A—Yellow	Black	V—Bright Green
----------	-------	----------------

1 lb. pkgs. (12 to case) each	-----	\$.58	\$.48
-------------------------------	-------	--------	--------

F—Purple	EE—Primary Red	D—Magenta	K—Blue	E—Red
----------	----------------	-----------	--------	-------

1 lb. pkgs. (12 to case) each	-----	\$.80	\$.67
-------------------------------	-------	--------	--------

Alfresco

A dry, white paint in powder form, to be mixed with cold water. Designed for exterior painting of fences, sheds, camp buildings, barns, outbuildings, amusement resorts, race tracks, fair buildings. Alfresco will last outside in mid-western climate from one to two years. Five pounds make a gallon of paint that covers 200 to 300 square feet, one coat depending on the surface and mode of application. Alfresco is exceedingly white.



25 lb. bags, each	\$6.00	\$5.00
Bulk, per lb.24	.20

Lumnite

A dry white paint, to be mixed with cold water. Adapted for economical painting interior walls and ceilings of factories, mills, warehouses, basements, etc. Not a kalsomine, but far superior to whitewash. Does not flake, scale nor powder off.

Five pounds make a gallon of paint that covers from 200 to 300 square feet, one coat, depending on surface and mode of application.

25 lb. bags, each	\$3.37	\$ 2.81
Bulk, per lb.14	.12

Saco Patching Plaster

SELF-SIZING

The ideal patching material for mending plastered wall and ceilings, filling cracks, and mortar joints, etc. To be mixed with water. Mix only enough material to be used in 30 minutes.

Saco Patching Plaster is self-sizing, requiring no special treatment after application to prevent absorption or burning through the finish coats.



2½ lb. pkgs. (24 to case) per doz	ea.35	.29
5 lb. pkgs. (12 to case) per doz.	"50	.40
10 lb. pkgs. (6 to case) per doz.	"80	.65
15 lb. pkgs. (4 to case) per doz.	"	1.25	.99

Rutland Patching Plaster

In mortar form, especially prepared for filling cracks, for patching plastered walls and ceilings, pointing bricks, repairing stucco, etc. To be mixed with water. Sets slowly, does not shrink, does not require sizing to prevent absorption or spotting through paint. Invaluable to painters and decorators as a time saver and for best results. Packed in strong, convenient packages.

2½ lb. pkg. (24 to case) per pkg.	\$.37	\$.28
5 lb. pkg. (12 to case) per pkg.67	.48
15 lb. pkg. (4 to case) per pkg.	1.64	1.18



Spackle

A resurfacing and patching compound in dry powder form to be mixed with water. It is chiefly used for the building up, leveling and smoothing of wall and ceiling surfaces and wood-work preparatory to painting. It also makes a fine base for Swedish putty.

1 lb. pkgs. (12 to carton), each	\$.29	\$.23
5 lb. pkgs. (10 to carton), each99	.80
25 lb. bags, each	4.45	3.52

Ready Patch


(A Patching Plaster in Paste Form—Ready to Use)

Ready Patch is a resurfacing or patching compound in ready to use moist paste form. It is used for filling, leveling and smoothing all interior upright surfaces before painting and decorating. Ready Patch can be applied with putty knife or trowel; used in a caulking gun; or brushed on when reduced with water for resurfacing operations.

Ready Patch is easy to work and slow to set. Drying time depends on surface conditions and thickness of application. All such repaired surfaces should be sized with a good pigmented primer before applying any type of finish or wall covering.



$\frac{1}{2}$ pt. cans, 24 to case, each	\$.45	\$.33
$\frac{1}{4}$ gal. cans, 12 to case, each	1.10	.80
1 gal. cans 4 to case each	3.50	2.52



Peter Putter's Plaster Pencil

For filling fine line cracks in plaster, wall board or woodwork before painting. Scrape off the outside film on the tip of the pencil; draw firmly over the cracks, holes or nicks, then smooth off with finger or knife. The surface can be painted immediately, but better results will be obtained by letting it dry

thoroughly. No sizing required unless water mixed paints are to be used. Packed 1 doz. individually wrapped sticks to counter display. 4 displays to shipping carton.

Per display		\$2.00
Per pencil	\$.25	.19

Schalk's Patch Paste



A ready to use, oil base spackling and patching compound in paste form. It works equally well with oil or water paints. It requires no sizing and may be painted over immediately. It is recommended for interior or exterior work.

1/2 pt. cans, ea.	\$.69	\$.50
1/4 gal. cans, each	1.69	1.23

Resurfo Spackling Compound

Resurfo is a patching and resurfacing compound in powder form to be mixed with cold water. It is chiefly used for the building up, leveling, and smoothing of wall and ceiling surfaces and woodwork preparatory to painting. Also used for filling cracks, holes, and joints in such interior surfaces as plaster, wallboard, wood, brick, concrete, etc. Resurfo makes a fine base for Swedish Putty.

1 lb. pkg., (24 to carton) each	\$.26	\$.22
5 b. pkgs (10 to carton) ea.90	.75

Reardon's Patching Cement

A preparation that makes concrete patching an easy job for anyone. It is in powder form and requires only the addition of water to repair a chipped step, a cracked walk or small breaks in concrete anywhere.

Concrete Patcher saves time, money and trouble, answers for the many pair jobs requiring the use of concrete. Packed in convenient size cartons.

6 1/2 lb. pkgs.(10 to carton) each89	.74
--	-----	-----

Reardon's Joint Cement

Reardon's Joint Cement is a patching material supplied in dry powder form and is prepared for use by mixing with cold water. Application is made with a broad knife or other suitable applicator. Joint Cement is used for filling wallboard joints in conjunction with a perforated paper tape. Joint Cement and Tape make a tight joint which is not visible through the finish coat when properly applied. Reardon's Joint Cement sands easily and does not require a size or primer before being decorated.

5 lb. pkgs. (10 to case) each	\$1.10	\$.92
25 lb. bags (2 to case) each	4.62	3.85
18 lb. bag, with 250ft. roll joint tape each	5.50	4.58

Reardon's Topping Cement

Topping cement is to be used as a finish coat over regular joint cement. Works easy, sands better and provides a good foundation for painting.


25 lb. bags (2 to case)	\$4.62	\$3.85
-------------------------------	--------	--------

SEE NEXT PAGE FOR JOINT TAPE

Reardon's Joint Tape

Reardon's Joint Tape is a perforated paper tape with sanded, tapered edges. Joint Tape is applied over the cracks between sections of wallboard or plaster board and Joint Cement is used to hold the tape in place.

75 ft. rolls (10 to bundle) each.....	\$.60	\$.48
250 ft. rolls (10 to case) each.....	1.20	.96
500 ft. rolls (10 to case) each.....	2.40	1.92

**Jiffy Gummed Tape**

A closely woven, extra strong cloth tape coated with a powerful adhesive. Simply moisten with water and apply. Chiefly used to cover seams, cracks and joints in wall boards, plastered walls, etc. May be used for various mending and patching jobs wherever a good glue coated tape is needed.

Small roll, 2" x 75' each.....	\$.85	\$.74
--------------------------------	--------	--------

Sticky Seal Tape


A special grade of cloth gummed tape which is slightly thinner than Jiffy. Packed 12 rolls to an attractive counter display

2" x 45' each.....	\$.60	\$.49
--------------------	--------	--------

E-Z Seal Wallboard Tape

E-Z Seal Tape is a very thin, strong, chemically treated cotton tape with ample glue backing. It may be used as a wallboard joint sealer in dry wall construction or as a patching tape to reinforce seams and cracks before applying wallpaper. To use, simply moisten tape with water and apply to surface.

2" x 50' rolls (24 to carton) each.....	\$.80	\$.67
2" x 100' rolls (12 to carton) each.....	1.50	1.21

**Handy Mesh Tape**

A thin white stiffly sized mesh tape. Chiefly used for reinforcing joints, seams, and hairline cracks before papering, since it cannot be noticed when used under wallpaper. Easily applied with wallpaper paste or glue.

Per roll, 2" x 150' each.....	\$.90	\$.77
-------------------------------	--------	--------

Wall Sizes

Rex

A clean, pure product that mixes with cold water. Requires no cooking. Makes a permanent and flexible foundation for preparing plaster, painted or varnished surfaces previous to paper hanging, kalsomining, painting, enameling, burlap. Mix one pound with three pints of cold or warm water to a thick batter, then add eight pints of water for ordinary use.



1-lb. cartons (24 to case), per lb. \$.35 \$.29

Red Stave

For preparing plaster, painted or varnished surfaces for general paper-hanging, kalsomine or paint. More satisfactory than animal glue or any prepared cooked size. Mixes with cold water, no cooking necessary. One pound makes 1½ gallons of size, ready to use.

1-lb. cartons (24 to case), per lb..... \$.35 \$.29

LePages

A dry size to be mixed with cold water for use on new or old walls before painting or papering. Stops suction. Chemical indicator shows up hot spots for further treatment. One pound makes about six quarts of liquid size.



1 lb. cartons (12 to case) each \$.35 \$.29

Sisk's Paper Hangers' and Painters' Size



In semi-paste form, to be reduced with hot water. Acts as a filler and primer on plaster or old painted or kalsomined walls that are to be painted. Can be used between coats of paint. Has no equal for preventing suction, detecting lime spots and preparing new plaster as well as the most delicate prints and heavier materials such as burlap, canvas, etc. For general use, to one part Sisk's Size add three to four parts hot water. An economical size, used extensively by painters and paper hangers for various sizing purposes.

1 pint cans, each (24 to case)	\$.76	\$.54
¼ gal. cans, each (12 to case)	1.28	.92
1 gal. cans, each (4 to case)	3.96	2.85

216 HI-GRADE PAINT & VARNISH PRODUCTS

Red Stave Wheat Paste

Cooked wheat flour past, in convenient form, that mixes readily with cold or warm water. Has the slip and slide of old-fashioned wheat flour paste, all the tack and stay, spreads smoothly, easier to work with. Gives everything liked about old-fashioned cooked wheat flour or wet paste. For general use, nine to ten pints of water to a pound of Red Stave paste. For special work, mix to suit requirements.



225 lb. bbls. bulk, per lb.		\$.18 $\frac{1}{4}$
100 lb. kegs bulk, per lb.18 $\frac{3}{4}$
15 lb. pails, bulk, each		4.00
20 lb. pails bulk, eachOUT.....		4.50
5 lb. bags, (10 to case) each	\$1 20	1.08
2 lb. bags (25 to case) each.....	.53	.49
1 lb. bags (50 to case) each.....	.30	.28
Bulk, per lb.22	.19 $\frac{1}{4}$

Saco Paper Hangers' Paste

A special blend of corn and wheat flours. Sometimes known as a 50-50 paste. Mixes easily with cold or warm water. Holds securely. Very economical.

100 lb. bags, bulk per lb.	\$.17
---------------------------------	--------

Reardon's Supercel

Cellulose Wallpaper Paste

Supercel Cellulose Paste is a product of modern chemical research. It comes as a white granular substance to be mixed with water. A 7 oz. package will make approximately 11 pints of ready to use paste; a 28 oz. package will make 5 $\frac{1}{2}$ gallons paste.

Supercel is primarily recommended because of its non-staining feature. Even Deeptone papers may be hung without fear of stain or smudge. Supercel slides easily on the surface; has good adhesion qualities and won't spoil or mildew so that it can be safely mixed, stored and used until the job is completed.

7 oz. pkg., 5 $\frac{3}{4}$ oz. net (12 to case) each	\$.69	\$.57
28 oz. pkg., 23 oz. net (6 to case) each.....	2.24	1.87

Staz-Tite Wallpaper Adhesive

Staz-Tite is a liquid to be added to wallpaper paste to make it self-sizing. The addition of Staz-Tite eliminates the necessity of sizing new plaster before papering. It also makes it unnecessary to size a painted or enameled surface before applying wallpaper, sanitas, canvas, etc. Staz-Tite retards slightly the evaporation of paste, thus allowing the paperhanger sufficient time to work out any type of wall covering. The use of Staz-Tite will cause the paper to adhere better, seams to set better, and give a better job of papering. Add one-half pint Staz-Tite for each pound of paste used for the particular job to be done: hanging wallpaper, Sanitas, Walltex, fabrics, canvas, etc.

1/2 pint cans, each (12 to case)	\$.55	\$.41
1 pint cans, each (12 to case)75	.56
1/4 gal. cans, each (12 to case)	1.15	.84
1 gal. cans, each (4 to case)	3.20	2.31

Schalk Crack Filler

[Water Putty]



In powder form to be mixed with water to the consistency of putty. May be tinted to any shade by adding dry colors. Use in wood, wall board, or plaster. Repairs furniture, sets loose joints, resets tile, etc. Will not shrink, crack, crumble. Can be sawed, planed, or sandpapered. May be painted, varnished, or enameled.

5 oz. boxes (12 to carton), each	\$.20	\$.15
1 lb. pkgs. (24 to carton), each35	.29
5 b. pkgs. (6 to carton) each	1.50	1.20

Schalk Wood Putty

Contains real wood. In powder form to be mixed with water and handled like putty. May be colored any shade by adding dry colors to the paste mixture. Dries hard, stays put, won't shrink. Can be molded, planed, sawed, etc. Can be stained, painted, varnished.

Wood Putty can be used to build up broken parts and repair woodwork, broken furniture, picture frames, toys, etc.

Mix only enough to be used at one time, as it sets hard and cannot be reworked.

5 oz. boxes, (12 to carton) each,	\$.20	\$.15
1 lb. pkgs., (24 to carton) each,40	.29
5 lb. pkgs., 6 to carton, each	1.75	1.26

Durham's Rock Hard Water Putty

A quick setting repair material in powder form to be mixed with water to a putty consistency. Hardens in 30 minutes. Dries to a light ivory color. Sands and polishes readily. Will not shrink. Use it to repair walls, floors, furniture, woodwork, etc. Caution! Mix just enough for immediate use.



1 lb. cans (12 to Case) each	\$.35	\$.29
4 lb. cans (6 to Case) each	1.25	1.01

218 HI-GRADE PAINT & VARNISH PRODUCTS



Plastic Wood

A wood compound in putty form for filling screw and nail holes, cracks, knot holes, breaks and defects in lumber, poor joints, broken ornaments, furniture repairing. It hardens right into the wood. Sets quickly, after which it may be sanded or worked with ordinary woodworking tools. Not affected by moisture or climate. Will not chip, crack or crumble, and may be painted, varnished or lacquered.

Natural Only

¼ lb. cans, each	(36 to carton).....	.40	.32
1 lb. cans, each	(12 to carton).....	\$.85	\$.68
Handy tubes, each	(36 to carton).....	.30	.24
10c Tubes, each	(36 to carton).....	.20	.17

Plastic Wood in Colors

Oak	Lt. Mahogany
Walnut	Dk. Mahogany

¼ lb. cans, each.....	(12 to carton).....	\$.40	.32
Handy tubes, each	(36 to carton).....	.30	.24

Assortment No. 8509

Assortment consists of three handy tubes each light mahogany, dark mahogany, oak, walnut; total 12 tubes.

Per Assortment, not broken.....		\$2.40
Per Handy Tube, each.....	\$.30	.24


Plastic Wood Solvent

A special liquid for thinning Plastic Wood.

3 oz. cans, each.....	(12 to carton).....	.30	.24
-----------------------	---------------------	-----	-----

Duratite Surfacing Putty

This is a quick-drying, high-speed surfer for filling and glazing over any slight gouges, dents, holes, etc. Use it on wood, metal or canvas or wherever a filler is needed for a small dent, scratch or mar. Dries quickly; takes stains and finishes perfectly. Handles like wood.



Counter Assortment

Quarter-pint assortment contains 2 each teak (light oak), pine, mahogany, fir (birch) and oak; 1 each cedar (redwood) and walnut.

1/4 pint cans, assortment (12) each \$3.24

Fill-ins—all colors

1/2 pint cans, each.....\$.40 .31

Putty Stik

Putty Stik is a colored filler in crayon form to be used for concealing nail holes and blemishes in plywood and other wood surfaces after they have been finished. Select the proper Putty Stik color to match the finished surface and rub into the nail hole or crack. Used by cabinet makers, carpenters, painters, for picture frames, etc. Colors available in Terre Haute:

No. 100—Red Philippine Mahogany, Redwood, Dark Cedar, Red Birch, Cherry

No. 300—Knotty Pine, Clear Pine, White Gum, Hemlock, Light Cedar

No. 400—Dark Walnut, Dark Gum, Brown, Mahogany Finish

No. 500—Birch, Light Fir, Light Philippine Mahogany (pink), Light Maple, Light Oak

No. 600—Dark Fir, Red Maple, Samara

No. 700—Blonde and Bleached Modern Finishes

Dealer Counter Display Box

Contains an assortment of 2 each No's 100, 300, 400, 500, 600, 700

Dealer Display Box (1 dozen sticks) per box \$3.37

Fill-in Colors

Packed 1 dozen of one color per box.

Per Stick.....\$.39 .34

Shop Assortment

Contains 1 each of 12 assorted colors 100, 110, 130, 200, 300, 350, 370, 400, 420, 500, 600, 700 (See Color Fan).

Shop Assortment each \$3.37

218B HI-GRADE PAINT & VARNISH PRODUCTS

THIS CATALOG

lists a complete line of decorative and maintenance paints, varnishes, enamels, lacquers and stains. Also a wide assortment of painters', paperhangers' and signwriters' tools and supplies. Note that in the case of almost every article offered under a brand name, the name is recognized as being a leader in its field. No attempt is made to carry every brand but we do handle those which we know are best suited and most acceptable to the trade.

CONTACT US

for information on our auxiliary lines such as

ART SUPPLIES—Our Art Department prides itself on the completeness of its line as well as the identities of the suppliers with whom we are associated—Grumbacher, Devoe, Craftint, Eberhard Faber, Prang, Speedball, Paasche and many others equally well known for top quality.

DECORATIVE HOBBY CRAFT—This line includes numbered picture painting sets, picture frames, ready-to-decorate metal goods such as trays, wastebaskets, etc., copper trinkets and such other items as might be classed as art and decorative hobbies.

FLOOR SANDING EQUIPMENT—We deal with several manufacturers and test rigidly many machines to keep ourselves posted on all developments in this field. Since our stores offer Sander Rentals, we must know which machines will prove to be most satisfactory as to results, durability and economy.

SPECIFICATION MATERIALS—Some Federal and State Specification paints, varnishes and enamels carried in stock regularly at Terre Haute. Others can be made in batches of 25 gallons or more.

SPRAY EQUIPMENT—We represent DeVilbiss and have on our staff several experts trained at the DeVilbiss plant. Our stock at Terre Haute includes some complete outfits and many of the parts and accessories most in demand.

WALLPAPER—Next to paint products, this item represents our largest volume of business so naturally we must carry a wide range of patterns properly priced and styled to please our customers. We represent several of the larger and better known wallpaper mills. Tho we operate in only the Middle West, we are recognized as one of the larger wallpaper distributors in the country.

DECORATING SERVICE—Advice on color styling, interior or exterior, for homes, commercial buildings and institutions is available without charge. Write our Color Styling Department at Terre Haute or get in touch with our nearest dealer.

Dry Glues

For best results, stir the proper weight of dry glue into sufficient cold water, allow to soak two hours if ground glue and at least four hours if flake glue, then melt in water at a temperature not to exceed 150 degrees Fahrenheit. Use warm.

Ground Amber Glue (BONE)

For wall sizing, kalsomining, patching, trunk work, carpet and rug sizing, paper work.

In 200 lb. bags, per lb.	\$.29
In bulk, per lb.40 .33

LePages Sizing Glue

Amber Ground Glue packed in a convenient printed carton with directions for the preparation of dry glue when used to size rugs, walls, etc.



1 lb. carton (50 to case) each	\$.60	\$.50
--------------------------------------	--------	--------

Cabinet Glue (HIDE)

Especially adapted for wood workers and cabinet makers. Best for repairing furniture, veneering and pattern making.

Ground form.

In 150 lb. bags, per lb.	\$.37
In bulk, per lb.	\$.50 .41

Le Page's Liquid Glue



Recommended for furniture, woodworking, cabinet making, repairing, mending of all kinds, general household purposes. Extensively used by mechanics and manufacturers for many different requirements. Ready for use.

Le Page's Glue is a widely known product, recommended for the best work. All sizes including ounce bottles and ounce tubes.

No. 110 tubes, each	(Formerly No. 11).....	\$.15	\$.12
No. 10 bottles each15	.12
1/4 pint cans, each60	.48
1/2 pint cans, each98	.80
1 pint cans, each		1.75	1.40
1/4 gal. cans, each		2.85	2.28

LePage's Gripspreader Mucilage



A handy, convenient package of mucilage for pasting. The odd shaped bottle is made to fit the hand, and the rubber "nose" prevents mussing. There is no leaking, but clean and economical. The mucilage does not dry out or spoil.

There are no caps to unscrew, no corks or covers to remove and no brushes to bother with. Always ready for use—just pinch the rubber tip, hold straight down and spread. Twelve bottles are packed in an attractive display carton.



Each	\$.15	\$.12
------------	--------	--------

LePage's Liquid Plastic
No. 9

A transparent waterproof liquid cement for mending porcelain, bric-a-brac, jewelry, etc. Slow to set. Packed 1 dozen small bottles on counter display card.

Per doz.	\$2.25
Each	\$.25

LePage's Aeroplane Glue

No 21 tubes per. doz.	\$1.35
No. 21 per tube	\$.15

Magic Crystal Clear Cement

A clear waterproof liquid for mending glass, china, jewelry, leather, metal, cloth, etc. It is odorless, non-inflammable, and not sticky to handle.

Per Display, 1 doz. 1 oz. tubes,	\$2.50
1 oz. tubes each	\$.29 .23

Duco Cement

A transparent, flexible, waterproof cement for use on china, glass, wood, metal, leather, paper—most everything except rubber. Dries quickly and cements permanently.

Per display, 1 doz. 1½ oz. tubes,	\$2.95
1½ oz. tubes each	\$.35 .28

Casco Flexible Cement

A new general purpose household cement that sticks all surfaces: glass, cork, felt, metal, leather, plastics. A combination of liquid rubber and Casein. It is clean to handle; rubs off fingers or materials easily.

Per doz tubes	\$2.22
2 oz. tubes, each	\$.25 .19

Elmer's Glue-All

A white, easy spreading ready to use liquid glue for general home, school, and hobby use. Glues wood, paper, cloth, plastics, etc. Dries clear.

¾ oz. plastic squeeze tubes(12 to display)	\$.19	\$.13
1¼ oz. plastic squeeze bottles(12 to display)each29	.19
2 oz. jars, 12 to display, each30	.23
4 oz. jars, 6 to display, each50	.38
4 oz. plastic squeeze bottles (12 to display) each59	.40
8 oz. plastic squeeze bottles(12 to display), each	1.00	.66
Pint jars, 12 to case, each	1.30	.98
Quart Jars, (12 to case)each	2.30	1.73
1 gal. cans each	6.00	4.50

Scotch Rubber Adhesive

A high quality black adhesive which produces a strong, flexible, long-lasting bond for sealing or attaching rubber weather stripping to windshields, windows, doors, trunk lids, etc. Also for bonding refrigerator door rubbers, rubber stair treads, rubber tile or linoleum; for bonding patches to rubber rainwear; for repairing many types of plastic articles.

Scotch Rubber Adhesive sticks rubber to anything. Surfaces should be clean, dry and free of oil. Apply thin coats of adhesive to both surfaces and allow to set until tacky. Press surfaces firmly together. Maximum strength is reached in 24 to 48 hours.



Packed 24 tubes to Counter Display

Per display	\$4.95
Per tube	\$.29 .24

Paste-Bak

Liquid non-staining paste in a handy tube form for repasting loose wallpaper on the wall. The thin flexible plastic top of the Paste-Bak tube slips under loosened edges without tearing paper. Jumbo size tubes $1\frac{1}{2}$ " x $5\frac{1}{2}$ ".

Per display carton.....	\$3.12
Per tube	\$.39 .29



Casco Grade A Glue

Small Sizes Discontinued by Manufacturer

A dry powder Casein glue. Mix daily as required in cold water to form a super-strong, quick setting liquid glue which becomes highly water-resistant when set in the joint.

Uses: Gluing all woods, hard and soft; metal to wood, cloth, cardboard, etc. Cements linoleum. Used for dowel and assembly gluing; for exposed constructions, and all difficult gluing jobs.

1 lb. can. (12 in carton) each.....	1.15	.86
5 lb. cans. (6 to carton) each	5.00	3.71

Elmers Waterproof Glue

A resorcinol resin glue in two compartment cans to be mixed as used. Best for building outdoor furniture, sports equipment, etc. Withstands cold or boiling water, heat, fungus, etc.

$\frac{1}{4}$ Pints Units, 12 to carton, each.....	\$1.00	\$.75
Pints Units, 6 to carton, each	3.10	2.30



Cascamite

Urea Resin Glue

Easily mixed in cold water. No heating. No waiting. Stain-free. Makes completely waterproof joints that with-stand soaking or exposure in any climate. Ideal for boats, and all wood gluing for inside and outside use.

1 lb. jars, 12 in carton each	1.15	.86
5 lb. jars, 6 in carton each	4.75	3.52

KUHL'S MARINE GLUES AND CEMENTS

No. 1 Elastic Seam Composition

For Deck Seams.

White

1 lb. cans, each-----	\$.70	\$.57
2 lb. cans, each-----	1.35	1.08
4 lb. cans, each-----	2.65	2.12

Mahogany

1 lb. cans, each-----	.70	.57
2 lb. cans, each-----	1.35	1.08

No. 2 Elastic Seam Composition

For Hull Seams.

White

1 lb. cans, each-----	.70	.57
2 lb. cans, each-----	1.35	1.08
4 lb. cans, each-----	2.65	2.12

Mahogany

1 lb. cans, each-----	.70	.57
-----------------------	-----	-----

Elastic Seam Paint

A transparent liquid primer for deck and hull seams.

1/4 pint cans, each-----	.45	.36
1/2 pint cans, each-----	.65	.53
1 pint cans, each-----	1.20	.96

Avio Liquid Marine Glue

A waterproof liquid glue.

1/2 pint cans, each-----	.75	.60
1 pint cans, each-----	1.45	1.17
Quart cans, each-----	2.70	2.16

Elastic Canvas Cement

For laying and waterproofing canvas on decks.

1/2 pint cans, each-----	.75	.60
1 pint cans, each-----	1.30	1.05
Quart cans, each-----	2.15	1.72

224 HI-GRADE PAINT & VARNISH PRODUCTS

Trowelast

For filling and surfacing dents, cracks, etc. in metal, wood and canvas above and below water line. Apply with trowel or putty knife.

1/2 pint cans, each	\$.90	\$.72
1 pint cans, each	1.60	1.29
Quart cans, each	2.90	2.33

Brushlast

Same as Trowelast but in brushing consistency. For all filling and resurfacing purposes. Apply with brush.

1/2 pint cans, each	\$.90	\$.72
1 pint cans, each	1.6	1.29
Quart cans, each	2.90	2.33

Patchlast

A waterproof adhesive for repairing all types of canvas products.

1/2 pint cans, each	\$.85	\$.69
---------------------------	--------	--------

Clear Canvas Preservative

For making canvas water-repellent and mildew-proof.


Quart cans, each	\$1.65	\$1.32
------------------------	--------	--------

Sealtite

Rubber sealing compound for hairline cracks.

1/2 pint spout cans ea.	\$1.20	\$.96
------------------------------	--------	--------

Elmer's Contact Cement



This is a ready to use bonding cement which eliminates the need for clamping or oven heating. It bonds many materials such as leather, linoleum, synthetic rubber or thin gauge metal to plywood. Also bonds decorative laminates to plywood, pressed wood or similar materials.

To use, just apply a uniform coating to both surfaces. Let dry at room temperatures (65° or above) for a minimum of 30 minutes. If a piece of kraft paper does not stick to cement film, surfaces are ready for bonding. Combine the coated surfaces and press together. Do not allow the surfaces to touch until they are in exact position. Elmer's Contact Cement is highly resistant to both heat and water. One quart covers about 10 square feet of both surfaces. Inflammable. Keep away from fire.

Pint Cans (12 to Carton) each	\$1.25	\$.90
Quart Cans (12 to Carton) each	1.85	1.48

Reardon's Tile Cement

A white water resistant tile cement in powder form to be mixed with water to a putty-like consistency for use. It is especially made for filling cracks around bath tubs, laboratories, sinks, and for resetting loose tile.

1 $\frac{1}{4}$ lb. cans, 24 to carton, each.....\$.45 \$.37

Schalk's Tile Cement

A very finely ground white cement-like powder to be mixed with water. For filling cracks around bath tubs, laboratories, sinks, and for resetting loose tile.

8 oz. can, 12 to carton, each.....\$.29 \$.24

Magic Tub-N-Tile Sealer

Magic Tub-N-Tile Sealer is a white flexible plastic sealer for caulking cracks around bathtubs, sinks, showers, tile floors, windows and doors. Also ideal for filling plaster cracks and replacing loose tiles. It can be washed or painted. Special applicator spout with each tube.

Packed 1 dozen 5 oz. tubes to Counter Display

5 oz. Tubes (12 to Display) each......79 .64

Magic Plastic Aluminum

Magic Plastic Aluminum comes in a soft semi-paste form easily squeezed from the tube. No heat or tools are needed. Dries metal hard in 3 hours. Solders, seals, fills and repairs all metal.

Packed 6 - 4 oz. tubes to Counter Display

4 oz. Tubes (6 to Display) each.....1.00 .74

226 HI-GRADE PAINT & VARNISH PRODUCTS

Magic Liquid Porcelain Glaze

A quick drying lacquer type pure white enamel that is ideal for touching up metal surfaces that have become chipped or marred. Recommended for repairing chipped refrigerators, stoves, washing machines, bath tubs, sinks, tile, and all porcelain surfaces. Apply with a small, soft hair brush.

Packed one dozen 1 oz. bottles in a counter display.

1 oz. bottles, each.....	\$.29	.23
Per display		\$2.58



Tiger Grip Linoleum Cement

A good quality linoleum cement in paste form. For cementing linoleum to floors, drainboards etc.; also for applying stair treads and corrugated runner.

Half pints, each	24 to case28	.23
Pint, each	12 "37	.29
Quart cans, each	12 "52	.41
1 gal. cans, each	4 "	1.30	1.02

Waterproof Linoleum Cement

For use wherever dampness exists, as sink tops, bath room floors, etc.

1/2 pint cans, each.....	\$.55	\$.46
1 pint cans, each.....	.70	.55
1/4 gal. cans, each.....	1.15	.93
1 gal. cans, each.....	3.50	2.88

Shellac Sticks or Wood Cement

Also known as wood cement, for repairing blemishes, imperfections and holes in furniture, cabinets, pianos, etc. These sticks are made to match all the most commonly used woods and, when filled and sanded, defy detection. Apply with electric soldering iron or palette knife heated in an alcohol flame.


25 Transparent	167 Maple	
502 Lt. Oak	517 Golden Oak	522 Walnut
530 Dk. Oak	537 Dk. Mahogany	538 Ex. Dk. Mahogany

Each	\$.35	\$.27
------------	-------	--------

Scratch Master Touch-up Pencil

A pencil type paint dispenser which makes paint instantly available for touching up nicks, mars and scratches on furniture, appliances, toys, etc. Operates in any position. Touch-up brush automatically springs into position when cap is removed.

SH-24 Merchandiser contains 24 dispensers in attractive counter display: 4 White, 4 Black, 4 Red, 4 Mahogany, 4 Walnut, 2 Blonde, 2 Maple.



Fill-in Stock

SM100—Black	SM191—Blonde	SM193—Walnut
SM198—Red	SM192—Maple	SM194—Mahogany
SM101—Flat Black [Wrought Iron]	SM199—White	

Packed 6 of a color in Window Sleeve.

SH-24 Display, each	\$16.50
Per Pencil, each	\$1.00 .80

Spray-O-Namel

An enamel type spray paint especially developed for use in pressure cans. All colors have excellent hiding power. Dries in 1 hour. For interior or exterior use. Each can equipped with a removable spray head for easy cleaning. 12-oz. net weight cans packed 12 to shipping carton.


101 Chrome Aluminum	107 Medium Blue	114 Chinese Red
102 Golden Lustre	108 Ivory	115 Wrought Iron Flat Black
103 Coppertone	109 Pink	116 Dove Gray
104 Battleship Gray	110 Chartreuse	121 Gloss White
105 Garden Green	111 Orchid	122 Gloss Black
106 Canary Yellow	112 Sky Blue	123 Appliance White
	113 Orange	124 Flat White
		125 Clear Plastic
		137 Platinum Silver

12 oz. cans per doz.	\$11.95
Each	\$1.49 1.20

Counter Display

Consists of 24 cans assorted colors with wire display rack.	Retail Value
No. 300 Counter display, each.....	\$35.76

226B HI-GRADE PAINT & VARNISH PRODUCTS



Chromatone Metallic Finishes

Ready Mixed

This is a fine quality ready-to-use bronze paint. Produces a high gloss mirror-like finish. Use on metal, wood, glass and similar hard surfaces. This is an ideal paint for hobbyist and decorator. Simply stir and apply.

Silver

2 oz. Glass Jars (12 to carton) each.....	\$.28	\$.23
4 oz. Glass Jars (12 to carton) each.....	.44	.35
8 oz. Glass Jars (12 to carton) each.....	.67	.54
1 Pint cans (24 to carton) each.....	1.10	.88

Pale Gold—Rich Gold—Roman Gold—Copper

2 oz. Glass Jars (12 to carton) each.....	\$.42	\$.34
4 oz. Glass Jars (12 to carton) each.....	.63	.50
8 oz. Glass Jars (12 to carton) each.....	1.05	.84
1 Pint cans (24 to carton) each	1.87	1.50

Chromatone Metallic Assortment No. 1

Consists of two attractive counter display cartons, one having 12—two-ounce jars of Silver and the other has 3—two-ounce jars each of Pale Gold, Rich Gold, Roman Gold and Copper. (24—2-ounce Jars).

Assortment No. 1 each	\$8.41	\$6.73
-----------------------------	--------	--------

Chromatone Metallic Assortment No. 2

Consists of two display cartons, each containing 3—two-ounce jars of Pale Gold, Rich Gold, Roman Gold and Copper. (24—two-ounce Jars).

Assortment No. 2 each	\$10.10	\$8.08
-----------------------------	---------	--------

Venus Gold Plate and Chrome Plate Finishes

Extra fine bronze powders and special liquids packed in double-compartment cans.

Used to produce an imitation of gold plate or chrome plate finishes.

to be mixed when ready to use.

	Gold Plate	Chrome Plate
4 oz. cans, each.....	.80	.60
8 oz. cans, each.....	1.40	1.04
16 oz. cans, each.....	2.15	1.60

Star Brand Bronze Paints

Ready Mixed

Aluminum

Gold

A good quality ready mixed bronze paint which produces a satisfactory metallic finish for all general interior decorating and art work. Dries within 30 minutes.

1½ oz. bottle, 2 doz. to case, per doz.	1.25
each15
4 oz. bottles, 2 doz. to case, per doz.	2.45
each30

Silverkote Aluminum Paste

Finest grade of aluminum bronze powder in paste form for exterior or interior work. Should be thinned with the proper Hi Grade bronzing liquid about 1½ lbs. Silvercoat Aluminum Paste to the gallon. Produces an aluminum paint that will cover better and create a smoother, brighter, more silvery gloss finish. When mixing with lacquer, the paste should be combined with the lacquer thinner first and then the thinner paste mixture added to the lacquer.

1 lb. cans, each	(Pint)	1.00	.86
2 lb. cans, each	(Quart)	1.80	1.63
10 lb. cans, each	(Gallon).....	8.70	7.80

Venus G. C. P. Aluminum Powder

A commercial grade of aluminum powder Mix 2 pounds to the gallon of bronzing liquid for best results.

1 lb. cans, each	2.10	1.68
½ lb. cans, each.....	1.15	.96
¼ lb. cans, each.....	.70	.54

228 HI-GRADE PAINT & VARNISH PRODUCTS



Venus Bronze Assortment No.

(In Glass Bottles)

The finest grade of bronze powders, put up in glass bottles. Color and quality is of the same high standard as our regular line of bronzes. Assortment is made up of the most popular colors and bronzing liquid as listed below. An attractive cardboard counter display, filled as illustrated, is furnished with each assortment.

Assortment consists of:

2 bottles ea. of numbers 3, 9, 13, 14, 18, 26, 44, 50, 54, 55, 61, 108

Assortment, each, \$6.35

Venus Bronze Powders

(In Glass Bottles)

Packed one dozen to a carton.

1 oz. #3 Karat Gold Leaf, ea.	\$.35	\$.30
1 oz. #7 Brill. Pale Gold, ea.35	.30
1 oz. #8 Brill. Rich Gold, ea.35	.30
1 oz. #9 Vernis Martin Gold, ea.35	.30
1 oz. #12 Fresco Pale Gold, ea.35	.30
1 oz. #13 Metal Leaf Pale Gold, ea.35	.30
1 oz. #14 Metal Leaf Rich Gold, ea.35	.30
1 oz. #18 Patent New Green, ea.35	.30
1 oz. #26 Extra Brilliant Fire, ea.35	.30
1 oz. #33 Patent Light Blue, ea.35	.30
1 oz. #42 Statuary, ea.35	.30
1 oz. #44 Natural Copper, ea.35	.30
1 oz. #50 Brushed Brass, ea.35	.30
1 oz. #54 White Gold ea.35	.30
1/2 oz. #55 G. C. P. Aluminum, ea.35	.30
1 oz. #61 Antique Copper, ea.35	.30
1 oz. #108 Smooth Gold ea.35	.30
1 oz. #195 Multi Leaf Aluminum,35	.30
2 oz. Superior Fresco Bronzing Liquid, ea.35	.30
2 oz. Superior Fresco Banana Liquid, ea.35	.30

Venus Lining Bronze

Medium grade of striping gold bronze for automobile, coach and car striping. Furnished in pale gold or aluminum.

No. 56 Aluminum - No. 57 Pale Gold

1 oz. paper pkgs. (Pale Gold), each	\$.35	.28
1 oz. paper pkgs. (Aluminum), each35	.28

Venus Chrome Lining

1/2 oz. paper pkgs. each	\$.50	\$.36
--------------------------------	--------	--------

Venus Diamond Dust

1 oz. paper pkgs., eachMedium Grade.....	.15	.10
--	-----	-----

No. 9 Venus Vernis Martin Gold

Best quality Venus Martin shade of gold bronze powder. Suitable for radiators, pipes, beds, frames, statuary, bric-a-brac and art work. Mixes readily with Hi-Grade Bronzing Liquids. One gallon requires about $2\frac{1}{2}$ pounds, which mixture covers approximately 1200 square feet.

1 lb. cans, each.....	\$2.90	\$2.34
$\frac{1}{2}$ lb. cans, each.....	1.55	1.26
$\frac{1}{4}$ lb. cans, each.....	.85	.66

Venus No. 8 Rich Gold Brilliant

1 lb. cans, each.....	\$2.20	\$1.80
$\frac{1}{2}$ lb. cans, each.....	1.20	.96
$\frac{1}{4}$ lb. cans, each.....	.65	.54

Venus No. 7 Fine Pale Gold Brilliant

1 lb. cans, each.....	\$2.20	\$1.80
$\frac{1}{2}$ lb. cans, each.....	1.20	.96
$\frac{1}{4}$ lb. cans, each.....	.65	.54

No. 12 Venus Fresco Decorators' Pale Gold

A superior grade of extra fine gold bronze powder, for decorators' use in the finest decorations and scenic work. Mixes readily with Hi-Grade bronzing liquids. One gallon liquid requires about $2\frac{1}{2}$ pounds, which mixture will cover approximately 1200 square feet, one coat.

1 lb. cans, each.....	\$2.40	\$1.92
$\frac{1}{2}$ lb. cans, each.....	1.30	1.08
$\frac{1}{4}$ lb. cans, each.....	.70	.60

No. 42 Venus Statuary Bronze

A special shade of rich brown powder that is very widely used by church decorators or bronzing screens, grill work, statues, etc. Use about $3\frac{1}{2}$ pounds to gallon of liquid, which mixture covers about 1250 square feet one coat.

1 lb. cans, each.....	\$3.80	\$3.06
$\frac{1}{2}$ lb. cans, each.....	2.00	1.62
$\frac{1}{4}$ lb. cans, each.....	1.05	.84

No. 44F Venus Natural Copper—Fine

A very fine grade of copper color bronze powder that is used on pipes, lamps, radiators, plaster ornaments, fixtures, plumbing, art and novelty work, where copper effect is wanted. Mix about $3\frac{1}{2}$ pounds to a gallon of Hi-Grade bronzing liquid, which mixture will cover approximately 1250 square feet, one coat.

1 lb. cans, each.....	\$2.30	\$1.86
$\frac{1}{2}$ lb. cans, each.....	1.25	1.02
$\frac{1}{4}$ lb. cans, each.....	.70	.60

230 HI-GRADE PAINT & VARNISH PRODUCTS

Venus Glass Metallics

In Shaker Top Bottles

Standard Venus quality glass metallics packed in transparent plastic bottles with shaker top dispenser cap which may be removed easily for refilling. Coarse mesh only.

Assortment No. 1

Contains 24—2½-oz. Bottles: 12 of Silver; 3 each Green—Red—Blue—Gold

No. 1 Assortment, each	\$13.20	\$9.49
------------------------------	---------	--------

Open Stock

	Silver	Gold	Red	Blue	Green	
2½ oz. bottles, per dozen						\$4.75
each						\$.55 .44

Venus Glass Metallics

Glass Tinsel

Sparkling and extra brilliant for the sign writer, decorator, window trimmer, theatrical scenery, millinery trimming, decorating of novelties. Apply liquid glue or sizing material with suitable brush on surface to be decorated. Sprinkle tinsel on and then shake or brush off tinsel not adhering to size properly.

SILVER

	<i>Coarse</i>	<i>Medium</i>	<i>Fine</i>	
1 lb. cans, each				\$1.40 \$1.15
1 oz. paper pkgs., each15 .11

	Green	Blue	Gold	Red	
					<i>Fine</i>
1 lb. cans, each					\$1.60 \$1.30
1 oz. paper pkgs., each20 .13

Scotchlite Reflective Sheeting

Type 2—With Activator

Type 2 Scotchlite Reflective Sheeting requires the application of a liquid activator before pressing the sheeting into place. The protective paper liner must be peeled off and the dry adhesive backing moistened with the liquid activator which is supplied with each sheet or roll of Scotchlite.

Type 2 Scotchlite Reflective Sheeting was the first development and is preferred by many professional sign men.

Regular Standard Colors

244 Signal Silver 232 Flame Red 227 Kelly Green 253 Silver

24" x 24" sheets, per single sheet	\$ 4.05
24" x 24" sheets, in 5 sheet lots, per sheet	3.65
5 yard x 24" rolls, per roll	27.05
10 yards x 24" rolls, per roll	50.45

Regular Wide Angle Colors

230 Silver 234 "C" Black 246 "C" White

24" x 24" sheets, per single sheet	4.35
24" x 24" sheets, in 5 sheet lots, per sheet	3.92
5 yard x 24" rolls, per roll	28.80
10 yards x 24" rolls, per roll	54.00

Regular Standard Flat Top

2250 Silver 2251 Yellow

24" x 24" sheets, per single sheet	4.80
24" x 24" sheets, in 5 sheet lots, per sheet	4.32
5 yard x 24" rolls, per roll	31.55
10 yards x 24" rolls, per roll	59.60

Wide Angle Flat Top

2270 Silver 2271 Yellow 2272 Red 2273 Gold
2275 Blue 2276 Grey Blue 2277 Green

24" x 24" sheets, per single sheet	5.70
24" x 24" sheets, in 5 sheet lots, per sheet	5.13
5 yard x 24" rolls, per roll	37.50
10 yards x 24" rolls, per roll	70.50

232 HI-GRADE PAINT & VARNISH PRODUCTS

Scotchlite Reflective Sheeting

Pressure Sensitive

Wide Angle Flat Top Series

The Pressure Sensitive Wide Angle Flat Top series is the most satisfactory group of the entire Scotchlite line. Colors are effective day and night from all angles. The Pressure Sensitive Type is applied by removing the thin paper backing which protects the adhesive, and then pressing the sheet of Scotchlite into place.

Scotchlite Reflective Sheeting may be applied to any clean, smooth, non-porous surface.

By using special transparent silk screen colors on a background of Silver Scotchlite Flat Top Sheeting (Nos. 2250, 2270 or 3270) a full range of color effects can be produced having identical day and night time appearance.

Special instruction booklets are available on request.

3270 Silver 3271 Yellow 3272 Red 3273 Gold 3276 Grey Blue

24" x 24" sheets, per single sheet	\$ 5.70
24" x 24" sheets, in 5 sheet lots, per sheet.....	5.13
5 yard x 24" rolls, per roll.....	37.50
10 yard x 24" rolls, per roll	70.50

Scotchlite Lite-a-bumper Tape

This tape is made from Scotchlite Reflective Sheeting. Simply remove paper backing and press firmly onto any clean, dry non-porous surface.

Packed 12 Boxes to display. Each box contains one strip 1" x 24". NOT ASSORTED.

S-35 Red

S-36 Silver

Display of 12 boxes.....	\$3.50
Per individual box.....	\$.39 .33

Scotch-Lite Home Sign Kit

Each kit contains one piece Scotch-Lite reflective sheeting 6" x 12" in either Red or Silver color. Also a pattern sheet for cutting out letters and numerals with complete instructions. Pressure sensitive type. Easy to apply.

Use for small signs, mail boxes, etc.

Please specify:

SL-612 Display Contains 8 kits of Red, 4 kits of Silver.

SL-613 Display Contains 12 kits of Red only

SL-612 Display, each	\$7.90
SL-613 Display, each	7.90
Per Kit [Red or Silver] each	\$.89 .74



Hastings Gold Leaf

Sold by the book or pack. A book contains 25 leaves, $3\frac{3}{8}$ " square. A pack contains 20 books 500 leaves.

The uniform high quality of Hastings Leaf is assured by the careful control of each process of manufacture, from the raw material to the finished product, in their own plant.

No leaf less than 23 K. should be used for exterior work.

XX Deep 23 K

For general surface gilding, raised letters, boards, truck lettering, interior or exterior decorating. Protective coating unnecessary except where abrasion occurs or polishing is necessary, such as truck panels.

Per pack	\$36.65
Per book	1.95

XX Glass 23 K

Same as above, but especially selected without joins or patches for gilding on glass. Eliminates double laying and assures a good burnish.

Per pack	\$37.75
Per book	2.00

XX Patent 23 K

Leaf is adhered to white tissue for ease in handling in moving air currents. A real economy when gilding out of doors.

Per pack	\$38.75
Per book	2.05

Pale 16 K

Used mostly for contrast centers in glass gilding. Alloyed with silver to a light shade it cannot be left unprotected without danger of discoloration.

Per pack	\$33.45
Per book	1.85

234 HI-GRADE PAINT & VARNISH PRODUCTS

Domestic Silver Leaf

Made by Hastings. This leaf is packed the same as gold leaf and in the same kind of books. 33% thinner than the imported silver, it is thin enough to work almost as easily as gold leaf. Use the same strength water size that is used for gold leaf. This allows easy cleaning of surplus and the use of the same backing up color as is used for gold leaf, leaving finer lines and points than is possible with thicker silver leaf.

Per pack	\$15.25
Per book80

Japanese Aluminum Leaf

5½" square—500 leaves to the pack of 20 books. When protected with a clear coater, is suitable for truck lettering. Is widely used for interior decoration. For exterior exposure without protective coating life is limited.

Per pack.....	\$5.80
Per book35

Palladium Leaf

A precious metal of the Platinum group, white in color, but slightly darker in tone than silver. It is recommended for lettering on glass, as it will not tarnish on either mat center or burnish work. For surface work, either exterior or interior, it should be protected with varnish or other suitable clear coater. An exclusive Hastings product.

Per pack	\$42.25
Per book	2.25

Hastings Quick Drying Gold Size

¼ pints, each60
½ pints, each75
1 pint, each	1.30



Swift's Gold Leaf

Excellent quality of gold leaf suitable for the most exacting requirements. Handles easily because it is heavier and uniform. Very brilliant. Sold by the book or pack. Book is made up of 25 leaves, $3\frac{3}{8}$ " x $3\frac{3}{8}$ ", and covers about $1\frac{1}{2}$ square feet. Pack contains 20 books and covers approximately 30 square feet.

XX Deep Regular

23 karat gold for all ordinary gilding

Per Pack	36.65
Per Book	1.95

XX Deep Glass

Extra Select

23 karat virgin gold sheen for gilding on glass.

Per pack	37.75
Per book	2.00

No. 6 Lemon Glass Gold Leaf

$18\frac{1}{2}$ karat, sometimes called pale, usual, or green gold. For gilding on glass, contrast centers.

Per pack	33.45
Per book	1.95

XX Deep Patent Gold Leaf

23 karat Gold Leaf mounted on paper for gilding outside.

Per pack	38.75
Per book	2.05

Sign Painters' Sand Smalts

Creates beauty and economy in signs as well as superior visibility. Imparts long wear and beautiful coloring. First, paint white on fold letters and let dry thoroughly. Then paint background with paint containing plenty of linseed oil with not too much turpentine or Japan drier, after which distribute the Smalt over wet paint surface and allow to dry for 48 hours.

Standard Black, per lb.	\$.15	\$.10
------------------------------	--------	--------

Glass Smalts

Genuine glass smalts may be used for various purposes when bright, sparkling effects are desired, but primarily intended for backgrounds of painted signs. Sign backgrounds done in glass smalts will be more attractive and permanent, and the colors will not fade. Costs a trifle more, but decidedly economical both for appearance and lasting qualities. Ten pounds cover about 100 square feet.

BLACK Fine

Bulk, per lb.	\$.50	\$.40
--------------------	--------	--------

236 HI-GRADE PAINT & VARNISH PRODUCTS

Prang Tempera Showcard Colors

Prang Tempera, the better showcard color, is the outstanding brand for making posters, showcards, planning and designing, stenciling, and decorating. The colors are brilliant, completely opaque and smooth, never lumpy, dry evenly with a characteristic velvety surface.

Prang Tempera is made in the twelve intense hues of the standard spectrum, also black, white, and several supplementary colors. They are fine enough for writing with pen, as well as brush, and are excellent for air brushing.



x820 Red	x827 Blue Green	x834 Black	881 Sky Blue
x821 Red Orange	x828 Blue	835 Neutral Gray	883 Emerald Green
x822 Orange	x829 Blue Violet	x836 Magenta	884 Pink
x823 Yellow Orange	x830 Violet	x837 Scarlet	885 Burnt Umber
x824 Yellow	x831 Red Violet	838 Burnt Sienna	896 Dark Green
x825 Yellow Green	x832 White	839 Flesh	897 Prussian Blue
x826 Green	x833 Brown	x842 Turquoise Blue	843 Sign Red
			899 Toxic Yellow
$\frac{3}{4}$ oz. bottles, per dozen(*Colors Stocked).....			\$1.47
$\frac{3}{4}$ oz. bottles, each13
2 oz. bottles, per dozen			3.56
2 oz. bottles, each33
8 oz. bottles, per dozen			9.33
8 oz. bottles, each86
Pint bottles, per dozen			15.56
Pint bottles, each			1.44
Quart bottle, per dozen			28.00
Quart bottles, each			2.60
840 Gold			
841 Silver			
2 oz. bottles, per dozen			\$5.33
2 oz. bottles, each50

Prang Tempera Showcard Color Sets

NUMBER 1351

A pasteboard box containing six $\frac{3}{4}$ ounce jars of these colors: Red, Yellow, Blue, Green, White and Black. Mixing sticks included.

Per dozen sets	\$8.88
Per set	\$1.00 .83

NUMBER 1352

A pasteboard box containing twelve $\frac{3}{4}$ ounce jars of these colors: Red, Yellow, Blue, Green, Black, White, Orange, Violet, Scarlet, Magenta, Turquoise, Yellow-Green. Mixing sticks included.

Per dozen sets	\$16.89
Per set	\$1.90 1.57

Prang Day-Glo Tempera

Prang Day-Glo Tempera is a brilliant daylight fluorescent showcard water color. It may be applied by brush, pen, air brush or stenciling. The new colors supplement the regular Prang showcard color line.

- No. 2101 Neon Red

No. 2103 Arc Yellow

No. 2104 Saturn Yellow
- No. 2102 Fire Orange

No. 2105 Signal Green

2 oz. jars—per doz.		\$8.90
2 oz. jars—each	\$1.00	.80

No. 2106 Day-Glo Set

Consists of one $\frac{3}{4}$ oz. jar of each color Prang Day-Glo Tempera: Neon Red, Fire Orange, Arc Yellow, Saturn Yellow, Signal Green, and Prang Tempera White.

Per dozen sets		\$33.35
Per set	\$3.75	3.00




Lawter's Luminous Paint

Lawter's Luminous Paint may be applied to any clean interior or exterior surface. It requires no special primer or sealer. Exposure to either artificial light or daylight renews its phosphorescent glowing qualities. It comes ready to use. One coat gives excellent results.

620 Blue Glow

1 oz. jars—per doz.		\$6.40
1 oz. jars—each	\$.85	.60
2 oz. Jars, per doz.		11.20
2 oz. Jars each	1.45	1.05
8 oz. jars—each	4.00	2.67
16 oz. jars—each	7.00	4.89

Speedball Drawing and Lettering Pens



The perfect pen for all styles of lettercraft. Equipped with triple ink containers that give greater ink capacity with safety, automatically regulate the flow and distribute ink over the entire tip. There are four styles: A, B, C, and D. A has the square nibs, B the round, C the oblong, and D the oval nibs. There are six sizes of each style.

Per Dozen Pens. \$1.50
Each \$.15



Speedball Text Book

A revised edition of "Speedball Text Book" that offers a complete and comprehensive system of instruction that has won praise of both teachers and craftsmen.

It presents lettering for commercial purposes in a manner that really appeals to the amateur and the experienced professional alike.

Each \$.75 \$.68

Speedball Flicker Pens

MADE IN "FB" ONLY

A new Speedball Pen which will hold a much larger supply of ink without blotting, and which will clean much easier than any other style of drawing pen on the market. Both Reservoirs are hinged so that they will flick open for speedy cleaning, simply by lifting the top feeder, and will snap back into perfect alignment ready for use. The larger sizes are all fan slit to equalize the pressure on the nibs and to distribute the ink more uniformly. The marking tips of the 0 and 1/2 pens are grooved to spread the ink over the entire marking surface and give sharper, better formed strokes. The smallest size, No. 6, may be had with ruling flanges for draft-ing and line work.



Per dozen		\$2.00
Each	\$.20	.20
Per card of 8	1.60	1.60

Particular People use

SPEEDBALL PEN INKS

— all the colors of the rainbow
in attention-compelling brilliancy



Speedball Pen Inks

Made especially for pen lettering for which reason they work so much better and give more satisfactory results. The free-flowing consistency, the ability of interblending of the various colors, the covering qualities, the quick drying properties, and the velvety lus-tre make Speedball Pen Ink popular with de-signers, show card writers, commercial artists, draftsmen, architects, photographers, penmen and title letterers. Offered in a wide assort-ment of attention-compelling brilliant colors, put up in screw cap glass jars.

Waterproof Black	Red	Yellow	Mauve	Blue
Turquoise	Orange	Emerald	Brown	White
2 oz. jars, per dozen				\$3.35
2 oz. jars, each35	.35

240 HI-GRADE PAINT & VARNISH PRODUCTS

No. 2 Beginners' Speedball Pen Outfit

Comprised of nine Speedball pens in selected sizes from all four styles, one pen holder, one jar of Waterproof Black Speedball Pen Ink, and one elementary book of alphabets. This book has been prepared for introducing practical lettering from a new, simplified angle that should prove very helpful to the beginner, the student, or school pupil.



Complete outfit, each\$2.25 \$_.05

No. 1 Student Speedball Outfit

Comprising twenty-four Speedball Pens assorted in all size.

- 1 - Cork tipped penholder
- 1 - 2 oz. jar White Speedball Ink.
- 1 - 2 oz. jar Waterproof Black Speedball Ink.
- 1 - Large Speedball instruction book on shocard writing.
- Sample practice paper.

Complete outfit, each\$4.50 \$4.10

Speedball Artist Pen Set No. 5

A small assortment for students and professional artists. Contains four Speedball Pens and penholders; Hunt Crowquill Pen and penholder and two Hunt Art Pens.


Each\$1.25 \$1.12

Speedball Cartoon Set No. 6

For the young cartoonist. Contains one copy of "Pen Tips on Cartooning"; five Speedball Pens for cartooning; one only No. 102 Crowquill Pen; one only No. 107 Hawkquill Pen; one only 2 oz. Jar Black Speedball Ink and one Crowquill Penholder.


Each\$2.25 \$2.05

Cork Tip Penholder No. 78



Cork grip, nickel tip, nicely balanced and light. Furnished in red, yellow, green, and black colored handles. For school or business.

Per dozen	\$.90
Each	\$.10 .10



Higgins' Drawing Ink

A nationally known line of eleven brilliant colors, also black and white that are waterproof. Fills exacting requirements of architects, artists, builders, draftsmen, engineers, students, instructors. Colors intermix freely, work with equal facility under brush or pen.

Used in plans, prospectives, elevations, details, specifications, etc. Clarifies the work and enhances its appearance.

Brick Red	Neutral Tint	Blue	Black	
Carmine Red	Russett	Green	Indigo	White
Red	Orange	Leaf Green	Violet	Brown
Red Orange	Yellow	Turquoise	Red Violet	

3/4 oz. bottles, per dozen	\$3.00
3/4 oz. bottles, each	\$.35 .28
8 oz. bottles, each	2.25 1.75
Pint bottles, each	4.00 3.15
Quart bottles, each	7.00 5.50

Higgins Drawing Ink No. 4 Scholastic Set

Contains eight 3/8 oz. bottles with translucent stoppers in gift box: yellow, orange, red, violet, blue, green, brown and black.

Per dozen sets	\$12.00
Each	\$1.35 1.12

242 HI-GRADE PAINT & VARNISH PRODUCTS



King Cole Colors in Japan

Colors of the finest quality of brilliant pigments ground extra fine. These colors are quick drying, easy working, cover solidly, and are therefore excellent for striping, backing up, etc.

Packed one large tube in individual carton.

Original One Stroke Black

One Stroke White

Drop Black

Signwriters Black

Lamp Black

Per tube..... \$.70

Bulletin Blue Dark Royal

Bulletin Blue Medium Royal

Bulletin Blue Lt.

Ultramarine Blue

Per tube..... \$.75

Aluminum

Green Light

Green Medium

Per tube..... \$.85

Brilliant Red

Vermilion Red

Brilliant Perm. Green

Orange Medium

Yellow Light

Orange D. D.

Yellow Medium

Per tube..... \$.95

China and Glass Marking Pencils



Made purposely for marking china, glass, or similar glazed surfaces. Finest quality leads of deep, rich colors, encased firmly in paper wrapping. Very easy to sharpen without waste of lead. One dozen pencils in a box.

Black

Each.....	\$.14	.13
Per dozen		\$1.39

Red

White

Blue

Each	\$.16	.14
Per dozen		\$1.45

Charcoal Pencils



These present charcoal to the artist or student in a more convenient form. They are the ideal substitute for charcoal sticks, eliminate the inconvenience of breaking and crumbling. Charcoal pencils are cleaner, more economical, and easy to sharpen. Best grade, encased firmly in paper wrapping. Furnished in three grades: hard, medium, soft, one dozen in box.

Medium

Each.....	\$.20	.18½
Per dozen		\$2.00

Tri-Tix Rubber Cement

Tri-Trix is a white waterproof rubber cream glue which has greater adhesive qualities than ordinary rubber cements, paste, or glue. It will not dry out and it sticks indefinitely. Tri-Trix will not wrinkle thin materials nor warp heavy materials. Recommended for mounting snapshots, and photographs; hanging decorations, posters, signs etc.



No. 200 tubes, each	\$.35	\$.27
No. 202, 4½ oz. jars, each70	.52
No. 203, 8 oz. jars, each	1.25	.93

244 HI-GRADE PAINT & VARNISH PRODUCTS

An unexcelled quality of chalk for lecturers, teachers, and chalk talkers. Yields intensely brilliant colors, permits speed and ease of execution. Made with a broad flat side, which with one sweep will cover a large surface. One dozen sticks 1"x 1"x3" long in a box.

Lecturer's Chalk



1" x 1" x 3" Sticks

	Red	Scarlet	Magen		
Black	Yellow	Orange	Blue	Green	White
Per doz.					\$2.05
Per stick25	.20

$\frac{1}{2}$ " x $\frac{1}{2}$ " x 3" Stick

Red	Dark Red	Magenta	Scarlet	
Yellow	Brown	Green	Dark Flesh	Dark Yellow
Blue	Dark Green	Light Flesh	Yellow Orange	Turquoise
Violet	Gray	Orange	Dark Blue	Blue Violet
White	Red Orange	Blue Green	Red Violet	Black

Per doz. sticks.....		\$.85
Per stick	\$.10	.08

No. 53 Kroma Chalk

Soft white blackboard chalk that is uniform in quality and economical. Each package contains 18 round sticks.

No. 53 - Per dozen pkgs.....		\$.67
Per pkg.....	.10	.07

Waltham White Chalk Crayons Enameled

Finest imported material, free from grit. Erases easily

Per box (144 sticks).....	\$.70	\$.60
---------------------------	--------	--------

Art Poster Board

14 Ply - Laminated Middle

Our line of cardboard is the first choice of discriminating artists everywhere. Its specially processed, velvety-smooth surface is unsurpassed for lettering and illustration. It will not warp, and each of its wide variety of colors is permanent --- cannot fade or bleed through. Sample packs furnished on request.

600 Spede White	603 Sea Foam	606 Lt. Blue
601 White	604 Shell Rose	607 Dark Buff
602 Primrose	605 Buff	609 Ecru
		610 Cream

Per 100 sheets, 28" x 44"	\$44.45
Per sheet, 28" x 44"55 .49

Per 100 sheets, 22" x 28"(Size not stocked).....	22.80
Per sheet, 22" x 28"29 .26

632 Coral	645 Lavender	655 Deep Purple
637 Marine Green	647 Dark Blue	656 Midnight Blue
639 Autumn Brown	648 Black	657 Maroon
640 Yellow	649 Bottle Green	658 Royal Blue
641 Orange	650 Silver Gray	660 Oriental Yellow
643 Pea Green	651 Light Gray	663 Tropical Green
644 Corn Yellow	652 Beaver Brown	664 Venetian Blue
	653 Green	666 Scarlet

Per 100 sheets, 28" x 44"	\$48.90
Per sheet, 28" x 44"60 .54

Per 100 sheets, 22" x 28"(Size not stocked).....	25.00
Per sheet, 22" x 28"31 .28

620 Silver 621 Gold

Per 100 sheets, 28" x 44"	\$58.90
Per sheet, 28" x 44"75 .65

Per 100 sheets, 22" x 28"(Size not stocked).....	30.00
Per sheet, 22" x 28"39 .34

All orders totaling 100 sheets will be shipped from Chicago.

Orders for shipment from Terre Haute should total at least 25 sheets assorted.

246 HI-GRADE PAINT & VARNISH PRODUCTS

Duplex Poster Card Board

Six ply show card board, coated on both sides. For price tickets, cards, etc.

61 White

Per 100 sheets, 28x44	\$35.55
Per sheet, 28x44.....	\$.45 .40

No. 100 Illustration Board

Very popular board, medium weight, cold pressed, for general all round illustration work, both brush and pen. Surface is white, semi-rough, and being of high quality is recommended for the finest work. Furnished in two sizes.

30" x 40", per 100 sheets	102.25
30" x 40", per sheet	1.25 1.14

Bristol Board

This fine quality board is widely used for making layouts, and for general all-around illustration work. There are two surfaces available: VELLUM for crayon and water color work; PLATE for pen and ink work. We stock 2-ply only

Packed 50 sheets to a carton.

Please specify Plate or Vellum

Per 100 sheets, 22x30	\$33.15
Per sheet	\$.40 .36

No. 34 Mounting Board

A single thick, pebble finish board coated on both sides for general water color and air brush work. Ideal for mounting photographs. One side is finished white and the other side cream color.

Per 100 sheets, 30x40	\$55.55
Per sheet	\$.69 .62

Sign Cloth

Made on specially woven and selected muslin. Finish is suitable either for printing, painting, or lithographing. The cloth does not absorb ink or paint. Smooth, white surface is uniform. Lettering can be done with single stroke without skips or streaks. Furnished in sixty yard rolls.

36" width, in full rolls, per yd.	\$.52
36" width, per yd.70 .58
42" width, in full rolls, per yard60
42" width, per yard80 .67

Poster Paper No. 1200

16 lb. weight, fine grade Poster Paper.

White

18" width x 50yd., per roll	1.50	1.20
24" width x 50yd., per roll	2.00	1.65
36" width x 50yd., per roll	2.95	2.40

Pastel Blue

Pastel Pink

Pastel Green

Canary Yellow

Goldenrod

36" width x 50yd., per roll	3.05	2.50
-----------------------------------	------	------

Prepared Stencil Paper

Durable, pliable and ideal for stencil work of all kinds. Properly oiled, will not become brittle. Furnished in two widths, 36" and 48", in rolls of 10 yards each or by the yard. Very best quality paper for painter, decorator and signwriter.

36" width, per roll	\$6.95
36" width, per yard95 .80

Stencil Paper in Flat Sheets

No. 2398 Bleached Canary, treated stencil board in flat sheets measuring 12 points in thickness.

Sheets 24x36, per 100	\$23.10
Per sheet30 .26

Alphabet Letter Stencils

Cut from best grade of Waterproof Oil Board for use with stencil brush.

Each set consists of the complete alphabet in a box, upper case or capitals.

No. 40— $\frac{1}{2}$ " Plain Gothic, each	\$.60	\$.53
No. 28—1" Small Square, each.....	.60	.53
No. 20— $1\frac{1}{2}$ " Small Square, each.....	.60	.53
No. 24—2" Tall, Narrow, each60	.53
No. 22—3" Tall, Narrow, each	1.00	.83
No. 44—4" Gothic, each	1.25	1.00
No. 26—5" Large, unshaded, each	1.50	1.26
No. 46—6" Large, unshaded, each	2.00	1.67
No. 42— $\frac{3}{4}$ " Lower case, each.....	.60	.53

Numeral Stencils

Both inside and outside cuttings in each box, including cent and dollar signs. One of each numeral from 1 to 0.

No. 35— $\frac{1}{2}$ " High, each	\$.60	\$.53
No. 32—1" High, each60	.53
No. 30— $1\frac{1}{2}$ " High, each60	.53
No. 31—2" High, each60	.53
No. 33—3" High, each	1.00	.83
No. 36—4" High, each	1.25	1.00
No. 34—5" High, each	1.50	1.26
No. 37—6" High, each	2.00	1.67

Martin Krasel Studio Lettering Stencils

Each box contains a complete set of alphabet and numeral stencils individually cut in Modern Style. Made from oil stencil paper for use with a stencil brush.

1" size per box	\$.90	\$.76
$1\frac{1}{2}$ " size per box	1.10	.83
2" size per box.....	1.25	1.06
$2\frac{1}{2}$ " size per box	1.40	1.17
3" size per box	1.55	1.30
4" size per box	1.80	1.50
5" size per box	2.35	1.95

Wood Handle Pouncing or Tracing Wheel




Swivel type, round hardwood handles stained mahogany and polished. Tempered steel wheels for perforating and making fine pounces.

No. 891	wood, 3/16" wheel, each.....	1.75	1.35
---------	------------------------------	------	------

Conrad Handy Knife

A razor blade holder made of plastic materials. Has two position adjustment, for cutting cardboard and scraping purposes.

Counter display package contains six holders, individually boxed, each complete with four blades.



Conrad Knife, each	\$.60	.45
--------------------------	--------	-----

X-Acto Knives


Blade made of fine surgical steel. New type handle assures positive grip on blade. All styles carried in stock.



No. 1	Handle and 1 blade (small size)	\$.60
No. 51	Handle and 6 blades.....	1.20
No. 2	Handle and 1 blade (large size)60
No. 52	Handle and 6 blades	1.20
No. 5	Mat Knife and 3 blades	1.20
No. 62	Set - 2 handles, 12 blades, each	2.40
No. 82	Set - Wood Chest with 3 handles and 12 blades assorted, each	4.20
No. 83	Set - Metal Chest with 3 handles and 12 blades assorted, each	6.00

X-Acto Blades

First 5 blades shown below are for No. 2, last 3 for No. 1.



25 24 23x 22 19 16 11 10

Pkg. 5 blades, one size or assorted for No. 1 or No. 2,	\$.60
---	--------



Number 5811 White Chisel Bristle Fitch

In nickel ferrules and on long white polished handles. A long stock chiseled brush of French bristle. Illustration shows actual size.

G-2789

1/4" width, 1 5/8" length bristles,	\$.60	\$.48
3/8" width, 1" length bristles,80	.62
1/2" width, 1 3/8" length bristles,90	.70
3/4" width, 1 7/8" length bristles,	1.20	.97
1" width, 1 11/8" length bristles,	1.50	1.19
1 1/4" width, 2" length bristles,	1.95	1.54
1 1/2" width, 2 1/4" length bristles,	2.50	1.98




Number 5817 White Angular Fresco Liner—Flat

Finest quality white bristles in seamless nickel ferrules and on long polished handles. A special thin lining brush. Illustration shows actual size.

G-6361

1/4" width, 1/2" length bristles,\$.50	\$.40
3/8" width, 5/8" length bristles,55	.44
1/2" width, 3/4" length bristles,65	.53
3/4" width, 1" length bristles,85	.66
1" width, 1 1/4" length bristles,1.25	.97

Number 5810 Bulletin Cutter



G-8966 - Flat Handle

G8968 - Round Handle

White bristles in tin ferrules on special round handles. A special thin professional sign painters' cutter for bulletin painting.

1" width, 1 1/2" length bristles,\$1.30	\$1.04
1 1/2" width, 1 3/4" length bristles,2.10	1.68
2" width, 2" length bristles,2.60	2.08



Number 5890 Red Sable Lettering—Round

Strictly pure red sable in seamless nickel ferrules and on polished walnut handles. A long stock high grade brush with a clean, square edge especially adapted for oil color lettering. Illustration shows actual size.

G-2355

No. 1,	13/16" length hair,	ea.	\$.65	\$.53
No. 2,	7/8" length hair,	ea.80	.62
No. 3,	15/16" length hair,	ea.	1.00	.79
No. 4,	1" length hair,	ea.	1.35	1.06
No. 5,	1 1/32" length hair,	ea.	1.65	1.32
No. 6,	1 1/16" length hair,	ea.	1.95	1.54
No. 7,	1 1/8" length hair,	ea.	2.20	1.76
No. 8,	1 3/16" length hair,	ea.	2.75	2.20
No. 10,	1 5/16" length hair,	ea.	3.85	3.08
No. 12,	1 1/2" length hair,	ea.	4.95	3.96



Number 5828 Red Sable Show Card—Round

Strictly pure red sable in seamless copper ferrules and on black polished handles. A full length high grade show card brush with a clean, square edge that is especially adapted for show card color work. Extra large series of sizes. Illustration shows actual size.

G-9355

No. 1,	$\frac{5}{8}$ " length hair,	\$.50	\$.40
No. 2,	$21/32$ " length hair,65	.53
No. 3,	$23/32$ " length hair,90	.70
No. 4,	$3/4$ " length hair,	1.10	.88
No. 5,	$13/16$ " length hair,	1.40	1.10
No. 6,	$7/8$ " length hair,	1.80	1.41
No. 7,	$15/16$ " length hair,	1.95	1.58
No. 8,	1" length hair,	2.50	1.98
No. 9, 1	$1 1/16$ " length hair,	3.05	2.42
No. 10,	$1 1/8$ " length hair,	3.60	2.86
No. 12, 1	$3/16$ " length hair,	4.70	3.74

Number 5889 Red Sable Show Card—Round

Red sable in seamless nickel ferrules and on short maroon polished handles. A medium length high grade brush with a clean, square edge that is especially adapted for show card writing.

G-9457

No. 1,	$\frac{1}{2}$ " length hair,	\$.50	\$.40
No. 2,	$\frac{9}{16}$ " length hair,55	.44
No. 3,	$\frac{5}{8}$ " length hair,65	.53
No. 4,	$\frac{11}{16}$ " length hair,70	.57
No. 5,	$\frac{23}{32}$ " length hair,80	.62
No. 6,	$\frac{3}{4}$ " length hair,90	.70
No. 7,	$\frac{25}{32}$ " length hair,	1.00	.79
No. 8,	$\frac{13}{16}$ " length hair,	1.10	.88
No. 10,	$\frac{7}{8}$ " length hair,	1.35	1.06
No. 12,	$\frac{15}{16}$ " length hair	2.00	1.58
No. 14,	$1\frac{3}{32}$ " length hair,	2.50	1.98
No. 16,	$1\frac{1}{8}$ " length hair,	3.60	2.86

Number 5822 Gray Camel Hair One Stroke—Flat

Finest quality gray camel hair in seamless nickel ferrules on hardwood handles. Recommended for lettering on trucks, metal signs and panels. Use in oil, japan or synthetic colors.

G-3671

$\frac{1}{8}$ " width, $\frac{7}{8}$ " length	\$.45	\$.36
$\frac{1}{4}$ " width, 15-16" length60	.48
$\frac{3}{8}$ " width, 1 1-16" length75	.60
$\frac{1}{2}$ " width, 1 3-16" length95	.76
$\frac{3}{4}$ " width, $1\frac{3}{8}$ " length	1.45	1.16
1" width, $1\frac{1}{2}$ " length	1.75	1.40

Number 5823 Gray Camel Hair One Stroke—Flat

Same style and quality brush as No. 5822, except hair is longer.

G-3673

$\frac{1}{8}$ " width, 1 5-32" length	\$.45	\$.36
$\frac{1}{4}$ " width, 1 5-16" length60	.48
$\frac{3}{8}$ " width, 1- $\frac{1}{2}$ " length75	.60
$\frac{1}{2}$ " width, 1 $\frac{5}{8}$ " length95	.76
$\frac{3}{4}$ " width, 1 13-16" length	1.45	1.16
1" width, 1 15-16" length	1.75	1.40

Number 5825 Camel Hair One Stroke—Flat

In nickel ferrules and on maroon polished handles. Made with a clean square edge. Full stock camel hair brush for light color.

G-98

1/4" width	3/4" length hair,\$.45	\$.35
3/8" width,	13/16" length hair,55 .44
1/2" width,	1" length hair,65 .53
5/8" width,	1 1/16" length hair,80 .62
3/4" width,	1 1/8" length hair,90 .70
1" width,	1 9/16" length hair,	1.40 1.10

Number 5882 Ox Hair One Stroke—Flat

In nickel ferrules and on blue polished handles. Made with a clean square edge. Can be used in any kind of color. The large sizes are especially adapted for muslin and banner sign painting.

G-6658

1/8" width,	1 1/16" length hair,\$.50	\$.40
1/4" width,	3/4" length hair,70 .53
3/8" width,	15/16" length hair,90 .70
1/2" width,	1" length hair,	1.10 .88
5/8" width,	1 1/8" length hair,	1.50 1.19
3/4" width,	1 1/4" length hair,	1.95 1.54
1" width,	1 7/16" length hair,	3.05 2.42

No. 5824 Ox Hair Stroke Brushes

Made with a square edge. In nickle ferrules on polished walnut handles. Medium length for show card color and sign painting. A good brush that fills the every day need for a quality tool at a low price. Especially recommended for students and the general retail trade.

G-6844-A

1/8" width,	1/2" length,\$.30	\$.22
1/4" width,	5/8" length,35 .26
3/8" width,	23/32" length,45 .35
1/2" width,	13/16" length,55 .44
5/8" width,	15/16" length,65 .53
3/4" width,	1" length,90 .70
1" width,	1-3/16" length,	1.25 1.01



No. 5881 Red Sable One Stroke—Flat

In seamless nickel ferrules and on black polished handles. Made with a clean square edge. Red Sable is of the finest quality. This brush is especially adapted for single stroke sign painting and showcard writing. Can be used in any kind of color with perfect satisfaction. Illustration shows actual size.

G-4119

1/8" width,	5/8" length hair,	_____ \$.95	\$.79
1/4" width,	3/4" length hair,	_____ 1.55	1.23
3/8" width,	7/8" length hair,	_____ 2.20	1.76
1/2" width,	1" length hair,	_____ 3.30	2.64
5/8" width,	1 1/8" length hair,	_____ 4.40	3.52
3/4" width,	1 1/4" length hair,	_____ 5.80	4.62
1" width,	1 5/16" length hair,	_____ 9.35	7.48




Number 5816 Flat Ox Hair Sign Writer

nickel ferrules and on flat maroon polished handles. Finest quality of light hair. Made for muslin sign painting and filling-in work. Illustration shows actual size.

G-3614

1/4" width,	3/4" length hair,\$.85	\$.66
3/8" width,	1 1/8" length hair, 1.00	.79
1/2" width,	7/8" length hair, 1.30	1.01
5/8" width,	1 1/8" length hair, 1.55	1.23
3/4" width,	1" length hair, 1.95	1.54
1" width,	1 1/8" length hair, 3.05	2.42

Number 5815 Black Sable Muslin



Black sable in brass ferrules and on polished handles. This brush is especially made for rapid one stroke poster work on large muslin, oil cloth or paper signs. Can be used in Japan or oil color.


G-3623

1/2" width, 15/16" length hair, ea.	\$2.10	\$1.67
3/4" width, 1" length hair, ea.	2.75	2.20
1" width, 1 1/8" length hair, ea.	3.60	2.86
1 1/2" width, 1 1/4" length hair, ea.	4.95	3.96
2" width, 1 3/8" length hair, ea.	6.35	5.06

Number 5888 Double Thick Camel Hair Gilders Tip

G-5000

Broad brushes of soft camel hair between two pieces of cardboard used for picking up gold or other metal leaf and placing it smoothly on surface previously sized with some adhesive liquid. Double thick tips are in favor because they have more spring and permit more accurate placing of the leaf. Very straight hair that insures smooth application.



4" width, 2 1/2" length hair, ea.	\$1.00	\$.80
--	--------	--------

Number 5820 Double Thick Badger Hair Gilders Tip


G-4000

Extra quality tip made of good Badger hair set between two pieces of cardboard. Badger tips are more practical for aluminum or any other heavy metal leaf.

4" width, 2 1/2" length hair, ea.	\$1.75	\$1.40
--	--------	--------



No. 0




No. 3

Number 58106 Camox Broad Liners

Made of a combination of camel and ox hair. In seamless nickel ferrules and on short cedar stained handles. Used for making various width lines in automobile striping and also for automobile mouldings. Illustration shows actual size.

G-3008

No. 00.	1 3/4" length hair,	\$.70	\$.56
No. 0.	1 7/8" length hair,80	.64
No. 1.	2" length hair,85	.68
No. 2.	2 1/8" length hair,	1.00	.80
No. 3.	2 3/16" length hair,	1.15	.92
No. 4.	2 1/4" length hair,	1.40	1.12




No. 3

Number 5863 Camel Hair Dagger Striper

Finest quality long camel hair. In cedar handles, brass wire bound. A high grade professional striping tool that is made perfect in every respect. Illustration shows actual size.

No. 1000 Yankee

No. 00.	2 1/4" length hair,	\$.75	\$.60
No. 0.	2 5/16" length hair,80	.64
No. 1.	2 3/8" length hair,85	.68
No. 2.	2 3/8" length hair,95	.76
No. 3.	2 3/8" length hair,	1.05	.84
No. 4.	2 3/8" length hair,	1.15	.92



Number 5855 French Press Gray Camel Hair Striping Quill

Highest grade gray camel hair in ring pressed quills. For very finest striping. Illustration shows actual size.

G-52303

No. 1,	1 3/4" length hair,	\$.40	\$.32
No. 2,	1 3/4" length hair,45	.36
No. 3,	1 7/8" length hair,48	.38
No. 4,	1 7/8" length hair,50	.40
No. 5,	2" length hair,55	.44
No. 6,	2" length hair,65	.52
No. 7,	2" length hair,75	.60
No. 8,	2" length hair,85	.68
No. 10,	2" length hair,	1.05	.84
No. 12,	2" length hair,	1.25	1.00



Number 5854 French Press Camel Hair Lettering Quill

Finest French quality. Patented brass wire binding from size 5 up, bent upward to prevent cloth from catching in wire when cleaning the brush. Made especially for Japan color and window lettering. Illustration shows actual size.

G-301G

No. 0,	$\frac{3}{4}$ " length hair,\$.20	\$.16
No. 1,	$\frac{3}{4}$ " length hair,23	.18
No. 2,	$\frac{7}{8}$ " length hair,25	.20
No. 3,	$1\frac{5}{16}$ " length hair,30	.24
No. 4,	1" length hair,35	.28
No. 5,	$1\frac{1}{16}$ " length hair,38	.30
No. 6,	$1\frac{1}{8}$ " length hair,40	.32
No. 7,	$1\frac{1}{4}$ " length hair,45	.36
No. 8,	$1\frac{1}{4}$ " length hair,50	.40
No. 9,	$1\frac{5}{16}$ " length hair,60	.48
No. 10,	$1\frac{3}{8}$ " length hair,65	.52
No. 12,	$1\frac{7}{16}$ " length hair,80	.64
No. 14,	$1\frac{1}{2}$ " length hair,85	.68
No. 16,	$1\frac{1}{2}$ " length hair, 1.05	.84
No. 18,	$1\frac{5}{8}$ " length hair, 1.35	1.08
No. 20,	$1\frac{5}{8}$ " length hair, 1.55	1.24
No. 22,	length hair, 1.80	1.44




Number 5859 Gray Camel Hair Lettering Quill

Finest grade French gray camel hair. Large series. Patented brass wire binding from size 5 up, bent upward to prevent cloth from catching in wire when cleaning the brush. Made especially for heavy color lettering on smooth surfaces. Illustration shows actual size.

G-52301G

No. 0,	$\frac{3}{4}$ " length hair,	\$.22	\$.18
No. 1,	$\frac{3}{4}$ " length hair,28	.22
No. 2,	$\frac{7}{8}$ " length hair,30	.24
No. 3,	$\frac{15}{16}$ " length hair,35	.28
No. 4,	1" length hair,40	.32
No. 5, 1	$\frac{1}{16}$ " length hair,45	.36
No. 6,	$1\frac{1}{8}$ " length hair,50	.40
No. 7,	$1\frac{1}{4}$ " length hair,60	.48
No. 8,	$1\frac{1}{4}$ " length hair,65	.52
No. 9, 1	$\frac{5}{16}$ " length hair,75	.60
No. 10,	$1\frac{3}{8}$ " length hair,80	.64
No. 12, 1	$\frac{7}{16}$ " length hair,	1.00	.80
No. 14,	$1\frac{1}{2}$ " length hair,	1.20	.96
No. 16,	$1\frac{1}{2}$ " length hair,	1.40	1.12



Number 5885 Camel Hair French Lettering Quill

Finest French quality camel hair. Regular series. 1¼" length of hair on all sizes. Patented brass wire binding on all sizes, bent upward to prevent cloth from catching in wire when cleaning the brush. Made especially for Japan color and window lettering. Illustration shows actual size.

G-201G

No. 0,\$.20	\$.16
No. 1,20	.16
No. 2,23	.18
No. 3,25	.20
No. 4,30	.24
No. 5,35	.28
No. 6,38	.30
No. 7,40	.32
No. 8,45	.36

264 HI-GRADE PAINT & VARNISH PRODUCTS

No. 58130 Gray Camel Hair Patent Lettering Quill

Made of the finest selected gray camel hair. Set in quills with clear lacquered handles. Especially adapted for use in heavy colors

Delta No. 450-P

No. 1— $\frac{3}{4}$ " length hair each	\$.25	\$.20
No. 2— $\frac{7}{8}$ " length hair each28	.22
No. 3— $1\frac{1}{16}$ " length hair each30	.24
No. 4—1" length hair each35	.28
No. 5— $1\frac{1}{16}$ " length hair each40	.32
No. 6 $1\frac{1}{8}$ " length hair each45	.36
No. 8— $1\frac{1}{4}$ " length hair each55	.44
No. 10— $1\frac{3}{4}$ " length hair each70	.56
No. 12— $1\frac{15}{32}$ " length hair each85	.68

Quill Handles

Wood handles for quill brushes Round, extra smooth. Neat, tapering shape. Made to fit corresponding sizes of quill brushes. We carry in stock all sizes from 1 to 12.

Per doz.\$.20



No. 5878 Gildmore

G 4842

Flat Camel hair lacquering or bronzing brushes.

Tin ferrules; natural finish pencil handles.



Good quality.

Assortment consists of:

- 18 - $\frac{1}{4}$ " width.....Retail 20¢ each
- 18 - $\frac{1}{2}$ " width.....Retail 30¢ each
- 12 - $\frac{3}{4}$ " width.....Retail 45¢ each

No. 5878, Per assortment.....

\$10.50



Number 5870 Bristle Marking

In tin ferrules, long, cherry stained, polished handles. White bristles. Two dozen on card, 4 No. 1, 4 No. 2, 4 No. 3, 4 No. 4, 4 No. 5, 4 No. 6.

Number 5871 Camel Hair Marking

In tin ferrules, long, cherry stained, polished handles. Two dozen on card, 8 No. 1, 8 No. 2, 4 No. 3, 4 No. 4.

AMERICAN MADE BRUSHES


No. 5870, Bristle Marking, per card of two doz.	\$2.35
No. 5871, Camel Hair Marking, per card of two doz.	2.70

No. 5870 Bristle Marking - Fill in Stock

No. 1,	\$.11	\$.08
No. 2,13	.09
No. 3,15	.10
No. 4,16	.11
No. 5,18	.12
No. 6,20	.14

Number 5871 Camel Hair Marking - Fill in Stock

No. 1, $\frac{3}{4}$ " length hair,	\$.14	\$.10
No. 2, $\frac{7}{8}$ " length hair,16	.11
No. 3, $\frac{15}{16}$ " length hair,19	.13
No. 4, 1" length hair,24	.16




Number 5874 Superior Camel Hair Water Color

Camel hair water color artist brushes in tin ferrules on pointed, black, polished handles. Furnished on display card containing two dozen brushes assorted 1-6, or in a partitioned display box containing two dozen of each size, 1-6. (1 gross.)

5874—1 Gross box, per box	\$12.00
5874—Cards, 2 doz., per card	1.80
5874C—1/2 Gross box, per box	6.40

Fill-ins

No. 1—per dozen	Retail ea. \$.10
No. 2—per dozen10
No. 3—per dozen10
No. 4—per dozen11
No. 5—per dozen12
No. 6—per dozen14
No. 7—per dozen16



**Number 5877 Columbia
Bronzing**

One dozen 1" camel hair flat bronzing brushes on display card. Tin ferrules on flat, plain handles.



**Number 5875 Rembrandt Camel
Hair Water Color**

Artist brushes with nickel ferrules on yellow, green, blue and red handles. Two dozen, size 6, on card.

No. 5875 Water Color, per card	\$.15 ea.	\$2.35
No. 5877 Bronzing, per card15 ea.	1.40

No. 58125 Bristle Marking Brush

Pure black bristle on long slender handles. Assortment consists of 2 each size 1 to 6. Sizes 1 to 4 retail 10c each; sizes 5 and 6 retail 15c each.

Per card	\$.90
----------------	--------

No. 58126 Touch-Up Brush

Dupont nylon on shot pencil-like handles. Assortment consists of two dozen each size $\frac{1}{4}$ " - $\frac{1}{2}$ " - $\frac{3}{4}$ ", brushes a total of 6 dozen priced as follows:

$\frac{1}{4}$ in. Retails.....	\$.10 each
$\frac{1}{2}$ in. Retails.....	.20 "
$\frac{3}{4}$ in. Retails.....	.25 "

Per Assortment	\$13.20
----------------------	---------



Index

A

Abrasive Papers	155-166
Absorene Household Cleaner	189
Absorene Wallpaper Cleaner	186
Acid, Oxalic	193
Aero-Lift Paint & Varnish Remover	49
Aerolite Enamel	33
Aerolite Primer	33
Aerolite, Signwriters'	32
Aeroplane Glue	220
Air Freshener	197
Alcohol	203
Alfresco	211
All Purpose Table	137
Almond Stick	181
Alphabet Stencils	248
Aluminum Bronzes	227-230
Aluminum, Chrome Finishes	38, 226a, 227
Aluminum Enamel	227
Aluminum Ladders	138, 141
Aluminum Leaf	234
Aluminum Paints	37-39, 226a-227
Aluminum Roof Coating	15
American Wallpaper Kit	124
American Zinc, Dry	206
Applicators, Doozit	183
Applicators, Paint	90-93b
Applicators, Wax	177, 178, 183
Apron Taper	168a
Art Colors	210
Art Glass Paper	194
Art Posterboard	245-246
Asphalt Aluminum Paint	39
Asphalt Paints	14-15, 39, 43
Asphalt Roof Paint Colors	14
Asphalt Tile Cleaner	178a
Asphaltum	43
Auto Cleaners, Polishes, Waxes	171-173
Auto Enamel	33-34
Automatic Rubber Respirator	114
Awning Paint	201
.....	
.....	
.....	

B

Bakery White	41
Banana Liquid	228
Bar Top Varnish	56
Barn Paints	12-13
Base Trimmers	125-127
Bird-Roosting Repellent	196a
Black Board Slating	29
Black Elastic Paint	43
Blanchit Wood Bleach	194
Bleaches	193-194
Blem	181
Blow Torches	117-118
Blue Ribbon Polishes	171
Boat Glues, Cements	223-224
Boat Paint	35
Body Sheen	173
Bondex Cement Paints	207-208
Brackets, Ladder	144
Bracket, Step	145
Bracket, Window	145
Bric-Kleen	191
Bristol Board	246
Broad Knife	110
Bronzes	227-230
Bronzing Liquids	58, 228
Bruce Products	183, 184
Brush Cleaners	50, 51, 192
Dica-Doo Powder	192
Electric Spin-a-brush	111
Keep Kleen Liquid	51
Saco Powder	192
Savabrush Powder	192
Brush Holders	111, 112
Brush Kits	112
Brushes	60-89, 250-267
Brick Liner	73
Bronzing	67, 264, 267
Casein	63-65
Counter Duster	60
Dusters	60
Enameling	80
Fan Grainer	73
Fitch	81, 250-251

THE SMITH-ALSOP PAINT & VARNISH CO. III

C continued

Cement, China	221
Cement Floor Paint	10, 209
Cement, Joint	213
Cement, Linoleum	226
Cement Paint	8-10, 207-209
Cement, Rubber	221, 243
Cement, Tile	225
Cement, Wood	217, 226a
Chalk, Carpenters'	115
Chalk Crayons	244
Chalk Line	115
Chalk, Powdered	115
Chalkboard Slating	29
Chamois	151
Charcoal Pencils	243
Cheesecloth	152
Chek-Rust	37
Chief Wall Paper Remover	120
China Cement	221
China Marking Pencils	243
Chrome Cleaner, Polish	171
Chrome Finish Aluminum	38, 226a, 227
Chromatone Metallic Finishes	226b
Church Seat Varnish	57
Clean Wallpaper Cleaner	186
Cleaners, Brush	50, 51, 192
Cleaners, Carpet	190
Cleaners, Floor	177, 178a, 184, 193, 194
Cleaners, Paint	188-191
Cleaners, Upholstery	190
Cleaners, Wallpaper	186, 187
Cleaners, Window	183, 187
Clear Lacquer Sealer	30
Clear Waterproofing	8
Colored Chalk	244
Colored Pencils	243
Colors, Dry	205-206, 210
Colors, Japan	18, 242
Colors, Oil	16-18
Colors, Poster	236, 237
Colors, Process	31
Colors, Showcard	236, 237
Colors, Signwriters'	16-18, 31-33, 236, 237
Colors, Tinting	16-18, 24-25
Colors, Water	24, 210, 236-237

Combination Ladders-----	142
Combination Primer Surfacer-----	34
Combs, Graining-----	94
Concrete etch-----	191
Concrete Patching Cement-----	208,213
Conrad Handy Knife-----	249
Corks-----	204
Cotton Wipers-----	152
Crack Cutter-----	109
Crack Fillers --- 48,211-213,217-218,223-224	
Crack Repair Tool-----	109
Crayons, Chalk-----	244
Creosote Oil-----	203
Creosote Paint-----	13
Creosote Stains-----	11
Crocus Cloth-----	164
Custom Colors-----	25
Cutrite Paper-----	162

D

Dairy White	41
Damp Resister	199
Dance Floor Wax	179
Dandy Brush Kit	112
Day-Glo Tempera Colors	237
Deck Paint	10
Decorator's Tape	167-168b
Deep Wall Colors	21-25, 31
De Luxe Superior Enamel	28
Deodorant,	197
Dic-A-Doo Brush Cleaner	192
Dic-a-Doo Paint Cleaner	189
Dirtex	190
Doozit Applicators	183
Double X Floor Cleaner	193
Double X Floor Varnish	54
Drafting Tape	170
Dramex	210

IV HI-GRADE PAINT & VARNISH PRODUCTS

D continued

Drawing Inks.....	239-241
Drawing Pens.....	238-241
Dremel Electric Sander.....	158
Driers.....	19
Drop Cloths.....	97
Dry Cleaner, French.....	191
Dry Colors.....	205-206,210
Dry Glues.....	219,222
Dry Gum Shellac.....	206
Dry Wall Materials.....	209-214
Duco Cement.....	221
Dull Lustre Finish.....	26
Dull Varnish.....	54
Duo-Dustin Sheets.....	198
Duplex Poster Board.....	246
Duratite.....	217b
Duratox.....	202
Dust Mops.....	198
Dusting Paper.....	198
Dustless Floor Oil.....	59
Dutch Boy Lead.....	202
Dutch Boy Oils.....	202

E

Edging Sandpaper.....	165-166
Electric Floor Polisher.....	177
Electric Paint Peeler.....	118
Elmer's Contact Cement.....	224
Elmer's Glue-all.....	221
Elmers Waterproofing Glue.....	222
Emerel Cleaner.....	178a
Emery Cloth.....	156,164
Empty Cans.....	204
Enamel, Aerolite.....	33
Enamel, English Crown.....	29
Enamel, Exterior.....	33-35
Enamel, Fastime.....	27
Enamel, Floor.....	9-10
Enamel Primers.....	27-28,33

Enamel, Screen.....	7
Enamel, Stove.....	29
Enamel, Superior.....	28
Enamel, Truck & Tractor.....	34
Enamel Undercoat.....	27-28,33
English Crown Enamel.....	29
Essex Roll-a-painter.....	93b
Ever-Dri.....	8
Extension Boards.....	136
Extension Brush Holder.....	112
Extension Ladders.....	141-143
Extension Planks.....	143
Extension Trestles.....	139
Exterior Aluminum.....	37-39
Exterior Bronzing Liquid.....	58
Exterior Enamel.....	33-35
Exterior Latex Paint.....	8
Exterior Spar Varnish.....	56,201
E-Z Paint Applicators.....	93a
E-Z Seal Wallboard Tape.....	214
E-Zee Auto Wash Brush.....	

F

Factory White.....	41
Fastime Clear Plastic Coating.....	57
Fastime Enamel.....	27
Fastime Paste Wax.....	180
Fastime Self-Polishing Wax.....	174
Fastime Undercoat.....	27
Felt, Rubbing.....	153
Filler, Crack.....	48,211-213,217,218,223,224
Filler, Wood.....	48,217-218
Flame Spreader.....	118
Flat House Paint.....	2
Flat Varnish.....	54
Flat Wall Paints.....	5,21-22
Flatting Oil.....	59,202
Flicker Pens.....	239
Flint Paper.....	155-156
Floor Cleaners.....	177,178a,184,193,194
Floor Enamel.....	9-10
Floor Finish, Penetrating.....	55

THE SMITH-ALSOP PAINT & VARNISH CO. V

F continued

Floor Mops-----	198
Floor Oil-----	59
Floor Paint-----	9-10, 209
Floor Polish-----	174-184
Floor Sanding Paper-----	164-166
Floor Scrapers-----	101-106
Floor Sealer-----	55, 57
Floor Varnishes-----	54-55, 57, 201
Floor Waxes-----	174-184
Floorkon Plastic Cement Paint-----	10
Fluorescent Paint-----	237
Folding Rule-----	115
Folding Paste Table-----	136
French Dry Cleaner-----	191
Fresco Bronzing Liquid-----	58, 228
Fresco Colors-----	24
Fullers' Earth-----	206
Fume Proof Paint-----	1
Furniture Enamels-----	27, 33
Furniture Polish-----	181-183
Furniture Varnishes-----	56-57

G

Galvanized Iron Primer-----	37
Galvanized Pails-----	113
Garnet Paper-----	156, 160-161
G. E. Colors-----	27
General Utility Enamel-----	41
General Purpose Varnish-----	55
Gilders' Whiting-----	206
Glade-----	197
Glass Art Paper-----	194
Glass Cutters-----	98
Glass Marking Pencils-----	243
Glass Smalts-----	235
Glass Tinsel-----	230
Glass Wax-----	183
Glaziers' Points-----	98
Glaziers' Putty-----	46-47
Glaziers' Tools-----	93
Glazing Liquid-----	59

Glo-Coat-----	174
Glo-Torch-----	118
Gloss Finish, Interior-----	26
Gloss Oil-----	59
Gloves, Rubber-----	196
Glues-----	219-224
Gold Bronze-----	228-229
Gold Enamel-----	226b-227
Gold Leaf-----	233-235
Gold Plate Finish-----	227
Gold Size-----	234
Graining Tools-----	73, 94-95
Graphite, Dry-----	205
Graphite Paint-----	42
Grease Spot Remover-----	195
Green House Putty-----	46
Ground Color-----	52
Ground Glue-----	219
Guard Rail Triangle-----	148
Guides, Painting-----	110
Gum Shellac-----	206
Gummed Tape-----	214
Guns, Caulking-----	45
Gym Floor Finish-----	55

H

Hand Soap-----	195
Handi-Calk-----	44, 45
Handy Mesh Tape-----	214
Handy Painting Guides-----	110
Hastings' Gold Leaf-----	233
Hastings' Gold Size-----	234
Heat Proof Aluminum-----	39
Heat Resisting Bronzing Liquid-----	58
Heavy Bodied Gloss Oil-----	59
Heavy Duty Line-----	4-5
Higgins Drawing Ink-----	241
HiLite-----	182
Holder, Sandpaper-----	156-157
Holder, Shear-----	128
Hooks, Bumper-----	148

VI HI-GRADE PAINT & VARNISH PRODUCTS

H continued

Hooks, Ladder-----	146
Hooks, Pot-----	113
Hooks, Stage-----	148
House Paint, Fume Proof-----	1
House Paint, Hi-Grade-----	1
House Paint, Hi-Land-----	3
House Paint, One Coat-----	3
House Paint Primer-----	2-4,6
House Paint, Starlite-----	7
House Paint, Vigo-----	6
House Paint, White Lead-----	6
Hum-i-dri Moisture Absorbent-----	199
Hyde Century Trimmer-----	132
Hyde Trim-n-paster-----	132
Hydraulic Waterproofing-----	208

1

Illustration Board.....	246
Implement Paint.....	34
Industrial Black.....	43
Industrial Paint Roller	92
Industrial Spray Lacquer Thinner.....	35
Ink, Drawing	239-241
Insecticide Sprayer.....	120
Institutional Wax.....	174
Interior Aluminum.....	38,39
Interior Gloss Finish.....	26
Interior Latex Paints.....	4,23

J

J Wax-----	172
Jack, Window-----	144
Jackets-----	96
Jacks, Ladder-----	144
Jacks, Scaffold-----	146
Japan Colors-----	18, 242
Japan Drier-----	19
Japan Gold Size-----	234
Jiffy Screen Painter-----	89
Jiffy Tape-----	214
Johnson's Car Nu-----	171
Johnson's Car-Plate-----	172

Johnson's Chrome Cleaner-----	171
Johnson's Cream Wax Polish-----	181
Johnson's Emerel-----	178a
Johnson's Floor Waxes-----	174-180
Johnson's Glo-Coat-----	174
Johnson's Jubilee Kitchen Wax-----	182
Johnson's Liquid Wax-----	176, 179
Johnson's No-Buff-----	176
Johnson's Polisher-----	177
Johnson's Polishes-----	172-182
Johnson's Powdered Dance Wax-----	179
Johnson's Pride-----	181
Johnson's Shur-Tred-----	176
Johnson's Stride-----	175
Johnson's Traffic Wax-----	176
Johnson's Wax Applicator-----	178
Johnson's Waxed Floor Cleaner-----	178a
Joint Cement-----	213
Junior Electric Sander-----	158
Joint Tape-----	214
Jubilee Kitchen Wax-----	182

K

Kant-Scar Floor Varnish	54
Keep Kleen Brush Keeper	51
King Cole Colors	242
Kitchen Wax	182
Knives, Burn-Off	102
Knives, Linoleum	108
Knives, Paperhangers'	126-127
Knives, Putty	99-101
Knives, Spackle	108, 110
Knives, Stencil	249
Kozytone Casein Paint	24
Kozytone Fresco Colors	24
Kozytone Paint Roller	93b
Kuhl's Marine Glues & Cements	223-224
Kwikkeeze Brush Cleaner	50

THE SMITH-ALSOP PAINT & VARNISH CO. VII

L

Lacquer, Brushing-----	30
Lacquer, Linoleum-----	30
Lacquer Primer & Surfacer-----	34
Lacquer Sealer-----	30
Lacquer, Spraying-----	34
Lacquer Thinners-----	30, 35
Lacquer, Traffic-----	36
Lacquer, Wallpaper-----	30
Ladders-----	137-143
Ladder Bottoms-----	146
Ladder Brackets (Jacks)-----	144
Ladder Hooks-----	146
Ladder Step-----	145
Lambs Wool Applicators-----	178
Lamp Black, Dry-----	205
Latex Base Paint-----	4, 8, 23
Lawter's Luminous Paint-----	237
Lead, Dry-----	206
Lead-free Paint-----	1, 12
Lead Mixing Oil-----	202
Lead, Standard Brands-----	202
Lead, White House-----	6
Lecturers' Chalk-----	244
LePage's Aeroplane Glue-----	220
LePage's Gripspread Mucilage-----	220
LePage's Liquid Glue-----	220
LePage's Plastic-----	220
LePage's Wall Size-----	215
Lettering Book-----	238, 240
Lettering Stencils-----	248
Lifetime Brush Tank-----	112
Lining Bronze-----	228
Lino-Flax-----	188
Linoleum Cement-----	226
Linoleum Cement Spreader-----	197
Linoleum Knives-----	108
Linoleum Lacquer-----	30
Lin-O-Var Linoleum Varnish-----	55
Linseed Oil-----	203
Linseed Oil Putty-----	47
Linseed Soap-----	188
Liquid Glues-----	220-224
Liquid Masking Tape-----	200
Liquid Roof Coating-----	15
Liquid Wax-Off-----	178a

Litharge, Dry-----	206
Long Boy Paint Roller-----	92
Louvers-----	116
Luminous Paint-----	237
Lumnite-----	211

M

M & H Wallpaper Remover-----	185
Magic Clear Cement-----	221
Magic Foam Cleaner-----	190
Magic Liquid Solder-----	225
Magic Porcelain Glaze-----	226
Magnesium Ladders-----	138, 142
Mahogany Stain Remover-----	194
Marine Glues, Cements-----	223-224
Marine Paints-----	35
Martindale Mask-----	114
Masking Liquid-----	200
Masking Tape—Paper-----	167-168a
Masks, Spray-----	114
Master Painter Brush Kit-----	112
Mechanic's Hand Soap-----	195
Mesh Tape-----	214
Metal Paint-----	12-15, 37, 39
Metal Polish-----	171
Metal Primer-----	33, 34, 37, 42
Metal Sash Putty-----	46
Midget Louvers-----	116
Mill White-----	41
Mitts, Polishing-----	151
Moisture Absorbent-----	199
Molding Tool-----	106
Mops, Dust & Oil-----	198
Moth Proofer-----	196a
Mounting Board-----	246
Mucilage-----	220

VIII HI-GRADE PAINT & VARNISH PRODUCTS

M continued

Murray-Black Trimmers	129
Muslin, Sign.....	247
Mystik Tape.....	167
.....	
.....	
.....	
.....	
.....	

N

Nomus Can Top.....	114
Numeral Stencils.....	248
.....	
.....	
.....	

O

O-Cel-O Sponges.....	150
Odorless French Dry Cleaner	191
Odorless One Coat Flat.....	22
Odorless Paint Thinner.....	203
Oil Colors.....	16-18
Oil, Flatting	59,202
Oil Mops.....	198
Oil Rubbing.....	59
Oil Stains.....	52
Oil, 3 in 1	197
Oils & Thinners.....	203
Old English Scratch Remover.....	181
Old English Wax.....	180
One Coat Flat.....	5, 22
One Coat House Paint.....	3
Overalls.....	96
Oxalic Acid.....	193
.....	
.....	
.....	
.....	
.....	
.....	
.....	
.....	
.....	
.....	

P

Pails, Galvanized.....	113
------------------------	-----

Paint Cleaners.....	188-190
Paint Deodorant.....	197
Paint Guard.....	110
Paint Pots.....	113
Paint Removers	48-51, 193-194
Paint Rollers	90-93b
Paint Shaker.....	121
Paint Softener	51
Paint Sprayers.....	121-122
Paint Strainers	114
Paint Thinner	203
Painters' Overalls.....	96
Painters' Pal	89
Painting Guides.....	110
Palladium Leaf.....	234
Paper Drop Clothes	97
Paper Hangers' Knives.....	126-127
Paper Hangers' Overalls	96
Paper Hangers' Paste.....	216, 222
Paper Hangers' Shears.....	128
Paper Hangers' Size	215-217
Paper Hangers' Tools	123-136
Paper Hangers' Trestles	135
Paper Paint Tubs	113
Paraffine Oil.....	203
Pa'So Paint Softener.....	51
Paste-bak	222
Paste Boards.....	136
Paste Bucket Stand.....	135
Paste, Linoleum.....	226
Paste Paint.....	6-7
Paste, Paper Hanger's	216, 222
Paste, School	243
Paste Table.....	136
Paste Wood Filler.....	48
Patch Paste.....	213
Patching Compound, Concrete	208, 213
Patching Plaster	211-213
Patching Tools.....	109
Peel Wallpaper Remover	185
Pencils.....	243
Penetrating Floor Sealer.....	55
Penholders.....	241
Pens, Drawing.....	238-241
Periseal.....	201

THE SMITH-ALSOP PAINT & VARNISH CO. IX

P continued

Peter Putter Plaster Pencil.....	212
Pigeon-Roosting Repellent	196a
Pigmented Wall Sealers.....	4,19, 20, 23
Planks, Extension	143
Planks, Toothpick.....	147
Plaster Crack Cutter.....	109
Plaster Paris.....	206
Plaster, Patching.....	211-213
Plaster Pencil.....	212
Plasti-Shield Wall Protector	198
Plastic Drop Cloths.....	97
Plastic Floor Paint.....	10
Plastic Glues.....	220-223
Plastic Latex Sementcoat	8
Plastic Roof Cement.....	14
Plastic Tape.....	168b
Plastic Texture Paint.....	22, 209,210
Plastic Varnishes	10,33,57
Plastic Wood.....	218
Plates, Zinc.....	134
Plumb Bob.....	135
Plywood Sealer	30
Point Driver.....	98
Points, Glaziers.....	98
Polish, Auto.....	171-173
Polish, Chromium.....	171
Polish, Floor.....	174-184
Polish, Furniture.....	181-183
Polish, Metal.....	171
Polishers, Floor.....	177
Polishing Cloth.....	152
Polishing Mitt.....	151
Porcelain Glaze.....	226
Porch & Deck Paint.....	10
Poster Board.....	245-246
Poster Colors.....	236-237
Poster Paper.....	247
Pot Hooks.....	113
Pots, Paint.....	113
Pouncing Wheels	249
Powdered Chalk	115
Prang Tempera Colors	236-237
Preservative, Wood	36
Pride.....	181
Primer, Aluminum Paint.....	37

Primer, Auto Enamel.....	33,34
Primer, Barn.....	12
Primer, Enamel.....	27-28, 33
Primer, Exterior Wood.....	2-4, 6-7,12
Primer, Lacquer.....	34
Primer, Metal.....	33, 34, 37, 42
Primer, Wall	4,20, 23
Primer, White Lead Paint.....	6
Process Colors	31
Production Paper.....	162
Protectite Roof Paint.....	15
Pro-Tek.....	195
Pumice Stone.....	153
Putty.....	46-47
Putty Knives.....	99-101
Putty Stik.....	217b
.....	
.....	

Q

Quakersol.....	203
Quick Dry Red Lead.....	42
Quick Dry Spot Sealer.....	19
Quick Plug	208
Quick Rubbing Varnish.....	57
Quill Handles.....	264
Quills.....	260-264
.....	
.....	
.....	

R

Radiator Aluminum.....	39
Radiator Bronzes.....	227-229
Radiator Paint, Dull Lustre	26
Radiator Paint, Richtone.....	21
Rags.....	152
Raid Insecticides.....	196a
Ranetite.....	199
Razor Blade Cutters, Scrapers.....	106-108
Ready Patch.....	212
Red Devil Floor Conditioner	177
Red Devil Glass Cutter.....	98
Red Devil Scrapers.....	106
Red Devil Shaker.....	121

X HI-GRADE PAINT & VARNISH PRODUCTS

R continued

Red Devil Stippler.....	90
Red Lead, Dry.....	206
Red Lead In Oil.....	202
Red Lead, Ready Mixed.....	42
Red Stave Wall Size.....	215
Red Stave Wheat Paste.....	216
Redwood Stain.....	9
Removers, Paint & Varnish	48-51,193-194
Resistane.....	200
Respirators.....	114
Rex Wall Size.....	215
Richtone Cleaner.....	190
Richtone Deep Wall Colors.....	21
Richtone Flat Wall Finish.....	21
Richtone Wall Size.....	20
Ridgely Trimmers.....	130-131
Rollers, Paint.....	90-93b
Rollers, Seam.....	123-124
Roller Stipplers.....	90
Roof Brackets.....	145
Roof Cement.....	14
Roof Coating.....	15
Roof Paints.....	12-15
Roof Paint Thinner.....	14
Roost-No-More.....	196a
Rotten Stone.....	153
Rub-X.....	153
Rubber Base Paint.....	4,8,23
Rubber Cement.....	221, 243
Rubber Gloves.....	196
Rubber Sponges.....	150
Rubbing Compound.....	153
Rubbing Felt.....	153
Rubbing Oil.....	59
Rubbing Pads.....	153
Rubbing Varnish.....	57
Rug Cleaner.....	190
Rug Size.....	219
Rug-Sta.....	197
Rules.....	115
Rust-Inhibitive Paint.....	37
Rust Remover, Rust-i-cide.....	199
Rutland Patching Plaster.....	211
.....	
.....	

R

S

Saco all purpose tinting colors.....	16a-16b
Saco Brush Cleaner.....	192
Saco Patching Plaster.....	214
Saco-Seal Pigment Size.....	20
Saco-Sheen.....	23
Saco Sheen Primer.....	23
Saco Sheen Texture Paint.....	22
Saco Wall Paper Paste.....	216
Saco White Wall Primer.....	20
Safe-ez Remover.....	50
Sand-No-Mor Blocks.....	163
Sand Smalts.....	235
Sanders.....	156-159
Sandpaper.....	155-166
Sandpaper Blocks.....	156-157
Sandpaper Discs.....	159,165,166
Sandpaper, Floor.....	164-166
Sandpaper Holder.....	156-157
Sanitas Trimmer.....	124
Sash Black.....	7
Sash Putty.....	46-47
Satin Finish Enamel.....	27-29
Satin Finish Varnish.....	10,33, 54
Satin Oil.....	25
Savabrush Brush Cleaner.....	192
Sav-A-Lot remover.....	185
Savogran Remover.....	48
Scaffold Jacks.....	146
Scaffold, Painters.....	146-147
Schalk's Crack Filler.....	217
Schalk's Patch Paste.....	213
Schalk's Tile Cement.....	225
Schalk's Wood Putty.....	217
School Paste.....	243
Scotchlite.....	231,232
Scotch Rubber Adhesive.....	221
Scotch Tapes.....	168-170
Scrapers.....	101-108
Scratch Master.....	226a
Scratch Remover Polish.....	181,182
Screen Enamel.....	7

THE SMITH-ALSOP PAINT & VARNISH CO. XI

S continued

Screen Painters-----	89	Solder, Liquid-----	225
Screen Process Colors-----	31	Spackle Knives-----	108, 110
Sealer, Floor-----	55, 57	Spackling Compound-----	212, 213
Seam Rollers-----	12 ³ -124	Spar Sash Black-----	7
Self Spraying Enamels-----	226a	Spar Varnish-----	56, 201
Sementcoat Cement Paint-----	9	Spatulas-----	100
Semi-Gloss Wall Paint-----	5, 23, 26, 29	Spe-de-way Wood Bleach-----	193
Setfast Awning Paint-----	201	Speedball Books-----	238, 240
Shaker, Paint-----	121	Speedball Inks-----	239
Shear Holder-----	128	Speedball Pens-----	238-240
Shears-----	128	Speedee Dry Wall Cleaner-----	187
Shellac-----	53	Speedee Sponges Refills-----	187
Shellac, Dry Gum-----	206	Speedlac Brushing Lacquer-----	30
Shellac, Sticks-----	226	Speedlac Thinner-----	30
Shellacol-----	203	Speedy Aerolite Thinner-----	35
Shingle Stains-----	11	Speedy Sprayer-----	121
Show Card Board-----	245-246	Spin-A-Brush-----	111
Show Card Colors-----	236-237	Sponges-----	149-150
Shur-Tred-----	176	Spot Remover-----	195
Sign Cloth-----	247	Spot Sealer-----	19
Sign Paper-----	247	Sprayer, Garden-----	120
Signature Custom Colors-----	25a-25c	Sprayers, Paint-----	121-122
Signwriter's Brushes-----	250-267	Spray Lacquers-----	34
Signwriters' Colors, Aerolite-----	32	Spray Lacquer Thinner-----	35
Signwriters' Supplies-----	230-267	Spray Mask Liquid-----	200
Sila-Tex-----	209	Spray Masks-----	114
Silica-----	206	Spray O'Namel-----	226a
Silver Glass Tinsel-----	230	Spray, Wall Paper Remover-----	120
Silver Leaf-----	234	Stage Bumpers-----	148
Silverkote-----	227	Stage Hooks-----	148
Simoniz Bodysheen-----	173	Stages, Painters'-----	147-148
Smoniz HiLite-----	182	Stain, Oil-----	52
Simoniz Kleener, Polish-----	173	Stain, Redwood-----	9
Simoniz Paste Wax-----	180-181	Stain Remover-----	193-194
Simoniz Self-Polishing Wax-----	175	Stain, Shingle-----	11
Sisk's Size-----	215	Stain, Varnish-----	52
Size, Wall-----	20, 23, 215	Stanz-all Spar Varnish-----	56
Sizing Glue-----	219	Star Bronze Paints-----	227
Skil Sander—Polisher-----	158, 159	Starching Material-----	200
Slating, Blackboard-----	29	Starling-Roosting Repellent-----	196a
Smalts-----	235	Starlite Paste White-----	7
Snapon Brush Holder-----	111	Staz-Tite Wallpaper Adhesive-----	217
Snappy Waterless Cleaner-----	188	Steamer, Wallpaper-----	119-120
Soilax-----	189	Steel Wool-----	154
Solarite Art Colors-----	210	Stencil Board-----	247

XII HI-GRADE PAINT & VARNISH PRODUCTS

S continued

Stencil Knife.....	249	Tempera Colors.....	236-237
Stencil Letters, Numerals.....	248	Termite Control Liquid.....	202
Stencil Paper.....	247	Texture Paint.....	22,209-210
Step Bracket.....	145	Thinner, Lacquer.....	30, 35
Step Ladders.....	137-140	Thinner, Odorless.....	203
Step Stool.....	137	Thinner, Paint.....	203
Sterling Sander Paper.....	155	Thinner, Roof Paint.....	14
Stick Shellac.....	226	Three-in-1 Oil.....	197
Sticky Seal Tape.....	214	Tibet Almond Stick.....	181
Stipple Paint.....	21	Tiger Grip Linoleum Cement.....	226
Stippling Rollers.....	90	Tile Cement.....	225
Stove Enamel.....	29	Tinners' Paint.....	39
Straight Edges.....	133-134	Tinsels.....	230
Strainers.....	114	Tinting Colors, Oil.....	16-18, 25
Street Marking Paint.....	36	Tinting Colors, Water.....	24, 210
Strictly Pure Putty.....	47	Toolcraft Sander.....	57
Stride Self-Polishing Wax.....	175	Toothpick Plank.....	47
Striping Tool.....	94	Topping Cement.....	213
Strip-Seal.....	44	Topspar Varnish.....	56
Strips, Zinc.....	134	Torches.....	117-118
Strypeeze.....	49	Touch-up Pencils.....	226a
Studio Lettering Stencils.....	248	Tracing Wheels.....	249
Super Keep Kleen.....	51	Tractor Enamel.....	34
Supercel Paste.....	216	Traffic Lacquer.....	36
Superior Enamel.....	28	Traffic Paint.....	36
Superior Enamel Undercoat.....	28	Traffic Wax.....	176
Surfacing Putty.....	217b	Trestles, Extension.....	139
Swedish Putty.....	212-213	Trestles, Paper Hangers'.....	135
Sweeping Compound.....	195	Triangles, Guard Rail.....	148
Swift's Gold Leaf.....	235	Trim Colors, Exterior.....	1, 3, 33, 34
Swing Stage.....	147-148	Trim-Guard Painting Guide.....	110
Synthetic Barn Paint.....	13	Trim-N-Paster.....	132
.....		Trimmers and Parts.....	129-132
.....		Trisodium Phosphate.....	191
.....		Tri-Tix Rubber Cement.....	243

T

T Asphaltum.....	43	Trowel, Patching.....	109
T Japan Drier.....	19	Truck & Tractor Enamel.....	34
Tables, Paste.....	136	Tru-Edge Brush Kit.....	112
Tack Cloth.....	152	Tube Colors in Japan.....	242
Tape Dispenser.....	170	Tube Colors in Oil.....	18
Taper, Apron.....	168a	Turpentine.....	203
Tapes.....	167-170, 214	Turpoline.....	203
Taping Knife.....	102	
Telescoping Extension Planks.....	143	
.....		

THE SMITH-ALSOP PAINT & VARNISH CO. XIII

U

Undercoats, Enamel-----	27,28,33
Upholstery Cleaner-----	190
Utility Enamel-----	41

V

Valspar Varnish-----	201
Varnish Removers-----	48-51,193
Varnish Stains-----	52
Varnishes-----	54-57,201
Venetian Red, Dry-----	205
Venostone Primer-----	209
Ventila-----	116
Venus Bronzes-----	227-229
Venus Lacquers-----	227
Versitex-----	206
Vigo House Paint-----	6
Vista Car Wax-----	172
Vitrophane-----	194

W

Wall Primer-----	4,20,23
Wall Protector-----	198,200
Wall Spreader-----	108
Wallpaper Adhesives-----	217,222
Wallpaper Cleaners-----	186-187
Wallpaper Grease Spot Remover-----	195
Wallpaper Kit-----	124
Wallpaper Lacquer-----	30
Wallpaper Paste-----	216-217, 222
Wallpaper Coating-----	200
Wallpaper Remover, Liquid-----	185
Wallpaper Remover, Powder-----	185
Wallpaper Remover, Spray-----	120
Wallpaper Remover, Steam-----	119,120
Wallpaper Spot Remover-----	195
Wallpaper Trimmers-----	129-132
Walvet-----	186
Water Colors-----	24,210,236,237
Water Paints-----	4,8,23-24,207-211

Water Putty-----	217
Waterless Cleaner-----	188
Waterproof Cement Paint-----	8-9,207-208
Waterproofing-----	8,199,208
Waterproofing, Bondex Hydraulic-----	208
Wax Applicators-----	177-178, 183
Wax, Auto-----	172-173
Wax, Dance-----	179
Wax, Floor-----	174-184
Wax, Glass-----	183
Wax, Paste-----	176, 180, 184
Wax Removers-----	178a
Wax, Self-Polishing-----	174-176
Waxers, Floor-----	61,177-178
Wax-Off-----	178a
Weighted Floor Brush-----	61
Wheat Paste-----	216
Wheel Knife-----	126,127
White House Lead-----	6
White Lead, Dry-----	206
White Lead in Oil-----	6, 202
White Lead Paint-----	6
White Ribbon Furniture Polish-----	182
Whiting-----	206
Wilsolve-----	50
Windex-----	187
Window Cleaner-----	183,187
Window Jack (Bracket)-----	144
Window Paint Shield-----	200
Window Shade Paint, Dull Lustre-----	26
Window Shade Paint, Richtone-----	21
Wipe-----	188
Wipers-----	152
Wire Brushes-----	88-89
Wood Bleachers-----	193,194
Wood Cream-----	183
Wood Fillers-----	48,217-218
Wood, Plastic-----	218
Wood Preservative-----	36
Wood Putty-----	48,217-218
Wood Scrapers-----	104-106
Wooster Rollers-----	90-93

XIV HI-GRADE PAINT & VARNISH PRODUCTS

W continued

X

X-Acto Knife-----	249
XX Floor Cleaner-----	193
XX Floor Varnish-----	54

Z

Zig-Zag Rules-----	115
Zinc, Dry-----	206
Zinc Dust Primer-----	37
Zinc Plates, Strips-----	134
Zinc Sulphate-----	191
Zip Putty-----	47

NUMERICAL INDEX SIGNWRITERS' BRUSHES

No.	Page	No.	Page
5810-----	251	5871-----	265
5811-----	250	5874-----	266
5815-----	258	5875-----	267
5816-----	257	5877-----	267
5817-----	251	5878-----	264
5820-----	258	5881-----	256
5822-----	254	5882-----	255
5823-----	254	5885-----	263
5825-----	255	5888-----	258
5828-----	253	5890-----	252
5854-----	261	58106-----	259
5855-----	260	58125-----	267
5859-----	262	58126-----	267
5863-----	259	58130-----	264
5870-----	265		

SIGNWRITERS' BRUSHES

Mfr. No.	S. A. No.	Mfr. No.	S. A. No.
G98-----	5825	G4119-----	5881
G201G-----	5885	G4842-----	5878
G301G-----	5854	G5000-----	5888
450P-----	58130	G6361-----	5817
1000-----	5863	G6658-----	5882
G2355-----	5890	G6844A-----	5824
G2789-----	5811	G8966-----	5810
G3008-----	58106	G8968-----	5810
G3614-----	5816	G8968-----	5810
G3623-----	5815	G9355-----	5828
G3671-----	5822	G9457-----	5889
G3673-----	5823	G52301G-----	5859
G4000-----	5820	G52303-----	5855

